



GRANDEUR SBS

LIMITED LIFETIME SBS MODIFIED ARCHITECTURAL SHINGLES



Color Featured: Charcoal Grey

**LIMITED HIGH WIND
WARRANTY UPGRADE**




Grandeur SBS 130 mph (210 km/h)^{1,2}

¹See Limited Warranty for complete terms, conditions, restrictions and application requirements.
²High Wind Application is required.



Advanced Engineering

Grandeur SBS stands up to the competition just as effectively as it does the weather. Our unique IKO-SBS modified asphalt adds superior impact resistance even in cold weather applications.



Grandeur SBS

LIMITED LIFETIME SBS MODIFIED ARCHITECTURAL SHINGLES

Cold temperatures, high winds and severe storm conditions can virtually destroy roofs, causing homeowners thousands of dollars in damage. Most roofing shingles will provide quality protection against the simpler elements of nature, such as wind, rain, snow and average temperatures. But even expensive roofing materials, may show signs of weakness in extreme weather conditions, cold temperatures and heavy wind.

IKO's Grandeur SBS shingles are designed to withstand Mother Nature's forces with their superior impact resistance.

Engineered to last and built to perform, providing superior resistance against thermal cycling and high winds. Grandeur SBS shingles offer the added protection of algae resistant granules to keep the roof looking beautiful, even in regions of heavy rainfall and high humidity.

Grandeur SBS shingles are completely coated with our unique IKO-SBS modified asphalt, to impart superior impact resistance and handling characteristics, even in cold-weather applications.

Given all this, plus their tensile strength, tear-resistance and superior appearance, it's no wonder Grandeur SBS shingles are looking so good in a class of their own.

- So strong it has a UL 2218/FM 4473 Class 4 Impact Resistant rating.*
- 15-Year IKO Iron Clad Protection¹
- Covered by a Limited Lifetime Warranty¹
- Meets IRC wind code requirements; Limited Wind Warranty coverage up to 110 mph (177 km/h)¹
- Limited High Wind Warranty Upgrade of 130 mph (210 km/h)^{1,2}

¹ See Limited Warranty for complete terms, conditions, restrictions and application requirements.

² High Wind Application is required.

*This impact rating for Grandeur SBS shingles is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium and is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier, or installer.



Grandeur SBS SBS Modified Architectural Shingles

Designed and engineered to protect your home against the fierce elements of nature that can destroy most asphaltic roof systems.

1 Ceramic-Coated Granules
Ceramic-coated granules, including colorfast Algae Resistant copper granules keep shingles looking beautiful for years.

2 IKO-SBS
Extra-thick coating of quality IKO-SBS modified asphalt for superior weather resistance, even in cold weather applications – including **UL 2218/FM 4473 Class 4 impact resistance.***


3 Fiberglass Mat
IKO's own Fiberteq heavyweight fiberglass mat provides a strong base for exceptional durability.

4 SBS-Modified Adhesive
SBS-modified adhesive is used to laminate the shingles and ensure superior structural integrity.

5 Heat-Activated Sealant
IKO's unique formula of heat-activated sealant helps to ensure maximum wind protection.



IKO-SBS
IKO-SBS is mixed into the asphalt to give it more elasticity, allowing the shingle to be more flexible.



Dual Black




Charcoal Grey



Dual Grey



Weatherwood



Driftwood

Color Featured: Dual Black

Selecting a Color For Your Roof

To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the color samples of all materials in natural sunlight, at different times of day to ensure that your color choices are complementary. Colors shown in printed materials may not be accurate, and color chips do not reflect the dramatic color blends of the full shingle.

Product Specifications	Length	Width	Exposure	Coverage Per Bundle	Standards†	Limited Warranty¹	Iron Clad Protection¹	Limited Wind Warranty¹	Limited High Wind Warranty Upgrade¹,²	Algae Resistant¹
Grandeur SBS	40 7/8 in (1038 mm)	13 3/4 in (349 mm)	5 7/8 in (149 mm)	33.3 ft² (3.1 m²)	ASTM D3462 ASTM D3018 ASTM D3161 - Class F ASTM E108 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.51 CSA A123.52 UL 2218, Class 4* FM 4473 Class 4*	Limited Lifetime	15 Years	110 mph (177 kph)	130 mph (210 kph)	✓

Note: All values shown are approximate. †Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging. ¹ See Limited Warranty for complete terms, conditions, restrictions and application requirements. ²High Wind Application is required.*This impact rating for Grandeur SBS shingles is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium and is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier, or installer.

PRO 4 ROOFING SYSTEM

Shingles alone are sometimes not enough to protect your home. IKO has developed a superior multi-layered roofing system incorporating our industry-leading products. *IKO's Pro 4 Roofing System is setting the standard in protecting your home.*

IKO's Shingles
Crowne Slate, Armourshake, Royal Estate, Cambridge AR and Marathon shingles are created using the industry's most advanced technology and selected by consumers who demand the best in terms of quality, durability and value. Along with one of IKO's quality shingles, your Pro 4 System includes these accessory products;

1. Eave Protection
GoldShield, ArmourGard, or StormShield Ice & Water Protectors
IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

2. Underlayment
RoofGard-Cool Grey Underlayment
Use our innovative RoofGard-Cool Grey synthetic underlayment for total deck protection.

3. Roof Starters
Leading Edge Plus Starter Strips
Fast, easy and convenient. IKO's Starter Strips are already cut to size saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.

4. Ridge Cap Shingles
Hip and Ridge, Hip & Ridge Plus, Hip & Ridge 12 or Ultra HP™ High Profile Ridge Cap Shingles
Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.



Shingle Swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction please make your final color selection from several full size shingles and view a sample of the product installed on a home. The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

Find out more about our products now by talking to an IKO Sales Representative, your professional roofing contractor or contact us directly at:

United States **1-888-IKO-ROOF** (1-888-456-7663),
Canada **1-855-IKO-ROOF** (1-855-456-7663)
or visit our web site at: www.iko.com



© Copyright - 04/13 - MR1L010

