

SteelLinx[®]

Quality Metal Solutions

Hand Driven Fasteners 2013


BlueLinx
America's Building Products Distributor



Dear Valued Customer:

BlueLinX offers a wide selection of SteelLinX nails, screws, staples and collated fasteners in a variety of types, sizes, and finishes for virtually any application. SteelLinX collated fasteners can be used in virtually any brand of tool and are labeled with handy cross-reference information. With experienced worldwide sourcing capability and extensive vendor relationships, BlueLinX can provide the fastener products to meet your specific needs.

In addition to our SteelLinX fastener offering, we also offer a broad array of SteelLinX concrete accessories (tie wire, anchor bolts, nail stakes, etc.), agricultural metal (t posts, hardware cloth, poultry netting, etc.), stucco netting and metal lath. We source this from numerous countries to bring you the best product for the best value.

BlueLinX has been a leader in the building products industry for more than 55 years. We're proud to say that our customers value the full range of product and service options available to them through our company. We think that is no different in our metals program.

We thank you for choosing BlueLinX. For questions or to place an order, please call us at 1-888-502-BLUE (2583). For your convenience, you can find additional information at our website at www.BlueLinXCo.com and www.SteelLinX.com.

Best Regards,

BlueLinX Metals Team





global metal resourcing —→ delivered

From rebar to roofing accessories, SteelLinx offers a comprehensive selection of metal building products. Our extensive global sourcing capabilities and vendor relationships enable us to provide you with the best quality, value and selection available. As a BlueLinx portfolio brand, you can count on the dependable service you know and trust.


SteelLinx®

Quality Metal Solutions

www.SteelLinx.com



Call: 888-502-BLUE (2583) • Visit: www.BlueLinxCo.com



CONTENTS

SECTION I: NAILS 5

Packaging.....	5
Components of a Nail.....	6-7

GENERAL CONSTRUCTION..... 8-15

Framing.....	9-10
Joist & Underlayment.....	11
Pallet & Crating.....	12
Pole Barn & Spikes.....	13
Flooring.....	13-14
Finish.....	14
Masonry & Duplex.....	14-15

OUTDOOR CONSTRUCTION..... 16-23

Framing.....	17-18
Joist.....	18
Pole Barn & Spikes.....	19-20
Finish & Trim.....	20
Patio & Deck.....	21
Fencing.....	22
Masonry.....	23

ROOFING & SIDING..... 24-31

Roofing.....	25-28
Siding.....	29-31

DRYWALL..... 32-34

Bright.....	33
Electro Galvanized.....	33
Phosphate Coated.....	33
Cement Coated.....	34
Blue Lath.....	34
Plasterboard.....	34

SECTION II: SCREWS..... 35

Packaging.....	35
Components of a Screw.....	36-37

DRYWALL..... 38-40

Course Thread.....	39
Fine Thread.....	39-40
Laminating.....	40

GENERAL CONSTRUCTION..... 42-43

Yellow Zinc.....	43
Cement Board.....	43
Concrete.....	43
Duplex.....	43

METAL FRAMING & CONSTRUCTION..... 44-47

Philips Pan Head.....	45
Modified Truss.....	45-46
Hex Washer Head.....	46-47
Neowasher.....	47

LIFEGUARD1000 DECKING..... 48-59

LIFEGUARD1500 DECKING..... 50-51

STAINLESS STEEL DECKING..... 52-53

DECK FASTENING SYSTEMS..... 54-55

The Hidden Link®.....	54
The Mantis.....	54
Ballistic Nail Screws®.....	55

SECTION III: INDEX..... 56

Nails can make or break a building project.

For interior and exterior jobs, from framing to concrete applications, using a high quality nail suited for the specific application is crucial. You can count on high quality SteelLinx nails to consistently deliver excellent results.

SteelLinx provides a comprehensive line of hand driven nails available in all standard lengths, shanks, finishes and coatings.

NAIL FASTENERS COLOR GUIDE

GENERAL CONSTRUCTION

OUTDOOR CONSTRUCTION

ROOFING & SIDING

DRYWALL

SteelLinx® makes it easy to select the optimal fastener for your project with their color-coded packaging and point-of-purchase displays.



Components of a Nail

NAIL TYPES



FLATHEAD

Most standard type of nail head. Larger head size provides greater holding power.



COUNTERSUNK

The countersunk head provides the nail with the ability to break the surface tension of the wood and recess itself into the top of the wood.



DUPLEX

This is a double-headed nail for temporary applications. Makes for easy removal.



CHECKERED

Creates a non slip surface for hammering while framing.



BRAD

The brad head is primarily used with in finishing work, such as nailing trim and moulding. The smaller head reduces the holding power but makes it very easy to countersink.



CUPPED

Primarily used in drywall applications. Cupped head allows driving into drywall without the paper tearing around the nail head. Provides a good surface to hold joint compound.

NAIL SHANK TYPES



SMOOTH

Most common shank and easiest to produce but provides least amount of holding power.



BARBED

Barbed indentations into shank give slightly better holding power than smooth shank.



RING (annular thread)

Concentric rings around the shank of the nail provide great holding power.



SCREW (spiral)

Nail turns into wood while being driven similar to a screw.



FLUTED

Channeled shank designed for driving into blocks or mortar joints to prevent cracking the material. Provides holding strength.

NAIL POINT TYPES



BLUNT DIAMOND

Most common nail point used today because it reduces splitting while driving.



LONG DIAMOND

Also known as a needle-point. Primary application is drywall.



CHISEL

Primary application is pallet-making and manufacturing. Chisel prevents splitting.

STANDARD LENGTHS

SIZE	LENGTH
2d	1
3d	1¼
4d	1½
5d	1¾
6d	2
7d	2¼
8d	2½
9d	2¾
10d	3
12d	3¼
16d	3½
20d	4
30d	4½
50d	5½
60d	6

STEEL RIGIDITY

REGULAR STEEL STOCK

Standard type of wire rod used in fastener manufacturing. Low to medium carbon content.

STIFF-STOCK

Higher carbon content steel. Harder and stiffer than regular steel stock to prevent bending when driven into hardwoods.

TEMPERED HARDENED STEEL

High carbon content steel is used to make the nail and then the nail is heat treated which provides even better resistance to bending.

STANDARD WIRE GAUGE

GAUGE	INCHES	MM
2	.2625	6.667
3	.2437	6.189
4	.2253	5.722
5	.2070	5.257
6	.1920	4.876
7	.1770	4.495
8	.1620	4.114
9	.1483	3.766
10	.1350	3.429
10½	.1316	3.343
10½	.1283	3.258
11	.1205	3.060
11½	.1177	2.990
12	.1055	2.679
12½	.0985	2.502
13	.0915	2.324
13½	.0857	2.177
14	.0800	2.032
14½	.0760	1.930
15	.0720	1.828
15½	.0673	1.709
16	.0625	1.587
16½	.06151	1.562

FINISH TYPES

BRIGHT

Plain steel; provides no corrosion resistance. Should not be used for any type of pressure treated wood and should not be used in exterior applications where the fasteners will be exposed to the elements.

ELECTRO-GALVANIZED

Plain steel coated with zinc through electrical charge; provides minimal corrosion resistance. Should not be used for any type of pressure treated wood and should not be used in exterior applications where the fasteners will be exposed to the elements.

HOT DIPPED GALVANIZED

Nails are dipped into a molten zinc bath. Gives nail a heavy clumpy coating of zinc. Provides good corrosion resistance and is acceptable for all types of pressure treated wood and exterior applications. Galvanization meets ASTM A 153 Class D.

MAGNETO HYDRODYNAMICS

Eco-friendly technology, where magnets are used to apply molten zinc to wire rod. Provides good corrosion resistance and acceptable for all types of pressure treated wood and exterior applications. Galvanization meets ASTM A 153 Class D.

STAINLESS STEEL

Lifetime corrosion resistance and is acceptable for all types of pressure treated wood and exterior applications. Stainless Steel provides superior performance in cedar, redwood and coast markets.

ALUMINUM

Lifetime corrosion resistance. Great for use with gutters and aluminum trims.

COPPER

Used in conjunction with copper substrates for continuity and appearance.

BLUED

Nails are degreased and heat cleaned. Creates a blue oxidation coating. Used in lath and plaster applications.

VINYL COATED

Vinyl coating applied to create ease of drivability and better holding power. Should not be used for any type of pressure treated wood and should not be used in exterior applications where the fasteners will be exposed to the elements.

CEMENT COATED

Resin coating applied to create ease of drivability and better holding power. Should not be used for any type of pressure treated wood and should not be used in exterior applications where the fasteners will be exposed to the elements.

PHOSPHATE COATED

Phosphate coating creates good holding power and is a great surface for joint compound or paint.

SteelLinx®

General Construction Nails



All fasteners that are labeled General Construction are used in general building such as framing, sheathing, trim & finish. These fastener are all bright or vinyl coated and are not to be used where the fastener will be exposed to the elements.

NAIL LENGTH

NAIL TYPE

APPLICATION TYPE

SteelLinx®

General Construction

3d (1-1/4")	BRIGHT BOX Smooth Shank
3d (3,18 cm)	Clavo brillante para madera, de vástago liso

For construction, carpentry, framing and box making.
Smooth, thin shank reduces wood splitting.

PRODUCT IMAGE

COLOR CODE

APPLICATION

UPC AND PART NUMBER

161123

10842675061750

Not to Scale

General Construction Nails

COMMON



For construction, carpentry and framing. Larger shank provides greater resistance to bending.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	1-1/4"	3d	14	13/64"	157604	157617	160197	158718	543
BRIGHT	SMOOTH	1-1/2"	4d	12.5	1/4"	113518	157634	160202	158724	294
BRIGHT	SMOOTH	1-3/4"	5d	12.25	1/4"	157612	157643	160206	158731	254
BRIGHT	SMOOTH	2"	6d	11.5	17/64"	183044	742055	160248	158751	167
BRIGHT	SMOOTH	2-1/4"	7d	11.5	17/64"	122355	157666	160259	158755	150
BRIGHT	SMOOTH	2-1/2"	8d	10.25	9/32"	155493	741559	160267	158767	101
BRIGHT	SMOOTH	3"	10d	9	5/16"	143579	157687	160277	158779	66
BRIGHT	SMOOTH	3-1/4"	12d	9	5/16"	164877	157702	160283	158789	61
BRIGHT	SMOOTH	3-1/2"	16d	8	11/32"	116027	741560	160290	158802	47
BRIGHT	SMOOTH	4"	20d	6	13/32"	129609	157713	160303	158806	29
BRIGHT	SMOOTH	4-1/2"	30d	5	7/16"	139246	157725	160335	158816	22
BRIGHT	SMOOTH	5"	40d	4	15/32"	145031	157735	160344	158819	17
BRIGHT	SMOOTH	5-1/2"	50d	3	1/2"	191057	157741	160349	158832	13
BRIGHT	SMOOTH	6"	60d	2	17/32"	107059	157746	160354	158855	10
BRIGHT	RING	1-1/2"	4d	12.5	1/4"	225551	221759	160362	158870	294
BRIGHT	RING	1-3/4"	5d	12.25	1/4"	225565	221808	160366	158873	254
BRIGHT	RING	2"	6d	11.5	17/64"	155048	221820	160371	158914	167
BRIGHT	RING	2-1/4"	7d	11.5	17/64"	225571	221829	160387	158923	150
BRIGHT	RING	2-1/2"	8d	10.25	9/32"	146540	221853	160391	158932	101
BRIGHT	RING	3"	10d	9	5/16"	225574	221887	160399	158948	66
BRIGHT	RING	3-1/4"	12d	9	5/16"	225577	221899	160414	158957	61
BRIGHT	RING	3-1/2"	16d	8	11/32"	155098	221917	160419	158977	47
BRIGHT	RING	4"	20d	6	13/32"	225584	221926	160428	158981	29
BRIGHT	RING	4-1/2"	30d	5	7/16"	225589	221955	160447	158999	22
BRIGHT	RING	5"	40d	4	15/32"	225604	221984	160452	159003	17
BRIGHT	RING	5-1/2"	50d	3	1/2"	225607	221992	160458	159017	13
BRIGHT	RING	6"	60d	2	17/32"	225612	222005	160495	159028	10
VINYL COATED	SMOOTH	2"	6d	11.5	17/64"	733074	222035	160124	158648	167
VINYL COATED	SMOOTH	2-1/2"	8d	10.25	9/32"	520333	222063	160132	158656	101
VINYL COATED	SMOOTH	3"	10d	9	5/16"	225620	222283	160141	158664	66
VINYL COATED	SMOOTH	3-1/4"	12d	9	5/16"	225632	222380	160154	158677	61
VINYL COATED	SMOOTH	3-1/2"	16d	8	11/32"	520334	222392	160161	158685	47
VINYL COATED	SMOOTH	4"	20d	6	13/32"	225640	222433	160192	158702	29

FRAMING



For general construction where thinner shank for driving ease is desired.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
VINYL COATED	BARBED	3"	10d	10.25	19/64	736180	223150	227488	224932	91
VINYL COATED	BARBED	3-1/4"	12d	10.25	19/64	225644	223159	227514	224957	84

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

General Construction Nails

SINKER



For construction, carpentry and framing. Vinyl-coated smooth shank for easier nailing and firmer holding power.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
VINYL COATED	SMOOTH	1-7/8"	6d	13	15/64"	182513	151988	160058	158544	293
VINYL COATED	SMOOTH	2-3/8"	8d	11.25	17/64"	159982	704892	160070	158580	153
VINYL COATED	SMOOTH	2-7/8"	10d	11	9/32"	175837	152016	160096	158589	111
VINYL COATED	SMOOTH	3-1/8"	12d	10	5/16"	188077	709804	160100	158603	81
VINYL COATED	SMOOTH	3-1/4"	16d	9	11/32"	198125	704893	160107	158613	64
VINYL COATED	SMOOTH	3-3/4"	20d	7	3/8"	151813	222458	160116	158620	40

BOX



For construction, carpentry, framing and box making. Smooth, thin shank reduces wood splitting.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	1-1/4"	3d	14.5	7/32"	150157	150300	161123	159522	635
BRIGHT	SMOOTH	1-1/2"	4d	14	7/32"	150217	150342	161129	159546	473
BRIGHT	SMOOTH	1-3/4"	5d	14	7/32"	150241	150373	161140	159556	406
BRIGHT	SMOOTH	2"	6d	12.5	17/64"	191236	150396	161156	159569	236
BRIGHT	SMOOTH	2-1/4"	7d	12.5	17/64"	150252	150428	161165	159574	210
BRIGHT	SMOOTH	2-1/2"	8d	11.25	19/64"	102060	150449	155984	154860	145
BRIGHT	SMOOTH	3"	10d	10.25	5/16"	161798	150481	156008	154881	94
BRIGHT	SMOOTH	3-1/4"	12d	10.25	5/16"	150286	150496	156017	154912	88
BRIGHT	SMOOTH	3-1/2"	16d	10	11/32"	139277	150519	156040	154923	71
BRIGHT	SMOOTH	4"	20d	9	3/8"	106406	150547	156072	154932	52
CEMENT COATED	SMOOTH	1-1/2"	4d	14	7/32"	155462	222464	227312	224753	473
CEMENT COATED	SMOOTH	2"	6d	12.5	17/64"	155491	222487	227320	224764	236
CEMENT COATED	SMOOTH	2-1/2"	8d	11.5	19/64"	135687	222527	227357	224785	145
CEMENT COATED	SMOOTH	3"	10d	10.5	5/16"	190690	222563	227371	224831	94
CEMENT COATED	SMOOTH	3-1/2"	16d	10	11/32"	132435	222615	227374	224846	71
VINYL COATED	SMOOTH	2"	6d	12.5	17/64"	155287	222634	227388	224866	236
VINYL COATED	SMOOTH	2-1/2"	8d	12.5	17/64"	727388	222650	227394	224889	145
VINYL COATED	SMOOTH	3"	10d	10.25	5/16"	155315	222740	227445	224908	94
VINYL COATED	SMOOTH	3-1/2"	16d	10	11/32"	155331	222750	227476	224921	71

General Construction Nails

JOIST HANGER



For attaching joist hangers to wood studs. Heavy gauge nail provides increased holding power.


FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	1-1/4"	9	9/32"	225649	154444	227537	225019	149
BRIGHT	SMOOTH	1-1/4"	10.25	9/32"	225653	223201	227551	225033	194
BRIGHT	SMOOTH	1-1/4"	11	9/32"	154387	152233	157194	155699	240
BRIGHT	SMOOTH	1-1/2"	9	9/32"	154435	154451	157248	155714	125
BRIGHT	SMOOTH	1-1/2"	10.25	9/32"	225661	154963	157236	155708	165
BRIGHT	SMOOTH	1-1/2"	11	9/32"	225680	223224	227603	225050	200
BRIGHT	SMOOTH	2-1/2"	8	9/32"	225725	154987	157267	155726	62

UNDERLAYMENT



For laying plywood or composition underlayment over existing wood floors or joists. Ringed for greater holding power.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	RING	1-1/4"	12.5	1/4"	322112	152945	157827	156381	345
BRIGHT	RING	1-3/8"	12.5	1/4"	322104	152977	227517	224972	315
BRIGHT	RING	1-1/2"	12.5	1/4"	322106	153001	157848	156392	290
BRIGHT	RING	1-5/8"	12.5	1/4"	152771	153036	157862	156413	270
BRIGHT	RING	1-3/4"	12.5	1/4"	322108	153056	157882	156421	250
BRIGHT	RING	1-7/8"	12.5	1/4"	152794	153109	157902	156440	216
BRIGHT	RING	2"	12.5	1/4"	322111	153146	157923	156498	204
BRIGHT	RING	2-1/8"	12	17/64"	152829	153160	227526	224985	182
BRIGHT	RING	2-1/4"	12	17/64"	152877	153176	157930	156512	171
BRIGHT	RING	2-3/8"	12	19/64"	152895	153198	157959	156529	141
BRIGHT	RING	2-1/2"	12	19/64"	152912	153230	157972	156541	117



Framing a house?
BlueLinX is your
one stop shop for
fasteners, wood
connectors, studs
and sheathing!

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

General Construction Nails

PALLET



Primarily used in the construction of pallets. Designed to minimize the splitting of wood.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	APPROX QTY/LB
PALLET NAILS STIFF STOCK NO POINT							
VINYL COATED	RING	1-1/2"	11.5	9/32"	225744	223236	210
VINYL COATED	RING	2"	11.5	9/32"	225748	223252	160
VINYL COATED	RING	2-1/4"	11.5	9/32"	225767	223261	145
PALLET NAILS STIFF STOCK DIAMOND POINT							
VINYL COATED	RING	2"	11.5	9/32"	225857	223322	160
VINYL COATED	RING	2-1/4"	11	9/32"	225863	223325	128
VINYL COATED	RING	2-1/2"	11	9/32"	225872	223344	117
VINYL COATED	RING	3"	11	9/32"	225879	223371	105
PALLET NAILS STIFF STOCK NO POINT							
VINYL COATED	SPIRAL	1-1/2"	11	9/32"	225791	223270	188
VINYL COATED	SPIRAL	1-5/8"	11	9/32"	225800	223276	180
VINYL COATED	SPIRAL	1-3/4"	11	9/32"	225804	223280	170
VINYL COATED	SPIRAL	2"	11	9/32"	225809	223284	144
VINYL COATED	SPIRAL	2-1/4"	11	9/32"	225826	223294	129
VINYL COATED	SPIRAL	2-1/2"	11	9/32"	225830	223309	117
VINYL COATED	SPIRAL	3"	11	9/32"	225851	223313	105
VINYL COATED	SPIRAL	1-1/2"	11.5	9/32"	221081	228200	211
VINYL COATED	SPIRAL	1-5/8"	11.5	9/32"	221090	228213	203
VINYL COATED	SPIRAL	1-3/4"	11.5	9/32"	221111	228218	193
VINYL COATED	SPIRAL	2"	11.5	9/32"	221207	228221	163
VINYL COATED	SPIRAL	2-1/4"	11.5	9/32"	221223	228228	146
VINYL COATED	SPIRAL	2-1/2"	11.5	9/32"	221231	228234	133
VINYL COATED	SPIRAL	1-1/2"	12	1/4"	221274	228239	260
VINYL COATED	SPIRAL	1-5/8"	12	1/4"	221300	228248	244
VINYL COATED	SPIRAL	1-3/4"	12	1/4"	221310	228271	235
VINYL COATED	SPIRAL	2"	12	1/4"	221341	228282	211
VINYL COATED	SPIRAL	2-1/4"	12	1/4"	221357	228286	185
VINYL COATED	SPIRAL	2-1/2"	12	1/4"	221410	228297	171
PALLET NAILS STIFF STOCK DIAMOND POINT							
VINYL COATED	SPIRAL	1-1/2"	11	9/32"	225882	223374	188
VINYL COATED	SPIRAL	1-5/8"	11	9/32"	225890	223385	180
VINYL COATED	SPIRAL	1-3/4"	11	9/32"	225895	223399	170
VINYL COATED	SPIRAL	2"	11	9/32"	225922	223407	144
VINYL COATED	SPIRAL	2-1/4"	11	9/32"	225927	223410	129
VINYL COATED	SPIRAL	2-1/2"	11	9/32"	225942	223416	117
VINYL COATED	SPIRAL	3"	11	9/32"	225910	223420	105
VINYL COATED	SPIRAL	1-1/2"	11.5	9/32"	221426	228310	211
VINYL COATED	SPIRAL	1-5/8"	11.5	9/32"	221480	228315	203
VINYL COATED	SPIRAL	1-3/4"	11.5	9/32"	221514	228395	193
VINYL COATED	SPIRAL	2"	11.5	9/32"	221546	228411	163
VINYL COATED	SPIRAL	2-1/4"	11.5	9/32"	221561	228415	146
VINYL COATED	SPIRAL	2-1/2"	11.5	9/32"	221575	228422	133
VINYL COATED	SPIRAL	1-1/2"	12	1/4"	221599	228479	260
VINYL COATED	SPIRAL	1-5/8"	12	1/4"	221607	228484	244
VINYL COATED	SPIRAL	1-3/4"	12	1/4"	221639	228491	235
VINYL COATED	SPIRAL	2"	12	1/4"	221665	228498	211
VINYL COATED	SPIRAL	2-1/4"	12	1/4"	221690	228505	185
VINYL COATED	SPIRAL	2-1/2"	12	1/4"	221702	228521	171
PALLET NAILS TEMPERED HARDENED STEEL NO POINT							
VINYL COATED	SPIRAL	2-1/4"	11.5	9/32"	225946	223439	146
VINYL COATED	SPIRAL	2-1/2"	11	9/32"	225954	223444	117

General Construction Nails


SPIKE



For securing railroad ties, landscaping timbers and thick members. Used in log home construction.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	APPROX QTY/LB
BRIGHT	SMOOTH	7"	5/16"	5/8"	733038	6
BRIGHT	SMOOTH	8"	3/8"	3/4"	129058	3.5
BRIGHT	SMOOTH	10"	3/8"	3/4"	130521	3
BRIGHT	SMOOTH	12"	3/8"	3/4"	112381	2.5

STIFF-STOCK POLEBARN



For wooden structures where high holding power is necessary. Made of high carbon steel preventing rocking and twisting.

FINISH	SHANK	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	RING	16d	9	5/16"	225990	223454	159915	158490	57
BRIGHT	RING	20d	7	3/8"	165860	223464	159930	158500	35
BRIGHT	RING	30d	7	3/8"	193308	223542	159964	158515	31
BRIGHT	RING	40d	7	3/8"	150487	223563	n/a	n/a	28
BRIGHT	RING	50d	7	3/8"	225993	223573	n/a	n/a	26
BRIGHT	RING	60d	5	7/16"	125350	223579	n/a	n/a	17
BRIGHT	RING	80d	5	7/16"	422705	223584	n/a	n/a	13

OIL QUENCHED TEMPERED HARDENED POLEBARN



For wooden structures where high holding power is necessary. Nails are oil quenched to harden and prevent rocking and twisting.

FINISH	SHANK	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT OQ	RING	16d	9	5/16"	177570	223587	227606	222901	57
BRIGHT OQ	RING	20d	7	3/8"	189763	223613	227615	222910	35
BRIGHT OQ	RING	30d	7	3/8"	198046	223695	227627	222934	31
BRIGHT OQ	RING	40d	7	3/8"	135750	223703	n/a	n/a	28
BRIGHT OQ	RING	50d	7	3/8"	225996	223715	n/a	n/a	26
BRIGHT OQ	RING	60d	5	7/16"	132520	223729	n/a	n/a	17
BRIGHT OQ	RING	80d	5	7/16"	202087	223737	n/a	n/a	13

HARDENED CUT FLOORING



To secure wood flooring or furring strips to brick, block or concrete.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	2"	6d	11.5	13/64"	158867	223746	226072	222856	104
BRIGHT	SMOOTH	2-1/4"	7d	11.5	13/64"	119284	223761	226084	222877	88
BRIGHT	SMOOTH	2-1/2"	8d	11.5	13/64"	168019	223772	226094	222888	78

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

General Construction Nails

FLOORING



To secure wood flooring or furring strips to brick, block or concrete.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SPIRAL	2"	6d	11.5	13/64"	125231	223816	226106	222939	104
BRIGHT	SPIRAL	2-1/4"	7d	11.5	13/64"	167440	223833	226113	222955	88
BRIGHT	SPIRAL	2-1/2"	8d	11.5	13/64"	174402	223840	226136	222969	76

FINISH



For trim and finishing work. Small diameter and cupped head for countersinking and smooth finished appearance.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	1"	2d	16.5	0.086"	226002	223740	158864	152626	1473
BRIGHT	SMOOTH	1-1/4"	3d	15.5	0.099"	105493	151060	156788	155347	880
BRIGHT	SMOOTH	1-1/2"	4d	15	0.1055"	190540	151090	156810	155356	630
BRIGHT	SMOOTH	1-3/4"	5d	15	0.1055"	151003	151109	156822	155368	535
BRIGHT	SMOOTH	2"	6d	13	0.135"	188071	151131	156831	155378	288
BRIGHT	SMOOTH	2-1/4"	7d	13	0.135"	151033	151150	156849	155390	254
BRIGHT	SMOOTH	2-1/2"	8d	12.5	0.142"	103356	151177	156863	155424	196
BRIGHT	SMOOTH	3"	10d	11.5	0.155"	168002	151186	156883	155441	124
BRIGHT	SMOOTH	3-1/4"	12d	11.5	0.155"	143836	151258	156901	155455	113
BRIGHT	SMOOTH	3-1/2"	16d	11	0.162"	181871	151289	156936	155484	93
BRIGHT	SMOOTH	4"	20d	10	0.177"	151042	151319	156949	155505	65

HARDENED CUT MASONRY



For attaching wood to cinder block, mortar joints, brick walls, and fresh concrete. Blunt point and tapered shank reduce splitting.

FINISH	SHANK	SIZE PENNY	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	4D	171539	223853	157506	156014	115
BRIGHT	SMOOTH	4-1/2D	200288	223888	226167	223040	105
BRIGHT	SMOOTH	6D	112020	223953	157520	156037	85
BRIGHT	SMOOTH	8D	177589	223996	157535	156069	64
BRIGHT	SMOOTH	10D	110184	224012	157545	156089	48
BRIGHT	SMOOTH	12D	136633	224030	226188	223059	34
BRIGHT	SMOOTH	16D	190545	224038	157580	156100	32
BRIGHT	SMOOTH	20D	111307	218021	226210	223084	29

General Construction Nails

HARDENED MASONRY



For attaching furring strips and floor plates to uncured concrete.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	FLUTED	1/2"	9	11/32"	226111	218054	157608	156117	355
BRIGHT	FLUTED	3/4"	9	11/32"	158884	148232	158881	152638	284
BRIGHT	FLUTED	1"	9	11/32"	176260	148575	157621	156172	186
BRIGHT	FLUTED	1-1/4"	9	11/32"	143745	148616	157638	156186	152
BRIGHT	FLUTED	1-1/2"	9	11/32"	100841	148641	157647	156200	128
BRIGHT	FLUTED	2"	9	11/32"	136927	149365	157670	156206	98
BRIGHT	FLUTED	2-1/2"	9	11/32"	180271	150880	157691	156227	76
BRIGHT	FLUTED	3"	9	11/32"	192695	150914	157706	156245	65
BRIGHT	FLUTED	3-1/2"	9	11/32"	226120	218074	157717	156264	48

DUPLEX



For temporary construction where nail removal is required. Smooth uncoated shank and double exposed head ease removal.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	SMOOTH	1-3/4"	6D	11.25	3/16"/17/64"	160265	151882	157420	155901	156
BRIGHT	SMOOTH	2-1/4"	8D	10.25	15/64"/9/32"	165797	704890	157429	155911	90
BRIGHT	SMOOTH	2-3/4"	10D	9	1/4"/5/16"	167434	151935	157451	155970	59
BRIGHT	SMOOTH	2-7/8"	12D	9	1/4"/5/16"	196936	151970	230350	230396	57
BRIGHT	SMOOTH	3"	16D	8	9/32"/11/32"	190601	704891	157470	155981	45
BRIGHT	SMOOTH	3-1/2"	20d	6	5/16"/3/8"	226129	218092	157482	156005	28

Outdoor Construction Nails



All fasteners that are labeled with Outdoor Construction are used in some form of outdoor construction where the fasteners will be exposed to the elements, such as framing, fencing, soffit and decking. These nails will have some form of zinc coating such as Electro Galvanization, or Hot Dipped Galvanization.

NAIL LENGTH

NAIL TYPE

APPLICATION TYPE

SteelLinx®

Outdoor Construction

3d (1-1/4")	ELECTRO GALVANIZED COMMON - Smooth Shank
3d (3,18 cm)	Clavo común galvanizado para uso en exteriores, de vástago anillado

**For construction, carpentry and framing.
Electro galvanized coating for exterior corrosion resistance.**

PRODUCT IMAGE

COLOR CODE

APPLICATION

UPC AND PART NUMBER

160506

10842675061057

Not to Scale

Outdoor Construction Nails

COMMON



For construction, carpentry and framing. Larger shank provides greater resistance to bending.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1-1/4"	3D	14	13/64"	155151	218153	160506	159048	543
ELECTRO GALV	SMOOTH	1-1/2"	4D	12.5	1/4"	163755	218167	160509	159051	294
ELECTRO GALV	SMOOTH	1-3/4"	5D	12.25	1/4"	155178	218233	160517	159063	254
ELECTRO GALV	SMOOTH	2"	6D	11.5	17/64"	135514	218256	160527	159082	167
ELECTRO GALV	SMOOTH	2-1/4"	7D	11.5	17/64"	155193	218274	160557	159103	150
ELECTRO GALV	SMOOTH	2-1/2"	8D	10.25	9/32"	123077	218305	160576	159113	101
ELECTRO GALV	SMOOTH	3"	10D	9	5/16"	192970	218325	160592	159121	66
ELECTRO GALV	SMOOTH	3-1/4"	12D	9	5/16"	192670	218348	160606	159128	61
ELECTRO GALV	SMOOTH	3-1/2"	16D	8	11/32"	157136	218367	160624	159138	47
ELECTRO GALV	SMOOTH	4"	20D	6	13/32"	105820	218410	160627	159160	29
ELECTRO GALV	SMOOTH	4-1/2"	30D	5	7/16"	155225	218454	160636	159178	22
ELECTRO GALV	SMOOTH	5"	40D	4	15/32"	155240	218462	160640	159203	17
ELECTRO GALV	SMOOTH	5-1/2"	50D	3	1/2"	155255	218474	160674	159212	13
ELECTRO GALV	SMOOTH	6"	60D	2	17/32"	155269	218496	160683	159228	10
HOT DIPPED GALV**	SMOOTH	1-1/4"	3D	14	13/64"	154165	230272	160702	159236	543
HOT DIPPED GALV	SMOOTH	1-1/2"	4D	12.5	1/4"	132991	149587	160717	159242	294
HOT DIPPED GALV	SMOOTH	1-3/4"	5D	12.25	1/4"	157757	149710	160727	159250	254
HOT DIPPED GALV	SMOOTH	2"	6D	11.5	17/64"	140369	149730	160732	159266	167
HOT DIPPED GALV	SMOOTH	2-1/4"	7D	11.5	17/64"	120870	149753	160738	159274	150
HOT DIPPED GALV	SMOOTH	2-1/2"	8D	10.25	9/32"	163658	149817	160741	159281	101
HOT DIPPED GALV	SMOOTH	3"	10D	9	5/16"	104710	149899	160745	159284	66
HOT DIPPED GALV	SMOOTH	3-1/4"	12D	9	5/16"	156893	149914	160756	159294	61
HOT DIPPED GALV	SMOOTH	3-1/2"	16D	8	11/32"	137521	149949	160775	159297	47
HOT DIPPED GALV	SMOOTH	4"	20D	6	13/32"	180536	149978	160791	159305	29
HOT DIPPED GALV	SMOOTH	4-1/2"	30D	5	7/16"	122111	150000	160821	159308	22
HOT DIPPED GALV	SMOOTH	5"	40D	4	15/32"	188834	150031	160849	159314	17
HOT DIPPED GALV	SMOOTH	5-1/2"	50D	3	1/2"	122483	150043	160874	159323	13
HOT DIPPED GALV	SMOOTH	6"	60D	2	17/32"	181239	150137	160878	159329	10
HOT DIPPED GALV	RING	1-1/4"	3D	14	13/64"	226134	218540	160904	159332	543
HOT DIPPED GALV	RING	1-1/2"	4D	12.5	1/4"	226141	218585	160922	159341	294
HOT DIPPED GALV	RING	1-3/4"	5D	12.25	1/4"	226146	218656	160943	159351	254
HOT DIPPED GALV	RING	2"	6D	11.5	17/64"	226154	218668	160947	159368	167
HOT DIPPED GALV	RING	2-1/4"	7D	11.5	17/64"	226157	218678	160968	159374	150
HOT DIPPED GALV	RING	2-1/2"	8D	10.25	9/32"	226165	218693	160978	159399	101
HOT DIPPED GALV	RING	3"	10D	9	5/16"	226177	218702	160982	159408	66
HOT DIPPED GALV	RING	3-1/4"	12D	9	5/16"	226186	218750	160988	159433	61
HOT DIPPED GALV	RING	3-1/2"	16D	8	11/32"	226208	218772	160993	159455	47
HOT DIPPED GALV	RING	4"	20D	6	13/32"	226213	218795	161001	159479	29
HOT DIPPED GALV	RING	4-1/2"	30D	5	7/16"	226218	218810	161057	159494	22
HOT DIPPED GALV	RING	5"	40D	4	15/32"	226236	218860	161072	159499	17
HOT DIPPED GALV	RING	5-1/2"	50D	3	1/2"	226240	218878	161094	159505	13
HOT DIPPED GALV	RING	6"	60D	2	17/32"	226265	218899	161118	159518	10

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

Outdoor Construction Nails

BOX



For construction, carpentry, framing and box making. Smooth, thin shank reduces wood splitting.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1-1/4"	3D	14.5	7/32"	733077	150604	156103	154941	635
ELECTRO GALV	SMOOTH	1-1/2"	4D	14	7/32"	733078	150619	156120	154953	473
ELECTRO GALV	SMOOTH	1-3/4"	5D	14	7/32"	180360	150646	156175	154961	406
ELECTRO GALV	SMOOTH	2"	6D	12.5	17/64"	137552	150661	156189	154979	236
ELECTRO GALV	SMOOTH	2-1/4"	7D	12.5	17/64"	200421	150694	156209	155011	210
ELECTRO GALV	SMOOTH	2-1/2"	8D	11.25	19/64"	169069	150734	156230	155026	145
ELECTRO GALV	SMOOTH	3"	10D	10.25	5/16"	185240	150752	156248	155040	94
ELECTRO GALV	SMOOTH	3-1/4"	12D	10.25	5/16"	150560	150763	156267	155057	88
ELECTRO GALV	SMOOTH	3-1/2"	16D	10	11/32"	127080	150784	156299	155067	71
ELECTRO GALV	SMOOTH	4"	20D	9	3/8"	150591	150802	156311	155096	52
HOT DIPPED GALV**	SMOOTH	1-1/4"	3D	14.5	7/32"	177170	150838	156532	155250	635
HOT DIPPED GALV	SMOOTH	1-1/2"	4D	14	7/32"	126916	150853	156544	155264	473
HOT DIPPED GALV	SMOOTH	1-3/4"	5D	14	7/32"	139040	150871	156563	155275	406
HOT DIPPED GALV	SMOOTH	2"	6D	12.5	17/64"	147290	150905	156581	155282	236
HOT DIPPED GALV	SMOOTH	2-1/4"	7D	12.5	17/64"	182978	704883	156655	155296	210
HOT DIPPED GALV	SMOOTH	2-1/2"	8D	11.25	19/64"	183380	704884	156674	155303	145
HOT DIPPED GALV	SMOOTH	3"	10D	10.25	5/16"	105916	150949	156686	155311	94
HOT DIPPED GALV	SMOOTH	3-1/4"	12D	10.25	5/16"	189586	150964	156733	155323	88
HOT DIPPED GALV	SMOOTH	3-1/2"	16D	10	11/32"	171757	704886	156746	155327	71
HOT DIPPED GALV	SMOOTH	4"	20D	9	3/8"	157980	150978	156773	155338	52

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.
 ** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

JOIST HANGER



For attaching joist hangers to wood studs.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1-1/4"	9	9/32"	239736	154372	226220	223097	149
ELECTRO GALV	SMOOTH	1-1/4"	10.25	9/32"	733032	218913	226242	155755	194
ELECTRO GALV	SMOOTH	1-1/4"	11	9/32"	158698	152285	157291	223117	240
ELECTRO GALV	SMOOTH	1-1/2"	9	9/32"	150418	154379	157316	155764	125
ELECTRO GALV	SMOOTH	1-1/2"	10.25	9/32"	158715	152719	157302	223130	165
ELECTRO GALV	SMOOTH	1-1/2"	11	9/32"	673651	218944	226276	155733	200
ELECTRO GALV	SMOOTH	2-1/2"	8	9/32"	158743	152749	157324	155779	62
HOT DIPPED GALV**	SMOOTH	1-1/4"	9	9/32"	234532	154343	226295	223146	149
HOT DIPPED GALV	SMOOTH	1-1/4"	10.25	9/32"	226271	152684	226310	223161	194
HOT DIPPED GALV	SMOOTH	1-1/4"	11	9/32"	736327	218966	157343	155788	240
HOT DIPPED GALV	SMOOTH	1-1/2"	9	9/32"	207458	154356	157382	155855	125
HOT DIPPED GALV	SMOOTH	1-1/2"	10.25	9/32"	157839	152375	157365	155840	165
HOT DIPPED GALV	SMOOTH	1-1/2"	11	9/32"	226274	218980	226334	223203	200
HOT DIPPED GALV	SMOOTH	2-1/2"	8	9/32"	158634	152700	157396	155882	62

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.
 ** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Outdoor Construction Nails

SPIKE



Used for log home construction and for securing railroad ties, landscaping timbers and thick members.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	7"	5/16"	5/8"	183734	6
HOT DIPPED GALV	SMOOTH	8"	3/8"	3/4"	173454	3.5
HOT DIPPED GALV	SMOOTH	10"	3/8"	3/4"	191058	3
HOT DIPPED GALV	SMOOTH	12"	3/8"	3/4"	173035	2.5
HOT DIPPED GALV	SPIRAL	7"	5/16"	5/8"	158943	6
HOT DIPPED GALV	SPIRAL	8"	3/8"	3/4"	158968	3.5
HOT DIPPED GALV	SPIRAL	10"	3/8"	3/4"	203000	3
HOT DIPPED GALV	SPIRAL	12"	3/8"	3/4"	203037	2.5

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

GUTTER SPIKE



Used to attach gutter ferrules to sidewall.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	7"	3/16"	7/16"	736182	16
ELECTRO GALV	SMOOTH	8"	3/16"	7/16"	264963	14
WHITE PAINT	SMOOTH	7"	3/16"	7/16"	221730	16
WHITE PAINT	SMOOTH	8"	3/16"	7/16"	221742	14

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

STIFF-STOCK POLEBARN




For wooden structures where high holding power is necessary. Made of high carbon steel preventing rocking and twisting.

FINISH	SHANK	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	RING	16D	9	5/16"	226289	219013	226349	223226	57
HOT DIPPED GALV	RING	20D	7	3/8"	226293	219037	226372	223238	35
HOT DIPPED GALV	RING	30D	7	3/8"	224041	219057	226410	223263	31
HOT DIPPED GALV	RING	40D	7	3/8"	224060	219071	135573	N/A	28
HOT DIPPED GALV	RING	50D	7	3/8"	224064	219085	135916	N/A	26
HOT DIPPED GALV	RING	60D	5	7/16"	224067	219092	135938	N/A	17
HOT DIPPED GALV	RING	80d	5	7/16"	224093	219105	N/A	N/A	13

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

Outdoor Construction Nails

TIMBER TIE



For general construction where thinner shank for driving ease is desired.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	APPROX QTY/LB
HOT DIPPED GALV**	SPIRAL	6"	1/4"	1/2"	230266	10
** HOT DIPPED GALVANIZED COATING FOR SUPERIOR CORROSION RESISTANCE. MEETS ASTM A 153. APPROVED FOR ALL TREATED WOODS.						

CASING



For trim, window frames and decks.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	1-1/2"	4D	14	0.1205"	224103	219129	226431	223272	489
HOT DIPPED GALV	SMOOTH	2"	6D	12.5	0.142"	151606	151724	157729	156296	244
HOT DIPPED GALV	SMOOTH	2-1/4"	7D	12.5	0.142"	151625	151746	226451	223286	196
HOT DIPPED GALV	SMOOTH	2-1/2"	8D	12.5	0.155"	157857	151768	157750	156308	147
HOT DIPPED GALV	SMOOTH	3"	10D	10.25	0.17"	151640	151783	157769	156330	96
HOT DIPPED GALV	SMOOTH	3-1/4"	12D	10.25	0.17"	151680	151808	157786	156336	88
HOT DIPPED GALV	SMOOTH	3-1/2"	16D	10	0.177"	148923	151821	157799	156351	74
HOT DIPPED GALV	SMOOTH	4"	20D	9	0.192"	151695	151839	157812	156365	66
** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.										

FINISH



For trim and fine finishing work. Small diameter and cupped head for countersinking beneath the wood surface for filling and smooth finished appearance.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1-1/4"	3D	15.5	0.099"	149741	219152	226461	223327	880
ELECTRO GALV	SMOOTH	1-1/2"	4D	15	0.1055"	165686	219190	226474	223346	630
ELECTRO GALV	SMOOTH	1-3/4"	5D	15	0.1055"	155360	219202	226486	223387	535
ELECTRO GALV	SMOOTH	2"	6D	13	0.135"	187675	219217	226494	223412	288
ELECTRO GALV	SMOOTH	2-1/4"	7D	13	0.135"	224191	219254	226518	223422	242
ELECTRO GALV	SMOOTH	2-1/2"	8D	12.5	0.142"	197977	219268	226536	223446	196
ELECTRO GALV	SMOOTH	3"	10D	11.5	0.155"	172739	219301	226541	223456	124
ELECTRO GALV	SMOOTH	3-1/4"	12D	11.5	0.155"	137120	219354	226549	223466	113
ELECTRO GALV	SMOOTH	3-1/2"	16D	11	0.162"	163746	219363	226558	223544	93
ELECTRO GALV	SMOOTH	4"	20D	10	0.177"	155372	219412	226568	223565	65
HOT DIPPED GALV**	SMOOTH	1-1/4"	3D	15.5	0.099"	151332	151381	156978	155521	880
HOT DIPPED GALV	SMOOTH	1-1/2"	4D	15	0.1055"	117718	151396	156994	155545	630
HOT DIPPED GALV	SMOOTH	1-3/4"	5D	15	0.1055"	733043	151439	157030	155558	535
HOT DIPPED GALV	SMOOTH	2"	6D	13	0.135"	157967	151456	157040	155564	288
HOT DIPPED GALV	SMOOTH	2-1/4"	7D	13	0.135"	224195	151512	157059	155585	242
HOT DIPPED GALV	SMOOTH	2-1/2"	8D	12.5	0.142"	114311	151522	157090	155615	196
HOT DIPPED GALV	SMOOTH	3"	10D	11.5	0.155"	184609	151531	157123	155628	124
HOT DIPPED GALV	SMOOTH	3-1/4"	12D	11.5	0.155"	131674	151540	157145	155645	113
HOT DIPPED GALV	SMOOTH	3-1/2"	16D	11	0.162"	141196	151571	157153	155656	93
HOT DIPPED GALV	SMOOTH	4"	20D	10	0.177"	146847	151586	157175	155678	65

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Outdoor Construction Nails

PATIO DECK



For patio and deck construction.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV** RING	RING	2"	6D	11	9/32"	153829	154220	158394	156946	138
HOT DIPPED GALV RING	RING	2-1/4"	7D	11	9/32"	154117	154236	226572	223575	122
HOT DIPPED GALV RING	RING	2-1/2"	8D	11	9/32"	154136	154255	158404	156964	106
HOT DIPPED GALV RING	RING	3"	10D	10	9/32"	154171	154264	158441	156975	85
HOT DIPPED GALV RING	RING	3-1/4"	12D	10	9/32"	154191	154300	158456	156991	76
HOT DIPPED GALV RING	RING	3-1/2"	16D	9	5/16"	154204	154321	158474	157021	64
HOT DIPPED GALV RING	RING	4"	20D	7	3/8"	154212	154329	158480	157027	32
HOT DIPPED GALV SPIRAL	SPIRAL	2"	6D	11	9/32"	156925	157019	158485	157037	138
HOT DIPPED GALV SPIRAL	SPIRAL	2-1/4"	7D	11	9/32"	156931	157025	226579	223581	122
HOT DIPPED GALV SPIRAL	SPIRAL	2-1/2"	8D	11	9/32"	156944	157035	158492	157057	106
HOT DIPPED GALV SPIRAL	SPIRAL	3"	10D	10	9/32"	156962	157055	158502	157088	85
HOT DIPPED GALV SPIRAL	SPIRAL	3-1/4"	12D	10	9/32"	156969	157086	158517	157121	76
HOT DIPPED GALV SPIRAL	SPIRAL	3-1/2"	16D	9	5/16"	156973	157119	158523	157143	64
HOT DIPPED GALV SPIRAL	SPIRAL	4"	20D	7	3/8"	156989	157141	158530	157151	32
STAINLESS RING	RING	2"	6D	11	9/32"	224225	219432	158541	157173	138
STAINLESS RING	RING	2-1/2"	8D	11	9/32"	154461	154540	158546	157192	106
STAINLESS RING	RING	3"	10D	10	9/32"	154486	154559	158582	157234	85
STAINLESS RING	RING	3-1/4"	12D	10	9/32"	154499	154579	158591	157246	76
STAINLESS RING	RING	3-1/2"	16D	9	5/16"	154520	154597	158605	157265	64
STAINLESS RING	RING	4"	20D	7	3/8"	154526	154608	158615	157289	32
STAINLESS SPIRAL	SPIRAL	2"	6D	11	9/32"	157280	219458	158622	157300	138
STAINLESS SPIRAL	SPIRAL	2-1/2"	8D	11	9/32"	157149	157263	158650	157314	106
STAINLESS SPIRAL	SPIRAL	3"	10D	10	9/32"	157171	157287	158658	157322	85
STAINLESS SPIRAL	SPIRAL	3-1/4"	12D	10	9/32"	157190	157298	158666	157341	76
STAINLESS SPIRAL	SPIRAL	3-1/2"	16D	9	5/16"	157232	157312	158679	157363	64
STAINLESS SPIRAL	SPIRAL	4"	20D	7	3/8"	157244	157320	158687	157380	32

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.


Whether you're building with pressure treated wood, or cedar, we've got you covered. Contact your local BlueLinx rep. for a list of materials in your area.



1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Outdoor Construction Nails



FENCE STAPLE

For attaching woven wire fence, welded fence, or barbed wire to wooden fence posts.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	3/4"	9	1/4"	733028	219484	158821	157504	130
ELECTRO GALV	SMOOTH	1"	9	1/4"	145255	219497	158834	157518	106
ELECTRO GALV	SMOOTH	1-1/4"	9	1/4"	169958	219550	158857	157533	87
ELECTRO GALV	SMOOTH	1-1/2"	9	1/4"	145444	219562	158875	157543	72
ELECTRO GALV	SMOOTH	1-3/4"	9	1/4"	145625	219578	158916	157559	61
ELECTRO GALV	SMOOTH	2"	9	1/4"	145752	219588	158925	157566	53
ELECTRO GALV	SMOOTH	2-1/2"	9	1/4"	209685	219623	158934	157578	26
HOT DIPPED GALV**	SMOOTH	3/4"	9	1/4"	158844	219633	158950	157606	130
HOT DIPPED GALV	SMOOTH	1"	9	1/4"	110934	219667	158959	157619	106
HOT DIPPED GALV	SMOOTH	1-1/4"	9	1/4"	196279	219705	158983	157636	87
HOT DIPPED GALV	SMOOTH	1-1/2"	9	1/4"	119368	219720	159005	157645	72
HOT DIPPED GALV	SMOOTH	1-3/4"	9	1/4"	167663	219726	159019	157668	61
HOT DIPPED GALV	SMOOTH	2"	9	1/4"	180790	219760	159030	157689	53
HOT DIPPED GALV	SMOOTH	2-1/2"	9	1/4"	224228	219864	159053	157704	26

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.



POULTRY NET STAPLE

For attaching wire poultry netting, to wooden fence posts.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	3/4"	14	3/16"	286983	219877	226596	223589	500
HOT DIPPED GALV**	SMOOTH	3/4"	14	3/16"	224231	219891	226622	223615	500

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.



BlueLinX offers a comprehensive assortment of high-quality light, medium and heavy gauge fencing materials in a variety of styles, sizes and finishes to suit any need.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Outdoor Construction Nails



TEMP HARDENED CONCRETE STUB

For attaching pipe conduit, switch boxes, corner beads or wire mesh to masonry walls. Larger head than masonry nail.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	3/8"	9	3/8"	136308	136643	136492	136575	391
ELECTRO GALV*	SMOOTH	1/2"	9	3/8"	110768	219926	159901	158478	335
ELECTRO GALV*	SMOOTH	5/8"	9	3/8"	136346	136683	136515	136587	279
ELECTRO GALV	SMOOTH	3/4"	9	3/8"	200628	219938	226632	223697	248
ELECTRO GALV	SMOOTH	1"	9	3/8"	200627	219953	223705	226637	186
ELECTRO GALV	SMOOTH	1-1/4"	9	3/8"	200626	219959	226655	223717	152
ELECTRO GALV	SMOOTH	1-1/2"	9	3/8"	200625	219966	226661	223731	128
ELECTRO GALV	SMOOTH	2"	9	3/8"	136385	136725	136543	136617	98
ELECTRO GALV	SMOOTH	2-1/2"	9	3/8"	136437	136744	136564	136278	78

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.


TEMP HARDENED CUT MASONRY



For attaching wood to cinder block, mortar joints, brick walls, and fresh concrete. Blunt point and tapered shank reduce splitting.

FINISH	SHANK	SIZE PENNY	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	6D	224278	219981	226683	223748	85
HOT DIPPED GALV	SMOOTH	8D	703066	220016	226692	223763	64
HOT DIPPED GALV	SMOOTH	10D	717014	220022	226711	223774	48
HOT DIPPED GALV	SMOOTH	12D	224286	220034	226716	223818	34
HOT DIPPED GALV	SMOOTH	16D	224290	220049	226739	223835	32
HOT DIPPED GALV	SMOOTH	20D	224296	220058	226776	223842	29

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.



HARDENED MASONRY ROUND METAL CAP

For attaching membrane and lath to masonry substrate.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	25# CARTON	3# TUB	APPROX QTY/LB
ELECTRO GALV	FLUTED	5/8"	9	1"	145896	230342	127
ELECTRO GALV	FLUTED	3/4"	9	1"	239521	239702	122
ELECTRO GALV	FLUTED	7/8"	9	1"	121695	159614	117
ELECTRO GALV	FLUTED	1"	9	1"	122255	159643	104
ELECTRO GALV	FLUTED	1-1/4"	9	1"	122279	159648	83
ELECTRO GALV	FLUTED	1-1/2"	9	1"	122438	159702	70
ELECTRO GALV	FLUTED	1-3/4"	9	1"	122534	159717	61
ELECTRO GALV	FLUTED	2"	9	1"	122570	159725	52
ELECTRO GALV	FLUTED	2-1/2"	9	1"	122614	159728	41
ELECTRO GALV	FLUTED	3-1/2"	9	1"	154778	239702	23

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Roofing & Siding Nails



Fasteners that are labeled with Roofing & Siding Construction will consist of fasteners used to attach shingle or siding products to buildings, such as EG Roofing nails, Tile nails, Metal & Plastic Cap nails. These nails will have some form of zinc coating such as Electro Galvanized or Hot Dipped Galvanized.

NAIL LENGTH

NAIL TYPE

APPLICATION TYPE

SteelLinx® **Roofing & Siding Construction**

1/2" (1,27 cm)	ELECTRO GALVANIZED ROOFING - Smooth Shank Clavo galvanizado para tejados, de vástago liso
---	--

For applying roofing asphalt shingles, insulation board, and felt-to-wood substrates.
Electro galvanized coating for exterior corrosion resistance.



Not to Scale



PRODUCT IMAGE

COLOR CODE

APPLICATION

UPC AND PART NUMBER

Roofing & Siding Nails

ROOFING



For applying roofing asphalt shingles, insulation board, and felt to wood substrates. Large head and heavier shank gauge provide greater holding power.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	25# TUB	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1/2"	11	7/16"	300185	220074	222179	159065	157715	528
ELECTRO GALV	SMOOTH	5/8"	11	7/16"	274854	220083	222186	159084	157727	436
ELECTRO GALV	SMOOTH	3/4"	11	7/16"	231339	124898	123357	159105	157737	348
ELECTRO GALV	SMOOTH	7/8"	11	7/16"	231340	124908	123394	159122	157743	306
ELECTRO GALV	SMOOTH	1"	11	7/16"	229599	101265	123446	159129	157748	272
ELECTRO GALV	SMOOTH	1-1/4"	11	7/16"	229600	704894	123456	159139	157759	218
ELECTRO GALV	SMOOTH	1-1/2"	11	7/16"	229601	704895	123477	159161	157767	186
ELECTRO GALV	SMOOTH	1-3/4"	11	7/16"	229597	704896	123498	159179	157779	152
ELECTRO GALV	SMOOTH	2"	11	7/16"	248846	101360	123510	159204	157784	144
ELECTRO GALV	SMOOTH	2-1/2"	11	7/16"	300183	101391	123522	159213	157797	114
ELECTRO GALV	SMOOTH	3"	11	7/16"	300184	125524	123548	159229	157810	92
ELECTRO GALV	SMOOTH	3-1/2"	11	7/16"	363271	220093	123486	159237	157825	89
ELECTRO GALV	SMOOTH	4"	11	7/16"	153694	220107	123581	159243	157846	78
ELECTRO GALV	RING	7/8"	11	7/16"	224309	220128	222205	226803	223855	306
ELECTRO GALV	RING	1"	11	7/16"	224324	220138	222222	226814	223890	272
ELECTRO GALV	RING	1-1/4"	11	7/16"	224342	220158	222234	226823	223955	218
ELECTRO GALV	RING	1-1/2"	11	7/16"	224346	220186	222285	226837	223998	186
ELECTRO GALV	RING	1-3/4"	11	7/16"	224358	220199	222298	226849	224014	152
HOT DIPPED GALV**	SMOOTH	1/2"	11	7/16"	224372	220224	222313	159251	157860	528
HOT DIPPED GALV	SMOOTH	5/8"	11	7/16"	224378	220235	222332	159267	157875	436
HOT DIPPED GALV	SMOOTH	3/4"	11	7/16"	322246	152030	222339	159275	157880	348
HOT DIPPED GALV	SMOOTH	7/8"	11	7/16"	155010	220264	222360	159285	157896	306
HOT DIPPED GALV	SMOOTH	1"	11	7/16"	322248	152053	222382	159298	157900	272
HOT DIPPED GALV	SMOOTH	1-1/4"	11	7/16"	322249	152076	222394	159309	157914	218
HOT DIPPED GALV	SMOOTH	1-1/2"	11	7/16"	322250	152095	222435	159315	157921	186
HOT DIPPED GALV	SMOOTH	1-3/4"	11	7/16"	322251	152115	222489	159324	157928	152
HOT DIPPED GALV	SMOOTH	2"	11	7/16"	322252	152137	222529	159333	157949	144
HOT DIPPED GALV	SMOOTH	2-1/2"	11	7/16"	322253	152297	222565	159342	157957	114
HOT DIPPED GALV	SMOOTH	3"	11	7/16"	322254	152478	222617	159352	157970	92
HOT DIPPED GALV	SMOOTH	3-1/2"	11	7/16"	224383	220281	222636	159369	157983	89
HOT DIPPED GALV	SMOOTH	4"	11	7/16"	224386	220329	222652	159375	157995	78
HOT DIPPED GALV	RING	7/8"	11	7/16"	224393	220343	222752	226853	224032	306
HOT DIPPED GALV	RING	1"	11	7/16"	224396	220369	222763	226915	224043	272
HOT DIPPED GALV	RING	1-1/4"	11	7/16"	224403	220394	222775	226921	224069	218
HOT DIPPED GALV	RING	1-1/2"	11	7/16"	224437	220402	222781	226946	224095	186
HOT DIPPED GALV	RING	1-3/4"	11	7/16"	224448	220431	222799	226965	224105	152
HOT DIPPED GALV	RING	2"	11	7/16"	224496	220445	222805	226976	224197	144
HOT DIPPED GALV	RING	2-1/2"	11	7/16"	224531	220477	222825	226982	224233	114
HOT DIPPED GALV	RING	3"	11	7/16"	224670	220505	222832	227008	224280	92

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

Roofing & Siding Nails

COPPER ROOFING



For applying copper flashing and decorative copper elements. Large head and heavier shank gauge provide greater holding power. Smooth shank for easy penetration.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
COPPER	SMOOTH	3/4"	11	7/16"	224679	220510	227016	224298	295
COPPER	SMOOTH	7/8"	11	7/16"	224736	220548	227034	224311	262
COPPER	SMOOTH	1"	11	7/16"	224751	220553	227044	224326	229
COPPER	SMOOTH	1-1/4"	11	7/16"	224762	220566	227049	224348	187
COPPER	SMOOTH	1-1/2"	11	7/16"	224783	220575	227060	224360	155
COPPER	SMOOTH	1-3/4"	11	7/16"	224829	220607	227063	224374	139
COPPER	SMOOTH	2"	11	7/16"	224841	220614	227068	224398	84
COPPER	SMOOTH	2-1/2"	11	7/16"	224844	220623	227100	224405	70

TILE



For attaching predrilled clay tiles to wood substrates.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	4"	9	15/32"	736217	220635	156339	50
ELECTRO GALV	SMOOTH	4-1/2"	9	15/32"	224864	220642	156354	45
ELECTRO GALV	SMOOTH	5"	9	15/32"	736218	220656	156368	38
ELECTRO GALV	SMOOTH	5-1/2"	9	15/32"	733081	220667	156384	36
ELECTRO GALV	SMOOTH	6"	9	15/32"	733082	220685	156395	32

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.



PLASTIC CAP ROOFING

For anchoring housewrap, sheathing, and felt. Wide head and ringed shank for greater holding power.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	BUCKET	BUCKET QTY	2M CARTON	3# TUB	APPROX QTY/LB
ELECTRO GALV*	RING	3/4"	12	1"	733034	3M	105672	159737	275
ELECTRO GALV	RING	7/8"	12	1"	716015	3M	261780	159746	266
ELECTRO GALV	RING	1"	12	1"	647236	3M	214237	159757	250
ELECTRO GALV	RING	1-1/4"	12	1"	647235	2.5M	219931	159763	212
ELECTRO GALV	RING	1-1/2"	12	1"	702790	2.5M	209339	159783	185
ELECTRO GALV	RING	1-3/4"	12	1"	n/a		219932	159798	168
ELECTRO GALV	RING	2"	12	1"	n/a		209340	159806	153
ELECTRO GALV	RING	2-1/2"	12	1"	n/a		209341	159813	133
ELECTRO GALV	RING	3"	12	1"	n/a		214240	n/a	117

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

Roofing & Siding Nails



ROUND METAL CAP ROOFING

For applying roofing asphalt shingles, insulation board, and felt to wood substrates.
Large head and heavier shank gauge provide greater holding power.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	25# CARTON	3# TUB	APPROX QTY/LB
ELECTRO GALV*	RING	3/4"	12	1"	108621	151853	218304	159400	117
ELECTRO GALV	RING	7/8"	12	1"	106063	151886	218324	159409	112
ELECTRO GALV	RING	1"	12	1"	107315	151926	218347	159434	107
ELECTRO GALV	RING	1-1/4"	12	1"	107610	151939	218366	159456	100
ELECTRO GALV	RING	1-1/2"	12	1"	108567	152006	218409	159480	84
ELECTRO GALV	RING	1-3/4"	12	1"	152218	152034	218446	159495	79
ELECTRO GALV	RING	2"	12	1"	108600	152099	218453	159500	74
ELECTRO GALV	RING	2-1/2"	12	1"	152255	152119	218461	159506	67
ELECTRO GALV	RING	3"	11	1"	145865	217807	218473	143803	60
ELECTRO GALV	RING	4"	9	1"	224875	217842	154762	n/a	37
ELECTRO GALV	RING	5"	8	1"	224887	217867	736184	n/a	27
ELECTRO GALV	RING	6"	8	1"	224906	217899	736183	n/a	24
ELECTRO GALV	SPIRAL	3/4"	12	1"	224912	217934	218487	227107	117
ELECTRO GALV	SPIRAL	7/8"	12	1"	224919	218004	218495	227111	112
ELECTRO GALV	SPIRAL	1"	12	1"	224930	218020	218515	227121	107
ELECTRO GALV	SPIRAL	1-1/4"	12	1"	224951	218031	218521	227129	100
ELECTRO GALV	SPIRAL	1-1/2"	12	1"	224955	218053	218539	227132	84
ELECTRO GALV	SPIRAL	1-3/4"	12	1"	224963	218073	218584	227140	79
ELECTRO GALV	SPIRAL	2"	12	1"	224967	218091	218632	227164	74
ELECTRO GALV	SPIRAL	2-1/2"	12	1"	224970	218152	218655	227173	67
ELECTRO GALV	SPIRAL	3"	11	1"	224983	218166	218667	227178	60
ELECTRO GALV	SPIRAL	4"	9	1"	225013	218246	218677	141142	37
ELECTRO GALV	SPIRAL	5"	8	1"	225017	218255	218692	n/a	27
ELECTRO GALV	SPIRAL	6"	8	1"	225031	217720	218701	141160	24

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.



SQUARE METAL CAP ROOFING

For applying roofing asphalt shingles, insulation board, and felt-to-wood substrates.
Large head and heavier shank gauge provide greater holding power.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	35# BUCKET	25# CARTON	3# TUB	APPROX QTY/LB
ELECTRO GALV*	RING	3/4"	12	1"	736188	152141	218749	159523	90
ELECTRO GALV	RING	7/8"	12	1"	716009	152301	218765	159547	88
ELECTRO GALV	RING	1"	12	1"	716010	152482	218771	159557	85
ELECTRO GALV	RING	1-1/4"	12	1"	716011	152775	218794	159575	81
ELECTRO GALV	RING	1-1/2"	12	1"	716012	152798	218809	159587	77
ELECTRO GALV	RING	1-3/4"	12	1"	716013	152833	218859	159590	67
ELECTRO GALV	RING	2"	12	1"	716014	152881	218877	159599	63
ELECTRO GALV	RING	2-1/2"	11	1"	736176	152916	218891	159603	57
ELECTRO GALV	RING	3"	11	1"	736187	217730	218898	n/a	53
ELECTRO GALV	RING	4"	9	1"	736166	217780	218912	n/a	44

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Roofing & Siding Nails

NEOWASHER



For steel roofing and fiberglass roofing. Neoprene washer provides an effective waterproof seal.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	RING	1-1/2"	10	3/8"	158992	220713	159816	158451	118
ELECTRO GALV	RING	1-3/4"	10	3/8"	103240	220742	159820	158454	107
ELECTRO GALV	RING	2"	10	3/8"	159013	220760	227181	224450	96
ELECTRO GALV	RING	2-1/2"	10	3/8"	159038	220781	227189	224498	80
HOT DIPPED GALV**	RING	1-1/2"	10	3/8"	225044	220799	159854	158464	118
HOT DIPPED GALV	RING	1-3/4"	10	3/8"	225048	220804	159861	158469	107
HOT DIPPED GALV	RING	2"	10	3/8"	225059	220809	227197	224533	96
HOT DIPPED GALV	RING	2-1/2"	10	3/8"	225065	220824	227224	224672	80

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.
 ** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

ALUMINUM NEOWASHER



For fiberglass roofing. Neoprene washer provides an effective waterproof seal.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	100 PC. TUB	APPROX QTY/LB
ALUMINUM	RING	1-3/4"	10	3/8"	152647	260



Contact your local BlueLinX rep. for a list of underlayments, flashing and shingles available in your area.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Roofing & Siding Nails

SHAKE



For attaching cedar shakes. Smaller head for concealment and slender shank minimizes splitting.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	1-3/4"	5D	14	5/32"	159073	220841	227229	224681	344
HOT DIPPED GALV	SMOOTH	2"	6D	14	5/32"	159092	220847	227238	224738	232
HOT DIPPED GALV	RING	1-3/4"	5D	14	5/32"	108169	220872	227242	225061	344
HOT DIPPED GALV	RING	2"	6D	14	5/32"	159147	220893	227255	225090	232

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

SHINGLE



For attaching cedar shingles. Stiff, slender nails reduce splitting, resist rust and hold shingles in place.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	1-1/4"	3D	13	1/4"	171563	220909	227264	225115	425
HOT DIPPED GALV	SMOOTH	1-3/8"	3-1/2D	12.5	9/32"	148066	220925	227271	225193	345
HOT DIPPED GALV	SMOOTH	1-1/2"	4D	12	9/32"	151907	220937	227288	225228	271

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

FINE



For attaching plywood in soffits and for working with crates, furring and chamfer strips.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1-1/4"	3d	16	5/32"	140010	220942	227631	225249	938
HOT DIPPED GALV	SMOOTH	1-1/4"	3d	16	5/32"	159187	220965	227697	225256	938

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

TIN CAPS



For use with fasteners to create a larger surface area for holding materials in place.

FINISH	SHANK	HEAD SIZE	50# CARTON	5# TUB	APPROX QTY/LB
TIN	SMOOTH	1-5/8"	228643	PIECE CT	250
TIN	SMOOTH	2"	645739	PIECE CT	150
TIN	SMOOTH	2-1/2"	610123	PIECE CT	

Roofing & Siding Nails

WOOD SIDING



Thinner shank and blunt point minimizes splitting. Ringed shank for greater holding power.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	RING	2"	6D	14	3/16"	225068	220970	227710	225293	283
HOT DIPPED GALV	RING	2-1/2"	8D	13	7/32"	225073	221010	227716	225327	189
HOT DIPPED GALV	RING	3"	10D	13	7/32"	225080	221016	227749	225347	153
HOT DIPPED GALV	RING	3-1/4"	12D	12	1/4"	225088	221027	227754	225412	113
HOT DIPPED GALV	RING	3-1/2"	16d	12	1/4"	225113	221032	227757	225456	104
STAINLESS	RING	2"	6d	14	3/16"	154640	154717	227762	225463	283
STAINLESS	RING	2-1/2"	8d	13	7/32"	225185	221043	227770	225474	189
STAINLESS	RING	3"	10d	13	7/32"	225191	221050	227782	225492	153
STAINLESS	RING	3-1/4"	12d	12	1/4"	225226	221068	227786	225505	113
STAINLESS	RING	3-1/2"	16d	12	1/4"	225234	221079	227795	225540	104

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

HARDBOARD SIDING



For attaching wood and hardboard siding. Extra-stiff shank for greater holding power.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SPIRAL	2"	6D	11.5	7/32"	199823	230289	158704	157394	173
HOT DIPPED GALV	SPIRAL	2-1/4"	7D	11.5	7/32"	111152	230298	227806	225545	156
HOT DIPPED GALV	SPIRAL	2-1/2"	8D	11.5	7/32"	198439	230306	158720	157409	140
HOT DIPPED GALV	SPIRAL	3"	10D	11	1/4"	198438	230313	158726	157418	108
HOT DIPPED GALV	SPIRAL	3-1/4"	12D	12	1/4"	153582	230327	227810	225553	92
HOT DIPPED GALV	SPIRAL	3-1/2"	16d	12	1/4"	153601	230331	158733	157427	80
STAINLESS	SPIRAL	2"	6d	14	3/16"	225241	221088	158757	157443	173
STAINLESS	SPIRAL	2-1/2"	8d	13	7/32"	225247	221109	158769	157449	140
STAINLESS	SPIRAL	3"	10d	13	7/32"	225254	221205	158791	157468	108
STAINLESS	SPIRAL	3-1/4"	12d	12	1/4"	225291	221221	227814	225567	92
STAINLESS	SPIRAL	3-1/2"	16d	12	1/4"	225325	221229	158808	157480	80

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

Roofing & Siding Nails

OVAL HEAD SIDING



For blind nailing of wood siding and clapboard

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV**	SMOOTH	2"	6D	12	15/64"	155512	221272	227827	225579	192
HOT DIPPED GALV	SMOOTH	2-1/4"	7D	12	15/64"	155529	221298	227832	225591	179
HOT DIPPED GALV	SMOOTH	2-1/2"	8D	12	15/64"	155571	221308	227842	225614	156
HOT DIPPED GALV	SMOOTH	3"	10D	12	15/64"	155592	221323	227847	225634	113

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

FURRING WITH WAD



For attaching stucco wire mesh to exterior of structure in preparation for the application of stucco mud.
Nail with wad used with paper that does not have wadding pre-attached.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	5,000 CT. CARTON	2# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1 1/2"	11	7/16"	155357	156424	161
ELECTRO GALV	SMOOTH	1 3/4"	11	7/16"	155379	156443	140

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

FURRING NO WAD



For attaching stucco wire mesh to exterior of structure in preparation for the application of stucco mud.
Nail without wad used with paper that has wadding already attached.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	5# TUB	APPROX QTY/LB
ELECTRO GALV*	SMOOTH	1 1/2"	11	7/16"	155339	156501	155
ELECTRO GALV	SMOOTH	1 3/4"	11	7/16"	155369	156515	134

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

Traditional wood, cedar shingles, durable fiber cement, or low-maintenance vinyl: BlueLinx has a siding to match your taste.



1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

SteelLinx®

Drywall Nails



Fasteners that are labeled with Drywall Construction will consist of nails and screws used for applying various type of Drywall products to buildings. Drywall nails are used in applications with wood studs and will have some form of coating such as Phosphate, Electro Galvanized or Hot Dipped Galvanized.

NAIL LENGTH

NAIL TYPE

APPLICATION TYPE

SteelLinx®

Drywall Construction

1-1/4"	ELECTRO GALVANIZED DRYWALL - Ring Shank
(3,18 cm)	Clavo galvanizado para paneles de yeso, de vástago anillado

For attaching gypsum boards to wood studs.
Electro galvanized coating prevents "rusting through" in below grade applications.

PRODUCT IMAGE

Not to Scale

COLOR CODE

APPLICATION

UPC AND PART NUMBER

158172

10842675057328

Drywall Nails

DRYWALL



For attaching gypsum boards to wood studs.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BRIGHT	RING	1-3/8"	12.5	19/64"	225339	221339	158841	152595	316
BRIGHT	RING	1-1/2"	12.5	19/64"	225345	221346	157997	156560	308
BRIGHT	RING	1-5/8"	12.5	19/64"	225400	221355	158009	156570	295
BRIGHT	RING	1-3/4"	12.5	19/64"	225410	221367	158018	156578	230
BRIGHT	RING	1-7/8"	12.5	19/64"	225454	221408	158026	156597	174
BRIGHT	RING	2"	12.5	19/64"	225461	221424	158064	156614	160
BRIGHT	RING	2-1/4"	12.5	19/64"	225472	221478	158104	156645	111
BRIGHT	RING	2-3/8"	12.5	19/64"	225486	221512	158125	156652	87
BRIGHT	RING	2-1/2"	12.5	19/64"	225490	221538	158135	156671	62

EG DRYWALL



For attaching gypsum boards to wood studs. Electro galvanized coating prevents "rusting through" in below grade applications.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
ELECTRO GALV*	RING	1-1/4"	12.5	19/64"	322025	153383	158172	156683	324
ELECTRO GALV	RING	1-3/8"	12.5	19/64"	153285	153422	158235	156770	316
ELECTRO GALV	RING	1-1/2"	12.5	19/64"	153300	153441	158197	156730	308
ELECTRO GALV	RING	1-5/8"	12.5	19/64"	733044	153492	158217	156743	295
ELECTRO GALV	RING	1-7/8"	12.5	19/64"	153327	153520	158249	156785	174
ELECTRO GALV	RING	2"	12.5	19/64"	153372	153557	158259	156807	160
ELECTRO GALV	RING	2-1/4"	12.5	19/64"	225503	221544	158270	156819	111
ELECTRO GALV	RING	2-3/8"	12.5	19/64"	225513	221559	158287	156828	87
ELECTRO GALV	RING	2-1/2"	12.5	19/64"	225518	221573	158310	156846	62

* ELECTRO GALVANIZED COATING FOR MINIMAL CORROSION RESISTANCE.

PC DRYWALL



For attaching gypsum boards to wood studs. Cupped saucer-head designed to countersink into drywall for ease of concealment. Long diamond point reduces cracking in drywall.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
PHOSPHATE COATED	SMOOTH	1-3/8"	13	19/64"	322180	153240	158318	156860	320
PHOSPHATE COATED	SMOOTH	1-1/2"	13	19/64"	155428	221588	158331	156880	295
PHOSPHATE COATED	SMOOTH	1-5/8"	13	19/64"	192945	221597	158339	156898	270
PHOSPHATE COATED	SMOOTH	1-7/8"	13	19/64"	322158	153269	158360	156927	279
PHOSPHATE COATED	SMOOTH	2-1/8"	11.5	3/8"	191118				
PHOSPHATE COATED	SMOOTH	2-3/8"	11.5	3/8"	322160	221605	158377	156933	148
PHOSPHATE COATED	SMOOTH	2-3/8"	11.5	11/32"	130920				
PHOSPHATE COATED	SMOOTH	1-3/8"	13	11/32"	130662				
PHOSPHATE COATED	SMOOTH	1-5/8"	13	11/32"	130842				
PHOSPHATE COATED	SMOOTH	1-7/8"	13	11/32"	130892				

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Drywall Nails

CC DRYWALL



For attaching gypsum boards to wood studs. Cupped saucer-head designed to countersink into drywall for ease of concealment. Long diamond point reduces cracking in drywall.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
CEMENT COATED	SMOOTH	1-3/8"	13	5/16"	225530	221637	227868	225663	310
CEMENT COATED	SMOOTH	1-1/2"	13	3/8"	155383	221656	227874	225682	285
CEMENT COATED	SMOOTH	1-5/8"	13	19/64"	225538	221663	227880	225727	270
CEMENT COATED	SMOOTH	1-7/8"	13	19/64"	225543	221673	227884	225750	255
CEMENT COATED	SMOOTH	2"	13	3/8"	209722	221688	227924	225769	235
CEMENT COATED	SMOOTH	2-1/2"	13	3/8"	155394	221700	227928	225793	190

BLUE LATH



For attaching lathing material. Heat sterilized to create blue oxide film resistant to corrosion.

FINISH	SHANK	LENGTH INCHES	SIZE PENNY	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BLUED	SMOOTH	1"	2D	16.5	11/64"	225548	221715	227935	225806	1280
BLUED	SMOOTH	1-1/4"	3D	16	11/64"	255877	221728	159894	158472	984
BLUED	SMOOTH	1-1/2"	4D	14	7/32"	733031	221740	227938	225811	442

PLASTERBOARD



For fastening plasterboard to a supporting system.

FINISH	SHANK	LENGTH INCHES	GAUGE	HEAD SIZE	50# CARTON	30# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
BLUED	SMOOTH	1-1/8"	13	19/64"	221822	228542	227948	225832	440
BLUED	SMOOTH	1-1/4"	13	19/64"	221831	228553	227954	225853	415
BLUED	SMOOTH	1-3/8"	13	19/64"	221855	228577	227960	225859	307
BLUED	SMOOTH	1-1/2"	13	19/64"	221901	228580	227978	225865	307
VINYL COATED	SMOOTH	1-1/8"	13	19/64"	221919	228590	228002	225874	440
VINYL COATED	SMOOTH	1-1/4"	13	19/64"	221928	228594	228021	225884	415
VINYL COATED	SMOOTH	1-3/8"	13	19/64"	221957	228614	228031	225897	307
VINYL COATED	SMOOTH	1-1/2"	13	19/64"	221994	228621	228058	225912	307
ELECTRO GALV	SMOOTH	1-1/8"	13	19/64"	222007	228629	228062	225929	440
ELECTRO GALV	SMOOTH	1-1/4"	13	19/64"	222037	228633	228089	225948	415
ELECTRO GALV	SMOOTH	1-3/8"	13	19/64"	222065	228645	228112	225956	307
ELECTRO GALV	SMOOTH	1-1/2"	13	19/64"	222091	228661	228147	225998	307
HOT DIPPED GALV**	SMOOTH	1-1/8"	13	19/64"	222102	228670	228157	226004	440
HOT DIPPED GALV	SMOOTH	1-1/4"	13	19/64"	222116	228680	228167	226011	415
HOT DIPPED GALV	SMOOTH	1-3/8"	13	19/64"	222151	228687	228189	226031	307
HOT DIPPED GALV	SMOOTH	1-1/2"	13	19/64"	222167	228699	228197	226060	307

** HOT DIPPED GALVANIZED COATING EQUIVALENT IN PERFORMANCE TO GALVANIZATION THAT MEETS ASTM A 153 CLASS D.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

The right screw brings the job together.

Screw's versatility make them the fastener of choice for a wide variety of tasks. Varying thread types and drill points are specifically designed for applications including wood, drywall, sheet metal and concrete. Screws also feature many different types of drives, such as Phillips, slot-head, hex and combo, making them suitable for use with different types of tools. And since screws seldom bend during removal they can be reused or even reinserted into the same holes without sacrificing strength.

SteelLinx® provides a comprehensive line of screws available in all standard lengths. Each line has specific applications as well as a variety of colors and corrosion resistant finishes.

SCREW FASTENERS COLOR GUIDE

Drywall Construction

General Construction

Metal & Framing Construction

lifeGuard1000 Decking

LifeGuard1500 Decking

Stainless Steel Decking

SteelLinx® makes is easy to select the optimal fastener for your project with their color-coded packaging and point-of-purchase displays.



Components of a Screw

SCREW DRIVES RECESS



PHILLIPS DRIVE

+ shaped recess designed to cam out before being overdriven.



SQUARE DRIVE

Fits securely on driver bit, enabling one handed fastening.



STAR DRIVE

Fits securely on the driver bit with 6 points of contact, enabling one handed fastening.



HEX HEAD

Hex head can be driven with nut driver.



SLOTTED HEX HEAD

Hex head can be driven with nut driver or flat bladed bit.



COMBO DRIVE HEAD

Accepts both a Phillips and square bit.

SCREW HEAD STYLES



FLAT HEAD

Most standard type of screw head. Larger head size provides greater holding power.



PAN PHILLIPS

For steel to steel. Flat bearing surface is ideal for attaching light-gauge steel to light-gauge steel.



TRIM HEAD SQUARE

For wood to steel. Countersunk like finishing nails.



BUGLE PHILLIPS

For fastening gypsum and soft woods. Tapered bugle head seats flush with either drywall or wood application.



WAFER PHILLIPS

For wood to steel.



HEX WASHER HEAD

For steel to steel.



SLOTTED HEX WASHER HEAD

Has a slot in the hex head to accommodate a flat screw driver or hex nut driver.



MODIFIED TRUSS PHILLIPS

Low profile for steel track, k-lath, and hat section to studs. Provides a larger bearing area for working with softer materials.



HEX WASHER HEAD WITH NEOPRENE WASHER

For exterior steel to steel, such as steel roofing. Neoprene washer "seals" pieces together.

SCREW THREAD TYPES



COARSE THREAD

Provides superior holding power when attaching to wood.



FINE THREAD

Provides superior holding power when attaching to light-gauge steel.



HI-LO THREAD

For attaching drywall to light-gauge steel studs or wood studs. Provide higher strip-out resistance.



DUAL THREAD

Designed to pull fibers down, leaving smooth finish.

SCREW POINT TYPES



SHARP POINT

Standard screw point for fastening into wood and other medium to soft materials.



TYPE 17

Long, sharp point with flute, which creates its own pilot point as well as displaces some of wood pitch.



XL TYPE 17

Extra Long, sharp point with flute, which creates its own pilot point as well as displaces some of wood pitch.



SELF-PIERCING POINT

Needle point designed for use in relatively thin sections. The point literally stabs through the material, making a hole slightly smaller than the minor diameter of the threads. This allows the threads to extrude the metal for increased thread engagement and reduces the tendency to strip-out.



SELF-DRILLING POINT

Point designed to drill through very thin sections too thick to be pierced. The number of the point determines the drilling capacity of the fastener. The higher the number, the thicker the material can be drilled.



SPADE POINT

Long, sharp point with flute, which creates its own pilot point as well as displaces some of wood pitch.

SCREW FINISHES

FINISH

APPROXIMATE SALT SPRAY RATING (HOURS)



PHOSPHATE

24-48 Hrs. Phosphate coating creates good holding power and is a great surface for joint compound or paint.




SILVER ZINC

48-96 Hrs. Shiny silver finish. It offers a low amount of corrosion resistance.



YELLOW ZINC

96-130 Hrs. Resembles brass plating, but appears more iridescent. It offers a modest amount of corrosion resistance.



BLUE FLUOROCARBON

750 Hrs. Specially formulated coating that offers good corrosion resistance. Passes a 25 Kesternich cycle corrosion test and only available in concrete screws.

FINISH

APPROXIMATE SALT SPRAY RATING (HOURS)



LIFEGUARD1000™

1,000 Hrs. 1,000 hour corrosion resistance. Great for treated lumber.



LIFEGUARD1500™

1,500 Hrs. Lifetime Guarantee against rust and corrosion. Wood construction decking screw approved for all types of treated lumber.




STAINLESS STEEL

Lifetime Guarantee Lifetime corrosion resistance. Great for treated lumber, redwood and cedar. Also recommended for coastal areas.

SteelLinx[®]

Drywall Construction Screws



Fasteners that are labeled with Drywall Construction will consist of screws and nails used for applying various type of Drywall products to buildings. Drywall screws come with Course and Fine Threads that can be fastened to both wood and steel studs. These screws will have a Phosphate coating.

Diagram illustrating the components of a SteelLinx Drywall Construction screw label:

- SCREW LENGTH**: Points to the length specification on the label.
- SCREW TYPE**: Points to the screw type specification on the label.
- APPLICATION TYPE**: Points to the application type specification on the label.
- COLOR CODE**: Points to the color code on the label.
- APPLICATION**: Points to the application description on the label.
- PRODUCT IMAGE**: Points to the image of the screw on the label.
- UPC AND PART NUMBER**: Points to the barcode and part number on the label.

The label itself is red and contains the following information:

- SteelLinx[®]**
- Drywall Construction**
- #6 x 1"** (Screw Length)
- Phillips Bugle Head Coarse Thread Black Phosphate Sharp Point** (Screw Type)
- #6 x 2,54 cm** (Screw Length in cm)
- Tornillo Phillips cabeza trompeta de rosca gruesa y punta aguja fosfatizado negro** (Screw Type in Spanish)
- For attaching gypsum board to wood studs.** (Application)
- Not to Scale** (Product Image)
- 159767** (UPC and Part Number)
- 10842675060135** (Barcode)

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Drywall Construction Screws

COARSE THREAD DRYWALL SCREW



For attaching gypsum board to wood studs

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1"	#6	10M	219010	220612	214459	159767	313
1-1/8"	#6	10M	219034	220621	214464	159787	286
1-1/4"	#6	8M	165022	220626	214471	159802	258
1-5/8"	#6	5M	219061	220633	214485	159824	200
2"	#6	3.5M	107840	220640	214496	159858	175
2-1/4"	#6	3M	219082	220649	214504	159865	136
2-1/2"	#8	2.5M	219089	220654	214539	159898	119
3"	#8	2M	112241	220661	214547	159907	83
4"	#10	1M	219126	220665	214556	159921	42

PHOSPHATE COATED - PHILLIPS DRIVE - BUGLE HEAD - SHARP POINT.

FINE THREAD DRYWALL SCREW



For attaching gypsum board to 25-20 gauge steel studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1"	#6	10M	207234	220496	214363	159595	313
1-1/8"	#6	10M	218959	220503	214373	159608	286
1-1/4"	#6	8M	143494	220508	214388	159619	258
1-5/8"	#6	5M	116517	220546	214393	159652	200
2"	#6	3.5M	176206	220551	214414	159706	175
2-1/4"	#6	3M	218984	220564	214418	159721	136
2-1/2"	#8	2.5M	218995	220573	214429	159741	119
3"	#8	2M	133164	220605	214451	159750	83

PHOSPHATE COATED - PHILLIPS DRIVE - BUGLE HEAD - SHARP POINT.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Drywall Construction Screws

FINE THREAD DRYWALL SCREW



For attaching gypsum board to 20-14 gauge steel studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1"	#6	10M	219576	220854	215230	160952	313
1-1/8"	#6	10M	219586	220858	215249	160973	286
1-1/4"	#6	8M	219596	220862	160998	155442	258
1-5/8"	#6	5M	219621	220870	161006	155456	200
1-7/8"	#6	4M	219631	220891	161062	155485	182
2-3/8"	#8	3M	219665	220907	161134	155546	125
2-5/8"	#8	2M	219693	220923	161099	155522	100
3"	#8	2M	219698	220935	161145	155565	83

PHOSPHATE COATED - PHILLIPS DRIVE - BUGLE HEAD - SELF DRILLING TEK POINT.

TRIM HEAD FINE THREAD DRYWALL SCREW



For attaching wood trim and base over gypsum board to light gauge steel studs or wood substrate.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1-5/8"	#6	5M	219711	220954	161170	155616	208
2-1/4"	#6	3M	219718	220963	161433	155629	143
3"	#8	2M	219724	220968	217168	217222	87

PHOSPHATE COATED - #1 SQUARE DRIVE - TRIM HEAD - SHARP POINT.

COARSE THREAD LAMINATING SCREW



For attaching gypsum board to gypsum board.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1-1/2"	#10	5M	219703	220940	161161	155586	128

PHOSPHATE COATED - PHILLIPS DRIVE - BUGLE HEAD - SHARP POINT.

SteelLinx®

Building lasting impressions...

Its easy to recognize quality. For interior and exterior jobs, from siding to concrete applications, you can count on high quality SteelLinx fasteners to consistently deliver excellent results.

NAILS



General Construction



Roofing & Siding



Outdoor Construction



Drywall Construction

SCREWS



Drywall Construction



Metal & Framing




General Construction




Decking Construction


PNEUMATICS



Plastic & Wire Coil



Angled & Straight Finish



Plastic, Wire & Paper Strip



Wide, Medium & Narrow Staples



Royal Mouldings

Great Ideas Taking Shape.



- Lifetime never rot warranty
- Low maintenance
- Moisture and termite proof
- Mold & mildew resistant
- Ready to install
- Nails and screws easily



- Deep grain cedar and smooth textures
- Over 50% recycled content
- Boards will not rot or delaminate
- Lifetime limited warranty
- Ready to install
- Nails and screws easily



1-888-502-BLUE • www.BlueLinxCo.com • www.SteelLinx.com

SteelLinx®

General Construction Screws



Screws that are labeled with General Construction are used in general building such as framing, cement board and temporary construction.

Diagram illustrating the components of a SteelLinx General Construction screw label:

- SCREW LENGTH**: Points to the length specification (#8 x 1").
- SCREW TYPE**: Points to the screw type (Phillips Flat Head Coarse Thread).
- APPLICATION TYPE**: Points to the application type (General Construction).
- COLOR CODE**: Points to the color code (#8 x 2,54 cm).
- APPLICATION**: Points to the application description (For general wood to wood applications. Low corrosion resistance).
- PRODUCT IMAGE**: Points to the image of the screw (Not to Scale).
- UPC AND PART NUMBER**: Points to the barcode and part number (159936 10842675060357).

SteelLinx®	
#8 x 1"	Phillips Flat Head Coarse Thread Yellow Zinc Sharp Point
#8 x 2,54 cm	Tornillo Phillips cabeza plana de rosca gruesa y punta aguja con acabado de zinc amarillo

For general wood to wood applications. Low corrosion resistance.

159936
10842675060357

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

General Construction Screws

COARSE THREAD YELLOW ZINC SCREW



For attaching wood to wood. Not recommended for treated woods.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPR QTY/LB	LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1"	#8	10M	219149	220674	214580	159936	313	3"	#8	2M	219214	220707	214706	160166	83
1-1/4"	#6	8M	219159	220683	214587	159970	258	3-1/2"	#10	1M	219235	220711	214717	160209	43
1-5/8"	#6	5M	219163	220692	214591	159996	200	4"	#10	1M	219246	220740	214728	160251	43
2"	#6	3.5M	219187	220696	214638	160047	250	4-1/2"	#10	500	219251	220758	214742	160262	43
2-1/2"	#8	2.5M	219199	220700	214685	160137	119	5"	#10	500	219265	220779	214791	160270	37
								6"	#10	500	219298	220797	214797	160280	32

HI-LO THREAD CEMENT BOARD SCREW



For attaching cement board to wood or light gauge 25 -20 steel studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB	LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1-1/4"	#8	5M	219758	220988	161452	156054	235	2-1/4"	#8	3M	219862	221000	188383	156701	136
1-5/8"	#8	5M	219805	220992	161551	156134	185								

HI-LO THREAD CONCRETE SCREW



For use in light duty anchoring, door and window frames, thresholds, plumbing straps and electrical conduits.
Taps it's own thread in concrete, brick and other masonry products. Starter hole required.

LENGTH INCHES	SHANK	DRIVE TYPE	HEAD TYPE	1# TUB	APPROX QTY/LB	LENGTH INCHES	SHANK	DRIVE TYPE	HEAD TYPE	1# TUB	APPROX QTY/LB
1-1/4"	3/16"	PHILIPS	FLAT W/NIBS	217229	147	1-3/4"	1/4"	PHILIPS	FLAT W/NIBS	217304	63
1-3/4"	3/16"	PHILIPS	FLAT W/NIBS	217233	110	2-1/4"	1/4"	PHILIPS	FLAT W/NIBS	217315	50
2-1/4"	3/16"	PHILIPS	FLAT W/NIBS	217240	84	2-3/4"	1/4"	PHILIPS	FLAT W/NIBS	217318	42
2-3/4"	3/16"	PHILIPS	FLAT W/NIBS	217247	71	3-1/4"	1/4"	PHILIPS	FLAT W/NIBS	217335	35
3-1/4"	3/16"	PHILIPS	FLAT W/NIBS	217255	56	4"	1/4"	PHILIPS	FLAT W/NIBS	217346	31
1-1/4"	3/16"	PHILIPS	HEX WASHER	217268	147	1-1/4"	1/4"	HEX	HEX WASHER	217357	81
1-3/4"	3/16"	PHILIPS	HEX WASHER	217271	100	1-3/4"	1/4"	HEX	HEX WASHER	217383	63
2-1/4"	3/16"	PHILIPS	HEX WASHER	217280	84	2-1/4"	1/4"	HEX	HEX WASHER	217393	50
2-3/4"	3/16"	PHILIPS	HEX WASHER	217284	70	2-3/4"	1/4"	HEX	HEX WASHER	217403	42
3-1/4"	3/16"	PHILIPS	HEX WASHER	217289	60	3-1/4"	1/4"	HEX	HEX WASHER	217416	35
1-1/4"	1/4"	PHILIPS	HEX WASHER	217295	81	4"	1/4"	HEX	HEX WASHER	217420	31

REMOVERITE™ DUPLEX SCREW



Reusable screw for all applications requiring fast and accurate construction and disassembly.

SIMILAR TO PENNY SIZE	LENGTH INCHES	SHANK DIAMETER	25# BUCKET	5# TUB	1# TUB	APPROX. QTY/LB	SIMILAR TO PENNY SIZE	LENGTH INCHES	SHANK DIAMETER	25# BUCKET	5# TUB	1# TUB	APPROX. QTY/LB
4D	1-1/4"	#8	154079	153613	152960	83	4D	1-1/4"	#8	154128	153656	153070	83
6D	1-5/8"	#8	154147	153724	153123	76	6D	1-5/8"	#8	154246	153793	153340	76
8D	1-3/4"	#8	154274	153841	153396	71	8D	1-3/4"	#8	152810	153876	153454	71
16D	2-3/4"	#10	152845	153992	153533	48	16D	2-3/4"	#10	152927	154044	153569	48
ORANGE COLOR HEADS							BLACK COLOR HEADS						

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

SteelLinx[®]

Metal Framing Construction Screws



Screws that are labeled with Metal Framing are used in general building such as framing, as well as metal roofing and attaching metal lath.

Diagram illustrating the components of a SteelLinx Metal Framing Construction Screw label:

- SCREW LENGTH:** #8 x 1/2"
- SCREW TYPE:** Phillips Wafer Head Zinc Drill Point
- APPLICATION TYPE:** Metal & Framing Construction
- COLOR CODE:** #8 x 1,27 cm
- APPLICATION:** Tornillo Phillips cabeza tanque y punta broca con acabado de zinc
- PRODUCT IMAGE:** Not to Scale
- UPC AND PART NUMBER:** 158764 10842675058286

For attaching metal lath and stucco netting to wood or 20-16 gauge steel studs.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Metal Framing Construction Screws


PHILLIPS PAN HEAD SCREW



For attaching 25-20 gauge steel track to 25-20 gauge studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
7/16"	#7	10M	218292	221014	188453	157072	400
ZINC - PHILLIPS PAN HEAD - PIERCE POINT.							

PHILLIPS PAN HEAD SCREW



For attaching strapping and furring channel to steel joist.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
7/16"	#7	10M	219875	221004	188394	156912	400
1/2"	#8	10M	218271	221008	188427	157007	
ZINC - PHILLIPS PAN HEAD - SELF DRILLING TEK POINT.							

MODIFIED TRUSS SCREW



For attaching metal lath in stucco netting to wood or 25-20 gauge steel studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1/2"	#8	10M	218302	221025	188463	157103	270
3/4"	#8	8M	140131		140227	140209	
1"	#8	5M	218322	220006	188482	157185	186
1-1/4"	#8	5M	218345	220014	188505	157204	154
1-5/8"	#8	5M	218356	220020	188525	158630	125
2"	#8	2.5M	218364	220032	188553	158694	107
2-1/2"	#8	2M	218403	220040	188565	158711	87
3"	#8	1.5M	218407	220047	188666	158740	80
SILVER ZINC - PHILLIPS DRIVE - MODIFIED TRUSS HEAD - SELF PIERCING POINT.							

Metal Framing Construction Screws

MODIFIED TRUSS SCREW



For attaching metal lath in stucco netting to wood or 25-20 gauge steel studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1/2"	#8	10M	218440	221077	213551	158764	277
3/4"	#8	8M	140119		140180	140148	
1"	#8	5M	218444	221030	213659	158798	178
1-1/4"	#8	5M	218451	221038	213684	158827	151
1-5/8"	#8	5M	218459	221041	213737	158840	129
2"	#8	2.5M	218471	221048	213754	158863	107
2-1/2"	#8	2M	218485	221061	213811	158880	86
3"	#8	1.5M	218493	221066	213821	158939	80

SILVER ZINC - PHILLIPS DRIVE - MODIFIED TRUSS HEAD - SELF DRILLING TEK POINT.

5/16"
DRIVE

HEX WASHER HEAD SCREW



For attaching metal to metal used in medium gauge metal to metal framing.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1/2"	#10	8M	218576	220091	213972	159070	200
5/8"	#10	7M	218582	220105	214052	159089	171
3/4"	#10	6M	218615	220126	214073	159110	158
1"	#10	5M	218622	220132	214086	159134	132
1-1/4"	#10	4M	218630	220136	214100	159144	118
1-1/2"	#10	3M	218642	220156	214116	159166	100
2"	#10	2M	218653	220168	214124	159184	80
3"	#10	1M	218665	220172	214134	159209	55

SILVER ZINC - 5/16" DRIVE - #3 DRILLING POINT.

5/16"
DRIVE

HEX WASHER HEAD SCREW



For attaching metal to metal used in sheet metal to purlins and channels to structural studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
3/4"	#12	5M	218675	220178	214146	159218	119
1"	#12	3M	218690	220184	214168	159256	100
1-1/4"	#12	3M	218699	220197	214174	159320	86
1-1/2"	#12	3M	218720	220204	214200	159348	75
2"	#12	2M	218729	220209	214222	159357	61
2-1/2"	#12	1M	218742	220222	214244	159380	61
3"	#12	1M	218747	220233	214250	159405	43
3-1/2"	#12	1M	218763	220262	214267	159414	35

SILVER ZINC - 5/16" DRIVE - #3 DRILLING POINT.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Metal Framing Construction Screws

**1/4"
DRIVE**

HEX WASHER HEAD SCREW



For attaching metal to metal used in sheet metal and light steel framing.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
1/2"	#8	10M	218513	220052	213847	158964	300
5/8"	#8	10M	218519	220056	213867	158988	256
3/4"	#8	10M	218527	220065	213899	159010	227
1"	#8	8M	218537	220072	213908	159024	190
1-1/4"	#8	6M	218561	220077	213946	159035	162
2"	#8	3M	218566	220081	213959	159058	115

SILVER ZINC - 1/4" DRIVE - #2 DRILLING POINT.

**3/8"
DRIVE**

HEX WASHER HEAD SCREW



For attaching metal to metal used in sheet metal to purlins and channels to structural studs.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB	APPROX QTY/LB
3/4"	#14	4M	218769	220273	214274	159439	78
1"	#14	3M	218787	220279	214280	159461	68
1-1/4"	#14	2M	218792	220308	214291	159485	59
1-1/2"	#14	2M	218807	220327	214300	159511	50
2"	#14	1M	218831	220337	214307	159529	40
2-1/2"	#14	1M	218840	220341	214312	159552	37
3"	#14	1M	218846	220350	214326	159562	33
4"	#14	0.5M	218853	220353	214357	159580	17

SILVER ZINC - 3/8" DRIVE - #3 DRILLING POINT.

METAL & FIBERGLASS ROOFING NEOWASHER SCREW



For attaching metal & fiberglass roofing to wood.

COLOR	LENGTH INCHES	SHANK	BOX COUNT	BOX	25# TUB	5# TUB	1# TUB	APPROX QTY/LB
HOT DIPPED GALV	1"	#10	2.5M	224044	224312	224534	224847	144
HOT DIPPED GALV	1-1/2"	#10	2.5M	224070	224327	224673	224867	106
HOT DIPPED GALV	2"	#10	2M	224096	224349	224682	224890	87
HOT DIPPED GALV	2-1/2"	#10	1.5M	224106	224361	224739	224909	80
WHITE	1"	#10	2.5M	224198	224375	224754	224933	144
WHITE	1-1/2"	#10	2.5M	224234	224399	224765	224958	106
WHITE	2"	#10	2M	224281	224406	224786	224973	87
WHITE	2-1/2"	#10	1.5M	224299	224451	224832	224986	80

HOT DIPPED GALVANIZED - HEX WASHER HEAD - SELF PIERCING.


1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

SteelLinx®

Decking & Exterior Wood Construction Screws

Screws that are labeled with Decking & Exterior Wood Construction are used in decking and wood to wood construction. LifeGuard1000 provides 1,000 hour corrosion resistance. Great for treated lumber.



SCREW LENGTH

SCREW TYPE

APPLICATION TYPE

SteelLinx® Decking & Exterior Wood Construction

#8 x 1"	Phillips Nibbed Flat Head LifeGuard1000 Sharp Point
#8 x 2,54 cm	Tornillo cabeza plana con estrías y punta aguja LifeGuard1000

**LifeGuard1000 - Multi purpose wood screws: Lifetime exterior corrosion resistance.
Recommended for use with all types of woods, excluding redwood and cedar.**

COLOR CODE

APPLICATION

PRODUCT IMAGE

UPC AND PART NUMBER

1,000 HR. COATING

214898

10842675060739

Not to Scale

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Decking & Exterior Wood Construction Screws

LIFEGUARD1000® DECKING AND WOOD CONSTRUCTION

1,000 HR.
COATING



Exterior corrosion resistance. Recommended for use with all types of treated woods.

LENGTH INCHES	SHANK	BOX COUNT	BOX	25# BUCKET	5# TUB	1# TUB
1"	#8	10M	219340	220802	214814	160286
1-1/4"	#8	8M	219351	220807	214835	160293
1-5/8"	#8	5M	219360	220822	214845	160306
2"	#8	3.5M	219390	220832	214865	160338
2-1/2"	#9	2.5M	219409	220836	214890	160357
3"	#9	2M	219429	220839	214896	160374
3-1/2"	#10	1M	191249	230099	230072	219135
4"	#10	1M	219455	220845	214902	160394

1,000 HOURS - PHILLIPS - NIBBED FLAT HEAD - SHARP POINT.

LIFEGUARD1000® COMPOSITE DECK SCREW

1,000 HR.
COATING



1,000 hour exterior corrosion resistance. Recommended for use with all types of composite decking.

COLOR	LENGTH INCHES	SHANK	1,750 CT. BUCKET	5# TUB	1# TUB
GRAY	2-1/2"	#9	219914	215033	218331
GRAY	3"	#9	219920	215051	218415
DARK BROWN	2-1/2"	#9	219924	215057	218467
DARK BROWN	3"	#9	219936	215073	218546
LIGHT BROWN	2-1/2"	#9	219951	215077	218591
LIGHT BROWN	3"	#9	219957	215093	218710
TAN	2-1/2"	#9	219964	215109	218757
TAN	3"	#9	219979	215117	218949
REDWOOD	2-1/2"	#9	219993	215122	219042
REDWOOD	3"	#9	219996	215143	219076

1,000 HOURS - T-20 STAR DRIVE - MUSHROOM HEAD - XL TYPE 17 POINT.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

SteelLinx[®]

Decking & Exterior Wood Construction Screws



Screws that are labeled with Decking & Exterior Wood Construction are used in decking and wood to wood construction. LifeGuard1500 guarantees against rust and corrosion. Approved for use in all types of treated wood.

SCREW LENGTH

SCREW TYPE

APPLICATION TYPE

SteelLinx[®] Decking & Exterior Wood Construction

#8 x 1-1/4"	T-25 Nibbed Flat Head Light Brown
#8 x 3,18 cm	LifeGuard1500 XL Type 17 Point

Lifetime exterior corrosion resistance. Recommended for use with all types of woods, excluding redwood and cedar.

1,500 HR. COATING

160402

10842675060920

COLOR CODE

PRODUCT IMAGE

APPLICATION

UPC AND PART NUMBER

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Decking & Exterior Wood Construction Screws

1,500 HR.
COATING

LIFEGUARD1500® DECKING AND WOOD CONSTRUCTION



Lifetime exterior corrosion resistance. Recommended for use with all types of treated woods.

LENGTH INCHES	COLOR	SHANK	BOX COUNT	BOX BUCKET	25# TUB	5# TUB	1# TUB
1-1/4"	LIGHT BROWN	#8	8M	219465	155700	214908	160402
1-5/8"	LIGHT BROWN	#8	5M	219475	155715	214937	160422
2"	LIGHT BROWN	#8	3.5M	219481	155727	214949	160431
2-1/2"	LIGHT BROWN	#9	2.5M	219494	155734	214970	160455
3"	LIGHT BROWN	#9	2M	219507	155756	214976	160461
3-1/2"	LIGHT BROWN	#10	1M	219514	155765	214986	160498
4"	LIGHT BROWN	#10	1M	219520	155780	214990	160512
4-1/2"	LIGHT BROWN	#10	500	219536	155789	214996	160520
5"	LIGHT BROWN	#10	500	219548	155841	215001	160530
6"	LIGHT BROWN	#10	500	219560	155856	215022	160560
1-1/4"	GREY	#8	8M	190620	190473	190789	191040
1-5/8"	GREY	#8	5M	190666	190479	190801	191051
2"	GREY	#8	3.5M	190672	190479	190851	191062
2-1/2"	GREY	#9	2.5M	190678	190509	190863	191077
3"	GREY	#9	2M	190689	190520	190891	191085
3-1/2"	GREY	#10	1M	190694	190550	190899	191101
4"	GREY	#10	1M	190703	190569	190933	191107
4-1/2"	GREY	#10	500	190746	190569	190961	191126
5"	GREY	#10	500	190770	190582	190970	191133
6"	GREY	#10	500	190783	190606	191011	191142

1,500 HOURS - T-25 STAR DRIVE - NIBBED FLAT HEAD - XL TYPE 17 POINT.

1,500 HR.
COATING

LIFEGUARD1500® DECKING AND WOOD CONSTRUCTION



Lifetime exterior corrosion resistance. Recommended for use with all types of treated woods.

LENGTH INCHES	COLOR	SHANK	BOX COUNT	BOX BUCKET	20# TUB	5# TUB	1# TUB
1-1/4"	GREEN CERAMIC	#8	8M	132481	148862	136333	136177
1-5/8"	GREEN CERAMIC	#8	5M	136490	161581	136343	136208
2"	GREEN CERAMIC	#8	3.5M	136513	121548	136382	136221
2-1/2"	GREEN CERAMIC	#9	2.5M	136541	121561	136405	136242
3"	GREEN CERAMIC	#9	2M	136562	121590	136424	136265
3-1/2"	GREEN CERAMIC	#10	1M	136573	121600	136434	136275
4"	GREEN CERAMIC	#10	1M	136585	121612	136465	136305

1,500 HOURS - COMBO DRIVE - NIBBED FLAT HEAD - XL TYPE 17 POINT.

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

SteelLinx[®]

Decking & Exterior Wood Construction Screws

Screws that are labeled with Decking & Exterior Wood Construction are used in decking and wood to wood construction. Lifetime corrosion resistance guarantee. Approved for all types of treated wood, redwood and cedar. Also recommended for coastal markets.



SCREW LENGTH

SCREW TYPE

APPLICATION TYPE

SteelLinx[®] Decking & Exterior Wood Construction

#8 x 1-5/8"	T-20 Nibbed Trim Head Stainless Steel XL Type 17 Point
#8 x 4,13 cm	Tornillo T - 20 con cabeza chica - avellanada estriada de Acero Inoxidable XL con punta tipo 17

Stainless Steel - Wood and Decking Screws: Lifetime exterior corrosion resistance. Recommended for use with redwood, cedar and all types of treated woods. Superior performance in coastal markets.

Not to Scale

UPC AND PART NUMBER

217425

10842675069206

COLOR CODE

APPLICATION

PRODUCT IMAGE

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Decking & Exterior Wood Construction Screws

LIFETIME
GUARANTEE
AGAINST
CORROSION

POWDER COATED TRIM HEAD STAINLESS STEEL DECK SCREW



Lifetime exterior corrosion resistance. Recommended for use with redwood, cedar and all types of treated woods. Superior performance in coastal markets.

COLOR	LENGTH INCHES	SHANK	1,000 CT. BUCKET	5# TUB	1# TUB
BROWN	2-1/2"	#8	219902	217198	218279
STAINLESS STEEL - GRADE 304 - T-20 STAR DRIVE - NIBBED TRIM HEAD - XL TYPE 17 POINT					

LIFETIME
GUARANTEE
AGAINST
CORROSION

TRIM HEAD STAINLESS STEEL DECK SCREW



Lifetime exterior corrosion resistance. Recommended for use with redwood, cedar and all types of treated woods. Superior performance in coastal markets.

LENGTH INCHES	SHANK	1,000 CT. BUCKET	5# TUB	1# TUB
1-5/8"	#8	220429	217178	217425
2-1/4"	#8	220443	217184	217430
3"	#8	220475	217189	217433
STAINLESS STEEL - GRADE 304 - T-25 STAR DRIVE - NIBBED TRIM HEAD - XL TYPE 17 POINT				

LIFETIME
GUARANTEE
AGAINST
CORROSION

POWDER COATED FLAT HEAD STAINLESS STEEL DECK SCREW



Lifetime exterior corrosion resistance. Recommended for use with redwood, cedar and all types of treated woods. Superior performance in coastal markets.

COLOR	LENGTH INCHES	SHANK	1,000 CT. BUCKET	5# TUB	1# TUB
BROWN	2-1/2"	#10	219889	217193	218099
STAINLESS STEEL - GRADE 304 - T-25 STAR DRIVE - NIBBED FLAT HEAD - XL TYPE 17 POINT					

LIFETIME
GUARANTEE
AGAINST
CORROSION

FLAT HEAD STAINLESS STEEL DECK SCREW



Lifetime exterior corrosion resistance. Recommended for use with redwood, cedar and all types of treated woods. Superior performance in coastal markets.

LENGTH INCHES	SHANK	1,000 CT. BUCKET	5# TUB	1# TUB
1"	#8	220367	215149	160780
1-1/4"	#8	220382	215175	160796
1-5/8"	#8	220386	215183	160826
2"	#8	220392	215192	160854
2-1/2"	#9	220397	215206	160883
3"	#9	220400	215213	160909
4"	#10	220425	215224	160927
STAINLESS STEEL - GRADE 304 - T-20 STAR DRIVE - NIBBED FLAT HEAD - XL TYPE 17 POINT				

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

The Hidden Link®

HIDDEN DECK FASTENING SYSTEM

Features and Benefits

- No visible fasteners on deck board face
- Fasteners that are attached to the joists are hidden by the subsequent deck board
- The Hidden Link® system allows air to flow between the deck boards and the joist, enabling the joists to continually dry out (preventing the acceleration of rot)
- No expensive biscuit cutter required
- No hammering
- Works well with exotic hardwoods and composite decking
- Approximately 100 sq. ft. coverage using 5.5" deck boards 16" o.c.
- Screws Included

Easy Installation



The Hidden Link® slides under the fastened deck board.



Fasten the tab of The Hidden Link® to the opposite deck board edge.



Push deck board down to rest on joist, fasten The Hidden Link® to joist.



THE HIDDEN LINK® HIDDEN DECK FASTENING SYSTEM

For solid edged (non-grooved) deck boards

MFG ITEM	DESCRIPTION	ITEM#
HIDDEN LINK 14	THE HIDDEN LINK (EACH BOX FASTENS 100 SQ. FT. BASED ON 16" O.C.)	126177

The Mantis

DECK CLIP SYSTEM

Features Benefits

- Easily installed with standard screws or Ballistic NailScrews®
- MoistureShield® primary recommended hidden fastener system
- Deck Boards elevated off of the joists to promote air flow
- 50sq. ft. box or 250sq. ft. bucket based on 16" O.C. joists, 90 clips/box with screws, 450 clips/bucket with screws
- BONUS - STARTER AND FINISH CLIPS included in 50 sq. ft. box
- Start and Finish Clips available separately in 25 piece packaging
- Thirty Year warranty against loose deck boards
- Works well in: composite decking, hardwood decking, cedar, redwood and ACQ approved



THE MANTIS DECK CLIP SYSTEM

Hidden fastening system for grooved deck boards.

MFG ITEM	DESCRIPTION	ITEM#
MANTIS 345	BOX OF 90 MANTIS CLIPS + START & FINISH CLIPS = SCREWS (50SQ.FT)	125250
MANTIS TRX	BOX OF 90 MANTIS CLIPS + START & FINISH CLIPS = SCREWS (50SQ.FT)	152310
MANTIS 396	BOX OF 90 MANTIS CLIPS + START & FINISH CLIPS = SCREWS (50SQ.FT)	125417
MANTISSTART345	MANTIS 345 STARTER CLIP COATED STEEL (25 PIECES PER POLYBAG)	125991
MANTISSTART396	MANTIS 396 STARTER CLIP COATED STEEL (25 PIECES PER POLYBAG)	126048
MANTISFIN25	MANTIS FINISH CLIP COATED STEEL (25 PC. WITH SCREWS)	126126

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Ballistic Nail Screws®

HYBRID FASTENER

Features and Benefits

- The Ballistic NailScrew® is a Hybrid Fastener - a specially designed screw that you pneumatically drive with your nail gun.
- Ballistic NailScrew® combines the advantages of collated nails (ease and speed of installation) with the best aspects of screws (quality and adjustability).
- Ballistic NailScrew® can increase productivity, creating time and labor savings.



THE ELIMINATOR RCS™ INSTALLATION TOOL

A pneumatic tool for firing ballistic nail screws.



MFG ITEM	DESCRIPTION	ITEM#
NSDPP38/40RCS	THE ELIMINATOR™ FASTENING TOOL / POINT LOCATOR / WITH AUTO SLIDE ATTACHMEN	146169



MANTIS CLIPS W/ BALLISTIC NAILSCREWS® FOR PNEUMATIC INSTALLATION W/ THE ELIMINATOR RCS™

Includes 450 Mantis Clips and 500 Ballistic Nail Screws

MFG ITEM	DESCRIPTION	ITEM#
MANTIS345-CPACK	FOR GROOVED DECK WITH .360 (CLIPS AND NAILSCREWS INCL.) (W/O START & FINISH CLIPS)	125887
MANTIS396-CPACK	FOR GROOVED DECK WITH .390 (CLIPS AND NAILSCREWS INCL.) (W/O START & FINISH CLIPS)	125853
MANTIS345PACK90	FOR GROOVED DECK WITH .360 (90 CLIPS AND 100 NAILSCREWS INCL.) (WITH START & FINISH CLIPS INCLUDED)	125782
MANTIS396PACK90	FOR GROOVED DECK WITH .390 (90 CLIPS AND 100 NAILSCREWS INCL.) (WITH START & FINISH CLIPS INCLUDED)	125813



THE GROOVER™

A rotary tool for grooving deck boards.

MFG ITEM	DESCRIPTION	ITEM#
TGSC1	THE GROOVER™ SLOT CUTTER	TBD

1.888.502.BLUE • www.bluelinxco.com

Please call for product availability in your area.

Index

NAILS

Blue Lath	34
Box Nail	10, 18
Casing Nail	20
Common	9, 17
Concrete Stub	23
Copper Roofing	26
Cut Masonry	14, 23
Cut Flooring	13
Drywall	33, 34
Duplex	15
Fence Staple	22
Fine	29
Finish	14, 20
Flooring	14
Framing	9
Furring	31
Gutter Spike	19
Hardboard Siding	30
Joist Hanger	11, 18
Masonry	15

Masonry Round Metal Cap	23
Neowasher	28
Oval Siding	31
Pallet	12
Patio Deck	21
Plasterboard	34
Plastic Cap	26
Polebarn	13, 19
Poultry Staple	22
Roofing	25
Round Metal Cap	27
Shake	29
Shingle	29
Sinker	10
Spike	13, 19
Square Metal Cap	27
Tile	26
Tin Caps	29
Underlayment	11
Wood Siding	30

SCREWS

Ballistic Nail Screws®	55
Cement Board	43
Concrete	43
Decking	48-53
Drywall	39-40
Duplex	43
Hex Washer Head	46-47
Laminating	40
Modified Truss	45-46
Philips Pan Head	45
Roofing Neowasher	47
Yellow Zinc	43



Company logos and product names are the intellectual property of their respective owners. LifeGuard1000 and LifeGuard1500 are trademarks, SteelLinX is a registered trademark, and BlueLinX and the BlueLinX design are trademarks and registered service marks of BlueLinX Services Inc. © 2013 BlueLinX Corporation. All rights reserved.


SteelLinx®

LifeGuard™ Decking Screws

High quality - Low maintenance



ACQ LUMBER
APPROVED!



Compatible with all standard decking materials.

Increase the life and beauty of any deck with LifeGuard decking screws.

In a continuing effort to innovate superior metal building products, SteelLinx is proud to introduce LifeGuard, its advanced line of decking fasteners. LifeGuard1000™, LifeGuard1500™ and LifeGuard Stainless Steel deck screws offer state-of-the-art design and unparalleled drivability. Recommended for use with all types of treated woods, they are available in all standard sizes, colors and quantities to suit any job.

Call BlueLinx today, for more information on LifeGuard decking screws as well as popular hidden decking systems such as Mantis® and Hidden Link®. As with all our quality building products, you can count on BlueLinx to deliver competitive prices and the dependable service you know and trust.



SteelLinx® *Quality Metal Solutions*



Call: 888-502-BLUE

Visit: www.BlueLinxco.com • www.SteelLinx.com

Company logos and product names are the intellectual property of their respective owners. LifeGuard1000 and LifeGuard1500 are trademarks, SteelLinx is a registered trademark, and BlueLinx and the BlueLinx design are trademarks and registered service marks of BlueLinx Services Inc. © 2013 BlueLinx Corporation. All rights reserved.

Notes:




Fax: _____

Phone: _____ Fax: _____ Email: _____

Print Name: _____

Welcome to a new era of building products distribution. Offering more than 70,000 brand name SKUs, a sophisticated logistics network and an experienced local and national sales force - BlueLinx is able to provide a wide range of value-added services and solutions to our customers. Welcome to BlueLinx.



BlueLinx
America's Building Products Distributor

SS CAT 002