

More Ways to Love

# The Look of Shake



*the* Shake Collection



# More choices to build on

## Nobody offers more shake than Nichiha

It's hard to compete with the warmth and charm of traditional shake... and when it comes to shake options, nobody can compete with Nichiha. We offer four distinct product lines of fiber cement shake; Sierra Premium, NichiFrontier and



More shake styles and options... for people who demand more.

NichiShake as well as NichiStaggered/NichiStraight. Our varied thicknesses, textures and profiles give homeowners more ways to fall in love with the look of shake and the performance of fiber cement. Nichiha shake will never rot, warp or fall victim to pests like termites to ensure that you can look forward to a lifetime of low-maintenance and head-turning beauty.

Cover Photo:  
Daniel M. Martin - Architect  
Michael James - Photographer






You've never seen anything like **NichiFrontier™**

## Taking siding to a whole new place

There's no need to settle for an unprimed shake, when you can experience a fully finished NichiFrontier™ shake for less. And that is the only thing less about NichiFrontier...the price. NichiFrontier is a beefy 7/16 of an inch thick with deeply defined grooves and keyways. Our realistic texture creates distinctive shadows and the perfect canvas for our rich, lavish NichiStain™ (also available in factory primed). Made from 50% recycled content, NichiFrontier is a beautiful and sustainable choice for discerning builders and homeowners alike. And because it's backed by the best warranty in the business, NichiFrontier is always the smart choice.

Inspired  
by nature...  
engineered  
by Nichiha



“It'll make any home  
feel brand new...  
even if it's not.”

*Jeff Shea - General Manager,  
The Siding Doctor*

### NICHIFRONTIER™ PRODUCT SPECIFICATIONS

Height	9-1/4"
Length	8'
Thickness	7/16"
Weight (lbs. per board)	18.87
Weight (lbs. per sq. ft.)	3.06
Coverage (Sq. ft. per panel)	6.17 ~ 6.2
Exposed (Sq. ft. per panel) (sq. ft. per board with 1-1/4" overlap)	5.33 ~ 5.3
Packaging (boards per pallet)	150 (Primed); 160 (Pre-finished)



# Sierra Premium™ ... simply classic

## Dripping with character, this classic has the Midas touch

Sierra Premium puts it on thick...the shadows, the performance and the drama. It's no wonder Sierra Premium is the highest rated product of its kind. A house clad in Sierra Premium Shake is a source of pride... and certain to stay that way with less fuss and less maintenance. At a half-inch thick, Sierra Premium's fiber cement construction stands up to whatever Mother Nature has to offer. Rot, pests and warping are a thing of the past... and Nichiha guarantees that better than anyone else in the industry.

Step up to the lasting beauty of low maintenance



### SIERRA PREMIUM™ SHAKE PRODUCT SPECIFICATIONS

Height (nom. in. - actual mm)	9" (288.6mm)
Length (nom. in. - actual mm)	9' 4" (2865mm)
Thickness (nom. ft. - actual mm)	1/2" (12mm)
Weight (lbs. per board)	21.7
Weight (lbs. per sq. ft.)	3.1
Coverage (Sq. ft. per panel)	7
Exposed (Sq. ft. per panel) (sq. ft. per board with 1-1/4" overlap)	5.9
Packaging (boards per pallet)	150

# Whatever the look you're after



More options means you get exactly the look you're after


## NichiShake™, NichiStaggered™ and NichiStraight™ three more ways to turn a house into your home

### NichiShake for unmistakable authenticity

NichiShake is just like individual cedar shake in almost every way... except the way it performs. NichiShake individual shake boards come in a variety of widths to create a visual effect that is indistinguishable from cedar. They deliver all the charm and all the compliments without the concerns of rot, pests and continual upkeep associated with real cedar. And like all Nichiha fiber cement products, NichiShake is made with more than 50% recycled content and is backed by the best warranty in the industry\*.

#### NICHISHAKE™ PRODUCT SPECIFICATIONS

PROFILE	INDIVIDUALS		
	6-1/4"	8-1/4"	12"
Width (in.)	6-1/4"	8-1/4"	12"
Length (in.)	18"	18"	18"
Thickness (inches)	5/16"	5/16"	5/16"
Weight (lbs. per sq. ft.)	2.2	2.2	2.2
Packaging	8 squares per pallet		
Bundles per Exposed Square (11 pc/bundle)	6	6	6



SMALL 6 1/4" MEDIUM 8 1/4" LARGE 12"

### NichiStaggered and NichiStraight for versatility

Consider NichiStaggered and NichiStraight panels. Like all our shake products, they feature the deep contours of cedar grain, but let you choose between classic straight edges or the striking contrasts of staggered edges. The four-foot panels go up fast, but conceal the secret of their convenience. Fiber cement construction ensures product consistency, eliminates waste and provides a lifetime of carefree performance... guaranteed\*.

#### NICHISTAGGERED™/NICHISTRAIGHT™ PRODUCT SPECIFICATIONS

PROFILE	NichiStaggered™	NichiStraight™
Height (in.)	16"	16"
Length (ft.)	4'	4'
Thickness (nom. in.)	5/16"	5/16"
Weight (lbs. per piece)	12	12.5
Weight (lbs. per sq. ft.)	2.2	2.2
Packaging (pieces per pallet)	100	86
Packaging (pieces per exposed sq.)	50	43
Squares per pallet	2	2



NICHISTAGGERED



NICHISTRAIGHT



We know the details matter to you ... and that's why they matter to us.

# Punctuate your home with NichiSoffit™ and NichiTrim™

Most people would rather not think about soffit and trim, that's all the more reason to use Nichiha

Virtually every part of a home's exterior can benefit from Nichiha's brand of fiber cement performance; trim and soffit are no exception. Our fiber cement material is ideal for soffit and trim. The consistency, durability and finish of these products provide an attractive, trouble-free solution that's guaranteed to look great from the get-go and keep looking great for many years to come.

**NICHISOFFIT™ PRODUCT SPECIFICATIONS**

PROFILE	NON-VENTED				VENTED		
Length (ft.)	12	12	8	8	12	12	8
Width (in.)	12	16	24	48	12	16	24
Thickness (in.)	1/4	1/4	1/4	1/4	1/4	1/4	1/4
Weight (lbs. per panel)	22.2	29.6	29.6	59.2	22.6	29.6	29.6
Weight (lbs. per sq. ft.)	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Packaging (panels per pallet)	180	135	120	60	180	135	120

**NICHITRIM™ PRODUCT SPECIFICATIONS**

PROFILE		4	6	8	8	10	12	12
WIDTH	ACTUAL	3-1/2	5-1/2	7-1/4	7-1/2	9-1/4	11-1/4	11-1/2
Thickness (in.)	7/16	•	•	•	•	•	•	•
	3/4	•	•	•	•	•	•	•
	1	•	•	•	•	•	•	•
Length (ft.)	7/16	12	12	12	12	12	12	12
	3/4	10	10	10	10	10	10	10
	1	10	10	10	10	10	10	10
Weight (lbs. per board)	7/16	11.3	17.8		24.3			37.2
	3/4	13.7	21.6	28.4		35.2	44.1	
	1	18.1	28.5	37.4		47.5	58.1	
Weight (lbs. per sq. ft.)	7/16	3.2	3.2		3.2			3.2
	3/4	4.7	4.7	4.7		4.7	4.7	
	1	6.2	6.2	6.2		6.2	6.2	
Packaging (boards per pallet)	7/16	390	240		180			120
	3/4	344	215	168		129	100	
	1	256	160	124		96	74	

# We're looking Forward

At Nichiha we think the future is bright. Every day more and more people are discovering the beauty and the performance of Nichiha fiber cement siding products. Once you've seen or used a Nichiha product, you'll be looking for ways to use it again. Our ever-expanding offering of textures and finishes lifts buildings of all kinds to new and unexpected places. Nobody delivers the high performance of fiber cement like Nichiha. If you're planning on building or remodeling just about anything... we're looking forward to helping.

## Certification & testing:



Report No. ESR-1694



Report No. ESR-2894



50% Recycled.



NICHIHA USA, Inc.  
6659 Peachtree Ind. Blvd. Suite AA  
Norcross, GA 30092  
Toll Free: 1-86-NICHIHA-1 (1-866-424-4421)  
Phone: 770-805-9466 - Fax: 770-805-9467



**Silica Dust Warning:** NICHIHA products may contain some amounts of crystalline silica [a.k.a. sand, silicon dioxide], which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping or abrading the product, users observe the Safety Instructions above. For further information or questions, please consult the MSDS, your employer, or visit [www.osha.gov/SLTC/silicacrystalline/index.html](http://www.osha.gov/SLTC/silicacrystalline/index.html) and [www.cdc.gov/niosh/topics/silica](http://www.cdc.gov/niosh/topics/silica). The MSDS for Nichiha products are available at [www.nichiha.com](http://www.nichiha.com), at your local Nichiha dealer or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS, MSDS, AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.

NICHIFRONTIER, NICHISHAKE, NICHISOFFIT, NICHISTAGGERED, NICHISTRAIGHT, NICHITRIM and SIERRA PREMIUM are trademarks of Nichiha USA, Inc.

\*See Nichiha warranties for detailed information on terms, conditions, and limitations.

NOTE: Printed material may not accurately depict actual product color.

©2012 Nichiha USA, Inc. All rights reserved. Printed in the USA. BP 7.5K 06.12 SC

