









GreenCore prefinished Woodgrain panels are unsurpassed in richness of color and realistic graining. Our high-fidelity printing means an amazing replication of real wood. Enjoy the versatility and ease of use by covering a whole wall – or apply a wainscot look to your favorite room.

Visit DecPanels.com for easy installation instructions and more.



119 Honey Birch

170 Aspen White Homesteader



123 Fireside Cherry



127 Santa Fe Hickory





171 Brown Homesteader



172 Pine Canyon



174 Windworn



176 White Oak (Embossed)



11125 Beaded Birch





164 Honey Pine






165 Desert Stone



168 Umber Stone



177 Dakota Stone



178 Newcastle



601 Metro Marble 625 Toned Gray



626 Toned Tan



627 Toned White



631 Encinitas



173 Canyon Stone

179 Buff Ridge



288 Gaslight II



167 White Stone

290 Carriage House



297 Brookline



700 Milan Marble



702 Roman Fawn



703 Silver Quartz



730 Jurassic Tan



731 Fossilstone



737 Island Stone



3/16"


180 Cimarron

162 Hacienda

Paintable




EarthStones







805 Orchid Showers



600 Metroliner White



Panel Dimensions: 4'W x 8'H. Thickness: 1/8"

Visit DecPanels.com for easy installation instructions and more. 139 Paintable
Deep Beaded White

142 Whitehall (Not Paintable) 143 Dover Plank 3" V-Groove Paintable 147 EZ Paintable Bead

163 Pinetex White Paintable 272 Portside Paintable

Bead Board

Panel Dimensions: 4'W x 8'H.
Thickness: 3/16," except where noted.

For the popular look of bead board, select from these beautifully prefinished panels that can be used as they are, or you can paint them to match your room's décor. Explore the many beautiful combinations these decorative panels have to offer – you'll be sure to find a perfect fit for your environment.

A GreenCore prefinished bead board project can be completed for a fraction of the material and labor costs required by bead board projects using traditional materials. And paintable means no sanding needed!




Whitehall (top). Paintable Deep Beaded White (bottom).

Designer

Panel Dimensions: 4'W x 8'H. Thickness: 1/8."

Since Designer Wallcoverings pair up beautifully with other GreenCore prefinished panels to create numerous wainscoting options, they're ideal for almost any project.

While durable, designer panels are not recommended for below-grade and igh-moisture areas.



Perforated Hardboard



154 Windsor Cherry Perforated





PegPanels

Perfect for garage and shop areas, gardening areas, hobby or craft rooms and more. Your wrench set and garden tools never looked so good!

Holes on 1/8" pegboard are 3/16" in diameter and 1" on center.

Holes on 1/4" & 3/16" pegboard are 9/32" in diameter and 1" on center.



300 Thrifty White

495 Venetian Villa

310 Frost White

327 Tuscan Tan

Erasaboard 48" x 32"

425 Winterset

Sculptured Stripe

Smooth

Panel Dimensions: 4'W x 8'H, except where noted Thickness: 1/8."

Why not add style to those more functional spaces in your home? Smooth panelboards offer options to utility and laundry areas or even mud rooms. Smooth panelboards are finished with a durable acrylic coating that resists staining, fading and mildew, which will provide years of worry-free performance.

Visit DecPanels.com for easy installation instructions and more.

Panel Quantity Calculator

Room Length (Ft.)

Room Width (Ft.)

	4'	6'	8'	10'	12'	14'	16'	18'	20'
4'		5	6	7	8	9	10	11	12
6'	5	6	7	8	9	10	11	12	13
8'	6	7	8	9	10	11	12	13	14
10'	7	8	9	10	11	12	13	14	15
12'	8	9	10		12	13	14	15	16
14'	9	10	11	12	13	14	15	16	17
16'	10	11		13	14	15	16	17	18
18'	11	12	13	14	15	16	17	18	19
20'	12	13	14	15	16	17	18	19	20

Visit DecPanels.com for easy installation instructions and more.

Example: A room with a length of 14' and a width of 8' would require approximately 11 panels.

Recommended Installation Materials

- Safetv glasses
- Padded worktable and sufficient workspace
- Pencil compass for scribing
- Caulking gun
- Shims
- Circular saw, power rotary cutter or hand saw with fine-tooth blade
- Tane measure

- Carpenter's level
- Carpenter's square
- Chalk for outlining electrical boxes
- Drill
- Kevhole saw or sabre saw with fine-tooth blade
- Mineral spirits to clean up excess solvent-based adhesive, or rag dampened with water to clean up Loctite® Power Grab or other low-VOC adhesive



Made from 3 Simple Ingredients.

Sustainably forested wood. Naturally extracted water. Flaxseed oil. Those are the only three things at the core of every DPI panel. Simple, natural, safe. No resins or glues that can cause indoor air quality concerns. Not every composite panel manufacturer can make that claim, and it's what makes GreenCore™ truly green.



2900 Hill Avenue. Toledo, Ohio 43607 800.521.4301