

DALLAS-FT. WORTH | PRODUCT GUIDE

Supplying All Your Building Project Needs



BLUELINX
DELIVERING WHAT MATTERS™





Delivering the Building
Blocks to *Better Lives.*



**Dallas-Ft. Worth
Distribution Center**

bluelinxco.com
(800) 839-2588

BlueLinx Portfolio



Contents

ENGINEERED WOOD & STRUCTURAL PRODUCTS

- 10-12 | *Huber*
- 13 | *GP Sheathing & ShaftLiner*
- 14-17 | *Engineered Wood:
LVL, I-Joist, Rim Board & Glulam*
- 18 | *Lumber*
- 19 | *Shakes & Shingles*
- 20-21 | *Cedar*
- 22 | *Industrial & Decorative Panels*

METALS

- 23 | *Rebar, Remesh, Studs, Tracks
& Strapping*
- 24 | *Greenbar2X™ Fiberglass Rebar*

ROOFING

- 25 | *Ice & Water Shield, Felt,
Underlayment & Roofing Nails*

WEATHERIZATION & INSULATION

- 26-27 | *Styrofoam, Thermasheathing,
Sill Seal & Thermo-Ply*

SIDING & TRIM

- 28-33 | *GP Vinyl® Siding & Accessories*
- 34-37 | *Allura™ Fiber Cement*

MILLWORK

- 38 | *Moulding & Millwork*
- 39 | *PrimeLinx®*

OUTDOOR LIVING

- 40 | *MoistureShield® Decking*
- 41 | *MoistureShield® Accessories*
- 42 | *MoistureShield® InstaDeck®*
- 43 | *Compass™ Aluminum Railing*



Delivering The Building Blocks to Better Lives.

BlueLinx is a building products distributor for residential and commercial construction.



**CALL
TODAY!**

1-888-502-2583

- ✓ Unparalleled Customer Service
- ✓ Extensive Selection of Products
- ✓ Coast-to-Coast Distribution

BlueLinx is the leading wholesale building products distributor for the top brands and customers in North America for homes and commercial construction. With warehouses across the country and a strong logistics network, we pick, pack, and ship the most sought-after materials to retailers and builders across America – completely, accurately, and on time. Since 1954, BlueLinx has been a proud blue-collar company of dedicated people who use their hands and skills to help transform building products into strong, secure businesses, houses, and homes. We emerged out of the plywood distribution division of Georgia-Pacific Corporation and have grown to become a preeminent partner for specialty materials suppliers, retailers, and professionals in the construction industry. BlueLinx is headquartered in Atlanta, Georgia.



THE ADVANTAGE OF HAVING
BLUELINX
 WORK FOR YOU!



Let us be your partner on multi-family projects with nationwide consulting.

- **NATIONWIDE TEAM THAT UNDERSTANDS YOUR BUSINESS**
 We have a dedicated BlueLinx Multi-Family Team, with combined industry experience of over 100 years.
- **TAKE OFF SERVICES**
 Providing top requested services to you and your customers
- **STORAGE & JOB SITE DELIVERY**
 Utilize our facilities and trucks to service your customers
- **ASSISTANCE WITH MANUFACTURER ENGAGEMENT**
 For product information, installation support, takeoff assistance (when applicable) and warranty information
- **LEAD GENERATION**
 Allow us to provide leads on projects to you and your customers
- **VALUE ENGINEERING PRODUCT CONSULTATIONS**
 Our experts can provide education on upselling and product alternatives



Group Mailbox: multifamily@bluelinxco.com
 Multi Family Direct: 866.326.2583

Branch Equipment

PET Saw on Location

Our Dallas-Ft. Worth location has a PET saw, which allows you to save time and money by ordering your lumber in specific trims for customized applications.

It is ideal for cutting not only lumber, but OSB and plywood.





Value-Added Services

Remanufacturing & Warehouse Solutions





With comprehensive in-house value-adding capabilities, we deliver both softwood and hardwood remanufacturing solutions designed to support a wide range of customer needs. Our operation is equipped with advanced moulders, gang-rip and straight-line rip saws, resaws, a high-speed planer, and integrated packaging equipment—allowing us to provide efficient, high-quality, value-added services for virtually any job. Beyond remanufacturing, our warehousing capabilities enable us to develop customized, just-in-time inventory programs tailored to specialty businesses, helping streamline supply chains, improve product availability, and increase inventory turns.

SOFTWOODS

- Gang-Ripping
- Resaw
- Precision End Trim (P.E.T.)
- Sorting
- Packaging / Sub-Packing
- S4S

HARDWOODS

- 2 Weing Moulders that can produce custom hardwood and softwood moulding profiles up to 9” wide
- Custom Profile Grinding
- Surfacing (S2S)
- Straight Line Ripping (SLR1E)
- Gang-Ripping
- S4S Surfacing

CEDAR / DOUG FIR

- Custom Cut Corbels
- Custom Cut Rafter Tails
- Custom Cut Brackets & Knee Braces
- Surfacing – S4S of Dimensionals & Timbers



GET THE MOST OUT OF YOUR FLOORS AND **EVERYTHING** **YOU BUILD ON TOP** **OF THEM**

Engineered with strength, moisture resistance and fastener-holding power, AdvanTech® subflooring is the brand builders trust for quality subfloors. Combined with the polyurethane bond of AdvanTech™ subfloor adhesive, the AdvanTech™ Subfloor Assembly offers a panel-to-joist connection so powerful you won't hear a squeak, guaranteed¹. Build with award-winning AdvanTech subflooring and rest assured you'll get the **FLAT OUT BEST™**.



TRANSFORM THE WAY YOU BUILD

Revolutionized Tight, Dry Building Enclosures


Thanks to our relentless passion for creating better building solutions, ZIP System™ building enclosures provide built-in water, air and thermal control along with streamlined installation. As a result, our family of structural and sealing products makes it easy to meet your highest standards, satisfy new energy codes and just plain build better homes.

ZIPSystem.com



Huber

ZIP System® OSB, Sub-Floor & Accessories



ZIPsystem™
AdvanTech™
 FLOORING & SHEATHING
EXACOR™


Huber Products are Engineered to Enhance the Performance of a Building.

Award-winning, high performance products for roof, wall and flooring applications.

Huber products are engineered to enhance performance. Draft free homes and squeak-free subfloor assemblies are why building professionals rely on Huber products from their first job to their last.



ZIP System OSB



AdvanTech Sub-Floor



Subfloor Adhesive



ZIP Tape



Stretch Tape



ZIP Tape Roller

BXC #	SIZE	DESCRIPTION	PCS/UNIT
ZIP SYSTEM			
259097	7/16" x 4' x 8'	ZIP OSB Wall/Roof Combo Struc 1	80
259877	7/16" x 4' x 9'	Huber ZIP OSB Wall	70
259918	7/16" x 4' x 10'	Huber ZIP OSB Wall	70
259949	1/2" x 4' x 8'	ZIP OSB Wall/Roof Combo Struc 1	70
570114	5/8" x 4' x 8'	ZIP OSB Wall/Roof Combo Struc 1	55
794426	15/16" x 4' x 8'	Huber ZIP Insulated R Sheathing R3.6	32
454221	1-7/16" x 4' x 8'	Huber ZIP Insulated R Sheathing R6.6	31
1007904		7/16 Zip Radiant Barrier	
806573		1-1/8 X Advantech Factor	
1001631	2"x75'	Multi-Purpose Tape	
312719	6"x20'	Stretch Tape	
ADVANTECH			
649207	23/32" x 4' x 8'	Advantech OSB T&G Struct 1	45
168181	1-1/8" x 4' x 8'	Advantech OSB T&G Flooring Struct 1	45
EXACOR			
162221	1/2 x 48 x 96	EXACOR MGO MULTIPURPOSE PNL SE	38
ACCESSORIES			
260971	20 OZ.	Huber ZIP Liquid Flash Sausage	12
260945	29 OZ.	Huber ZIP Liquid Flash Cartridge	8
260883		Huber Zip Tape Gun	1
261231	24 Oz	Advantech Subfloor Adhesive Can	6
259118	3.75" x 90'	Huber ZIP Tape	12
549880	3.75" x 30'	Huber ZIP Tape	12
594809	6" x 75'	Huber ZIP Tape	4
268747	9" x 50'	Huber ZIP Tape	4
478063	3" x 20'	Huber ZIP Stretch Tape	12
260101	6" x 75'	Huber ZIP Stretch Tape	1
260827	10" x 75'	Huber ZIP Stretch Tape	1
259143		Huber ZIP Tape Roller	8

Sheathing & Shaftwall

Sheathing, ShaftLiner & Track



DensGlass Sheathing & ShaftLiner

#1 Industry Specified & Builder Preferred

- Versatile substrate with greater moisture resistance than paper-faced panels
- Non-combustible fiberglass reinforced core
- Easy installation - Cut with standard drywall tools

BXC #	SIZE	DESCRIPTION	PCS/UNIT
DENSGLOSS SHEATHING			
958094	5/8 4 X 8	GP DENSGLOSS FG SHEATHING	40
555921	1/2 4 X 8	GP DENSGLOSS FG SHEATHING	50
SHAFTWALL & TRACK			
451333	1X2'X10'	GP DENSGLOSS SHAFTLINER	40
726270	1X2'X12'	GP DENSGLOSS SHAFTLINER	40

Additional Dens Products available upon request.

Get These Corresponding Products to Complete Your Job!

ACCESSORIES			
249628	2X2X2-1/2	AB BURN CLIP AL 500CT	CTN
250653	1X2X10	C-RUNNER AREA SEPARATION 25GA	2
535067	2-1/16X10	METAL H-STUD AREA SEPARATION 25 GA	2
639187	1-1/4X2X12	METAL H-STUD AREA SEPARATION WALL 25 GA	

Engineered Wood

LVL, I-Joist, Rim Board, EFL & Glulam




onCENTER® LVL

onCENTER® LVL is available in a broad range of sizes to meet the varying demands of today's designers, builders, and homeowners. It's the natural choice when you need stable dimensions, consistent performance, and superior strength. With design properties far surpassing those of ordinary dimension lumber, shallower depths, longer clear spans, and fewer intermediate supports are all feasible. Typical applications include door and window headers, floor beams, ridge beams, and hip and valley beams. Quality is monitored by the third-party inspection services of APA-EWS® and backed by a lifetime limited warranty.

- 2.1E grade
- 1¾" width
- Various depths from 7¼" to 24"
- Straighter wood that resists warping and shrinking
- Greater design flexibility than ordinary lumber
- Factory-sealed coating to protect against the elements during construction
- Lifetime limited warranty*


SIZE	DESCRIPTION	PCS/UNIT
LAMINATED VENEER LUMBER (1 3/4" LVL 2.1E)		
1 3/4" X 7 1/4"	1 3/4" X 7 1/4" onCENTER LVL 2.1E	30
1 3/4" X 9 1/2"	1 3/4" X 9 1/2" onCENTER LVL 2.1E	25
1 3/4" X 11 1/4"	1 3/4" X 11 1/4" onCENTER LVL 2.1E	20
1 3/4" X 11 7/8"	1 3/4" X 11 7/8" onCENTER LVL 2.1E	20
1 3/4" X 14"	1 3/4" X 14" onCENTER LVL 2.1E	15
1 3/4" X 16"	1 3/4" X 16" onCENTER LVL 2.1E	15
1 3/4" X 18"	1 3/4" X 18" onCENTER LVL 2.1E	10
1 3/4" X 20"	1 3/4" X 20" onCENTER LVL 2.1E	10
1 3/4" X 24"	1 3/4" X 24" onCENTER LVL 2.1E	10



onCENTER® BLI Joists

- Lightweight and easy to handle, the I-shaped configuration allows for longer spans and more load-carrying capacity than dimension lumber
- Manufactured with Machine Stress Rated (MSR) or laminated veneer lumber (LVL) flanges and an enhanced OSB web
- Low moisture content means greater dimensional stability resulting in quieter floors and fewer costly callbacks
- Wide flanges provide more support for floor sheathing and more surface area for nailing, saving time and money
- Available in value lengths up to 48' (up to 60' by special order)
- Lifetime limited warranty*

SIZE	DESCRIPTION	PCS/UNIT
I-JOIST		
STOCKING WAREHOUSE PRIME LENGTHS - 16', 18', 20', 22', 24', 26' & 28'		
2 1/2" X 11 7/8"	I-JOIST onCENTER BLI 40 SERIES	33
2 1/2" X 14"	I-JOIST onCENTER BLI 40 SERIES	33
2 1/2" X 16"	I-JOIST onCENTER BLI 40 SERIES	33
3 1/2" X 11 7/8"	I-JOIST onCENTER BLI 65 SERIES	23
3 1/2" X 14"	I-JOIST onCENTER BLI 65 SERIES	23
3 1/2" X 16"	I-JOIST onCENTER BLI 65 SERIES	23
3 1/2" X 11 7/8"	I-JOIST onCENTER BLI 80 SERIES	23
3 1/2" X 14"	I-JOIST onCENTER BLI 80 SERIES	23
3 1/2" X 16"	I-JOIST onCENTER BLI 80 SERIES	23
3 1/2" X 18" (SPECIAL ORDER ONLY)	I-JOIST onCENTER BLI 80 SERIES	23
3 1/2" X 11 7/8"	I-JOIST onCENTER BLI 900 SERIES	23
3 1/2" X 14"	I-JOIST onCENTER BLI 900 SERIES	23
3 1/2" X 16"	I-JOIST onCENTER BLI 900 SERIES	23



Not all joist series and depths may be available in all locations. Contact BlueLinX for local availability.

Engineered Wood

LVL, I-Joist, Rim Board, EFL & Glulam



BlueLinX Engineered Products

Rim Board

Rim board is an essential component of modern construction, serving as a foundational element that completes the framing of a building's floor system. Positioned along the perimeter of the floor, rim boards provide crucial support by connecting floor joists and helping distribute the load evenly to the building's foundation or walls. Engineered for strength and stability, rim boards play a pivotal role in creating a structurally sound and well-balanced foundation for both residential and commercial structures, ensuring the integrity of the entire framework.





SIZE	DESCRIPTION	PCS/UNIT
RIM BOARD		
1 1/2" X 11 7/8"	onCENTER RIMBOARD SE	48
1 1/2" X 14"	onCENTER RIMBOARD SE	36
1 1/2" X 16"	onCENTER RIMBOARD SE	36

Glulams

In addition to the onCENTER® family of products, BlueLinX also stocks glued-laminated beams and columns in many of our warehouse locations. Often used as a one piece alternative to multiple plies of LVL, glulams are available in a wide range of grades, widths, and depths to fit just about any engineered lumber need.

- **Industrial Appearance** - Economical choice for typical structural needs
- **Architectural Appearance** - Special order glulams when exposed beams are desired
- **Pressure Treated** - For wet applications like exposed decks and porches
- **I-Joist Compatible Depths** - Maintain flush applications with a BLI joist floor system
- **Multiple Grades** - 1.6E to 2.1E, balanced / unbalanced, cambered / uncambered
- **Columns** - When design loads require an engineered product

SIZE	DESCRIPTION	PCS/UNIT
3000F GLULAM 2.1E		
3 1/2" X 7 1/4"	3000F GLULAM 2.1E GLB	12
3 1/2" X 9 1/2"	3000F GLULAM 2.1E GLB	12
3 1/2" X 11 7/8"	3000F GLULAM 2.1E GLB	12
3 1/2" X 14"	3000F GLULAM 2.1E GLB	12
3 1/2" X 16"	3000F GLULAM 2.1E GLB	12
3 1/2" X 18"	3000F GLULAM 2.1E GLB	12
5 1/2" X 9 1/2"	3000F GLULAM 2.1E GLB	8
5 1/2" X 11 7/8"	3000F GLULAM 2.1E GLB	8
5 1/2" X 14"	3000F GLULAM 2.1E GLB	8
5 1/2" X 16"	3000F GLULAM 2.1E GLB	8
5 1/2" X 18"	3000F GLULAM 2.1E GLB	8
7" X 9 1/2"	3000F GLULAM 2.1E GLB	3
7" X 11 7/8"	3000F GLULAM 2.1E GLB	3
7" X 14"	3000F GLULAM 2.1E GLB	3
7" X 16"	3000F GLULAM 2.1E GLB	3
7" X 18"	3000F GLULAM 2.1E GLB	3
3 1/2" X 3 1/2"	COMBINATION #50 GLULAM COLUMN	12
3 1/2" X 5 1/2"	COMBINATION #50 GLULAM COLUMN	12
3 1/2" X 7"	COMBINATION #50 GLULAM COLUMN	12
5 1/2" X 5 1/2"	COMBINATION #50 GLULAM COLUMN	8
5 1/2" X 7"	COMBINATION #50 GLULAM COLUMN	8
7" X 7"	COMBINATION #50 GLULAM COLUMN	8



Lumber

#2 & Premium GDF, #2 & Premium KD DF



Forms the Backbone of Every Project with a Sturdy Foundation.

We offer an array of sturdy lumber solutions that form the crucial backbone of your construction project. Each product is designed to provide the strength and reliability needed to bring your visions to life.

STUDS						
SIZE	92 5/8"	104 5/8"	116 5/8"	120"	128 5/8"	140 5/8"
2x4 and 2x6 #2 KD Doug Fir No Prior Select						
2x4	x	x	x			
2x6	x	x	x			
2x4 and 2x6 SPF/WW Finger Joint Studs						
2x4	x	x	x		x	x
2x6	x	x	x		x	x
SYP #2 STUDS						
We can do PET standard and custom stud lengths.						
SYP Boards						
1x4 8-16' D-grade, #2, #3, and Pattern Stock						
1x6 8-16' D-grade, #2, #3, and Pattern Stock						

SIZE	8'	10'	12'	14'	16'	18'	20'	22'	24'	26'	28'	30'	32'	34'	36'	R/L
SYP #2																
2" x 4"	x	x	x	x	x											
2" x 6"	x	x	x	x	x	x	x									
2" x 8"	x	x	x	x	x	x	x									
2" x 10"	x	x	x	x	x	x	x									
2" x 12"	x	x	x	x	x	x	x									
SYP #2/BTR																
2" x 4"	x	x	x	x	x	x	x									
2" x 6"	x	x	x	x	x	x	x									
2" x 8"					x											
2" x 10"					x											
2" x 12"					x											
SPF #3																
2" x 4"	x	x	x	x	x											
2" x 6"					x											
SPF Premium Canadian and Euro																
2" x 4"	x	x	x	x	x	x	x									
2" x 6"	x	x	x	x	x	x	x									
SPF/WW FJ Long Lengths																
2" x 6"										x	x	x	x	x	x	
2" x 8"										x	x	x	x	x	x	
Green and KD Doug Fir Long Lengths																
2" x 6"								x	x	x	x					
2" x 8"								x	x							
2" x 10"								x	x							
2" x 12"								x	x							
Hem/DFIR Long Lengths																
2" x 10"										x	x					
2" x 12"										x	x					

Subject to prior sale. Prices are subject to change without notice.

Shakes & Shingles


Shakertown, Tapersawn & Rainscreen



BXC #	SIZE	DESCRIPTION	PCS/UNIT
SHAKERTOWN SHAKES AND SHINGLES - SOLD IN UNITS OR BY THE BDL/BOX			
ALL CEDAR SHAKE AND SHINGLE BUREAU MATERIAL			
613896	18"	#1 WRC Green Perfections	40 bdls
200476	24"	#1 WRC Green Royals	40 bdls
202018	18"	3/8"x18" WRC Straight-Split - Barn Shake	50 bdls
198738	18"	1/2"x18" WRC Med Handsplits	40 bdls
198860	24"	1/2"x24" WRC Med Handsplits	40 bdls
200475	18"	#1 WRC R&R Natural Sanded - 1 sq/box	30 boxes
565017	18"	#1 WRC R&R Sanded Primed - 1 sq/box	30 boxes
140665	18"	#1WRC R&R Grvd Primed White - 1 sq/box	30 boxes
202017	18"	#1 WRC R&R Natural Grvd - 1 sq/box	30 boxes
257405	18"	#1 WRC R&R Natural Sanded - 1/2 sq/box	60 boxes
256651	18"	#1 WRC R&R Sanded Primed - 1/2 sq/box	60 boxes
257410	18"	#1WRC R&R Grvd Primed White - 1/2 sq/box	60 boxes
202018	18"	#1 WRC R&R Natural Grvd - 1/2 sq/box	60 boxes
TAPERSAWN – 2-week lead time			
689597	18"	5/8"x18" WRC VG Tapersawn	40 bdls
110824	18"	5/8"x18" WRC VG CCA Tapersawn	40 bdls
RAINSREEN PRODUCTS - MORTAIRVENT AND R-VENT			
132578	200 sq ft Roll	Sidewall Rainscreen - .25"x39"x61.5"	18 Rolls
135172	200 sq ft Roll	Roofing Rainscreen - .40"x39"x61.5"	18 Rolls

Cedar

Green Dimensional & Trim, Timbers & Pattern Stock



Add a Captivating, Elegant Touch to Architectural Designs.

Cedar seamlessly combines aesthetic charm with functional durability. With its alluring reddish-brown tones that mature into a captivating silvery hue over time, cedar offers innate resistance to decay and pests due to its natural oils and compounds.

Cedar's exceptional stability and workability make it a go-to choice for siding, decking, and roofing, ensuring structures maintain their appeal while weathering the elements.

Ordering Details

All RGH timbers and dimension available for surfacing upon request (Subject to lead time).

Custom timber sizing available in RGH or S4S (Subject to lead time).

We offer Custom Milling!

*Please allow up to two weeks for delivery.



SIZE	DESCRIPTION	LENGTHS	UNIT SIZE
GREEN DIMENSIONAL			
2X4	RGH CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	168
2X6	RGH CEDAR APPEARANCE GRADE GRN	8', 12', 16'	112
2X10	RGH CEDAR APPEARANCE GRADE GRN	10', 12'	70
2X4	S4S W/R CEDAR ARCH KNOTTY	8', 10', 12' & 16'	168
2X6	S4S W/R CEDAR ARCH KNOTTY	8', 12', 16'	112
2X8	S4S W/R CEDAR APPEARANCE GRADE GRN	8', 12'	84
2X12	S4S W/R CEDAR ARCH KNOTTY	12'	56
2 x 8 (1-1/2" x 7-3/8")	Appearance Grade S4S	8' - 16'	96
2 x 10 (1-1/2" x 9-3/8")	Appearance Grade S4S	8' - 16'	80
2 x 12 (1-1/2" x 11-3/8")	Appearance Grade S4S	8' - 16'	64
GREEN S1S2E TRIM BOARDS			
1 x 4 (3/4" x 3-1/2")	Appearance Grade S1S2E	8' - 16'	416
1 x 6 (3/4" x 5-1/2")	Appearance Grade S1S2E	8' - 16'	256
1 x 8 (3/4" x 7-3/8")	Appearance Grade S1S2E	8' - 16'	192
1 x 10 (3/4" x 9-3/8")	Appearance Grade S1S2E	8', 10', 12' & 16'	160
1 x 12 (3/4" x 11-3/8")	Appearance Grade S1S2E	8', 10', 12' & 16'	128
5/4X4	S1S2E CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	154
5/4X6	S1S2E CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	96
5/4X8	S1S2E CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	72
5/4X10	S1S2E CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	60
5/4X12	S1S2E CEDAR APPEARANCE GRADE GRN	8', 10', 12' & 16'	48
TIMBERS			
4X4	CEDAR APPEARANCE GRADE GRN RGH	8', 10', 12'	64
4X6	RGH CEDAR APPEARANCE GRADE GRN	12'	48
6X6	RGH CEDAR APPEARANCE GRADE GRN	8'	36
8X8	RGH CEDAR APPEARANCE GRADE GRN	10', 12'	18
4X4	S4S STD&BTR CEDAR GRN	8', 10', 12'	64
6X6	S4S STD&BTR CEDAR GRN	8', 10', 12' & 16'	36
8X8	S4S STD&BTR CEDAR GRN	10'	18
PATTERN STOCK			
1 x 6 (11/16" x 5-3/8")	SEL QUAL T&G V4E CEDAR KD RGH FACE	10', 12', 16'	240
11/16X8	SEL QUALITY BEVEL CEDAR KD	8'-16'	384
1X8	SEL QUALITY CHANNEL RUSTIC CEDAR	10', 12', 16'	224
SHAKES AND SHINGLES			
18	#1 CEDAR SHINGLE (4 BDLS/SQ)	18"	40
18	#1 CEDAR SHINGLE NON BUREAU (4 BDLS/SQ)	18"	40
18	#2 CEDAR SHINGLE WRC PERFS (4 BDLS/SQ)	18"	40
24	1/2" Medium Handspit Cedar Shakes(5 BDLS/SQ)	24"	50


Industrial & Decorative Panels

Birch, Lauan, MDF Panels & More



Panels for Every Project and Budget.

Our comprehensive selection of panels cater to diverse construction and design needs, offering durability for structural integrity and creative expression for aesthetics.



Birch Panel



Lauan



MDF

BXC #	SIZE	DESCRIPTION	PCS/ UNIT
BIRCH/LAUAN			
742187	5.2mm x 48 x 96	Birch	175
673977	1/2 x 48 x 96	Birch	75
673980	5/8 x 48 x 96	Birch	60
147011	3/4 x 48 x 96	Birch	50
267386	1/2 x 60 x 60	Baltic Birch	33
111535	5.2mm x 48 x 96	V/C RC Lauan BB-CC Ext	115
HARDBOARD			
418316	1/8 x 4 x 8	Hardboard Eucalyptus S1S	50
155075	1/4 x 4 x 8	Hardboard Serv-Tempered S1S	50
1003182	3/16 x 4 x 8	Hardboard Tempered S1S	50
143973	1/8 x 48 x 96	Pnlg Eucatex Hardboard Thrifty White	50
PARTICLE BOARD			
171603	3/8 x 49 x 97	Particleboard Ind Y Pine	48
226602	1/2 x 49 x 97	Particleboard Ind Y Pine	54
233692	5/8 x 49 x 97	Particleboard Ind Y Pine	44
155957	11/16 x 49 x 97	Particleboard Ind Y Pine	48
111104	3/4 x 49 x 97	Particleboard Ind Y Pine	40
MDF PANELS			
221415	1/4 x 49 x 96	MDF	130
114753	1/2 x 49 x 96	MDF	48
115318	5/8 x 49 x 96	MDF	39
104664	3/4 x 49 x 96	MDF	33
627821	1/2 x 49 x 96	MDF Arauco Trupan Ultralite	83
154148	3/4 x 48 x 96	MDF Arauco Trupan Ultralite	55
SOUND BOARD			
185862	1/2 x 48 x 96	Sftbd BP Sound Dead Nat BSNAT85US UPC	96
MELAMINE			
104386	3/4 x 4 x 8	MEL PBC White G2S	60

CALL FOR FSC CERTIFICATION AVAILABILITY

Metals

Rebar, Remesh, Studs, Tracks & Separation Framing



Quality Metal Products at a Competitive Price.


From foundations to roofing, Steellinx offers a comprehensive collection of metal building products. Our extensive global sourcing capabilities enable us to provide you with the best quality and value available.



BXC #	SIZE	DESCRIPTION	PCS/UNIT
REBAR			
765842	3/8" x 20'	#3 Grade 60 Steel Rebar Rod	270
526419	1/2" x 20'	#4 Grade 60 Steel Rebar Rod	150
321635	5/8" x 20'	#5 Grade 60 Steel Rebar Rod	96
REMESH			
737624	42" x 84"	Steel Remesh Sheet 10G W1.4/1.4 Imp	100
172183	5' x 150'	Steel Remesh Roll 10G 6x6 W1.4/1.4 9ct	9
METAL STUDS & TRACKS			
168460	1-1/4" x 3-5/8" x 8'	Metal Stud 20 Guage Prostud 161033 DW	180
108945	1-1/4" x 3-5/8" x 10'	Metal Stud 20 Guage Prostud 161033 DW	180
192432	1-1/4" x 2-1/2" x 8'	Metal Stud 25 Guage Prostud 181021 DW	240
155450	1-1/4" x 2-1/2" x 10'	Metal Stud 25 Guage Prostud 181021 DW	240
165129	1-1/4" x 3-5/8" x 9'	Metal Stud 25 Guage Prostud 181031 DW	180
672691	1-1/4" x 3-5/8" x 10'	Metal Stud 25 Guage Prostud 181031 DW	180
726959	1-1/4" X 3-5/8" X 8'	Metal Track 25 Guage Prostud 181031 DW	180
AREA SEPARATION FRAMING			
535067	2-1/16 x 10'	Metal H Stud Area Sep 25 GA	500
639187	1-1/4 x 2 x 12'	Metal H Stud Area Sep 25 GA	500
250653	1 x 2 x 10'	Metal C Runner Area Sep 25GA	560



Build Stronger. Faster. Better.



Introducing **Greenbar2X Fiberglass Rebar**

Greenbar2X is next-generation fiberglass rebar engineered to deliver unparalleled strength, durability, and corrosion resistance, making it the ideal solution for residential and commercial construction projects. Designed to outperform traditional steel, Greenbar2X is perfect for applications ranging from small-scale jobs like patios, driveways, and foundations to large infrastructure projects such as pool foundations and retaining walls. Its lightweight design ensures quicker, more efficient installation, reducing both time and labor costs on-site. With superior resistance to corrosion, Greenbar2X minimizes maintenance expenses and significantly extends the lifespan of concrete structure. Greenbar2X is the smart, sustainable choice for projects that demand long-lasting performance and concrete reinforcement in even the harshest environments. It's time to start building stronger, faster, better!


Better than Steel Rebar

- ✓ STRONGER
- ✓ LIGHTER & EASIER TO HANDLE
- ✓ EASIER TO CUT
- ✓ WILL NOT RUST OR CORRODE

IN-STOCK INVENTORY			
BXC #	SIZE	DESCRIPTION	PCS/BDL
159929	#3 3/8 x 10	Mateenbar Greenbar2X Fiber Rebar	20
875448	#3 3/8 x 20	Mateenbar Greenbar2X Fiber Rebar	20
316576	#4 1/2 x 10	Mateenbar Greenbar2X Fiber Rebar	10
344255	#4 1/2 x 20	Mateenbar Greenbar2X Fiber Rebar	10


Roofing

Ice & Water Shield, Felt, Underlayment & Roofing Nails




Strengthening Roof Performance, One Layer at a Time.

Enhance the durability and performance of your roof with our range of essential roofing accessories designed to work seamlessly under shingles – Preserving the value of your investment.



Roofing Felt



Ice & Rain Guard



Plastic Cap Nail

BXC #	DESCRIPTION	COVERAGE	UNIT SIZE
ICE & WATER SHIELD			
106541	TARCO MS300 ICE & WATER ARMOR 2-SQ UNBOXED	36 X 66.8	30
FELT			
173162	TARCO NO 15 FELT D4869		35
102119	TARCO NO 30 FELT D4869		35
128342	TARCO LEAKBAR EASYLAY UDL15 SYN ROOF U/L		56
ROOFING NAILS			
210789	1-1/4x.120 ROOFING NAIL 15DEG 7.2M		56
214237	1" PLASTIC CAP NAIL 2M		128
NOTES:			
15# ASTM Specification Felt Meets ASTM D 226, Type I Dimensions: 144' X 36" Coverage per Roll: 4 Squares Approx. Sq. Ft. per Roll: 432 Sq Ft		30# ASTM Specification Felt Meets ASTM D 226, Type II Dimensions: 72' X 36" Coverage per Roll: 2 Squares Approx. Sq Ft per Roll: 216 Sq Ft	

Weatherization & Insulation

Styrofoam, Thermasheathing, Sill Seal & Thermo-Ply



Cool in the Summer, Warm in the Winter, Dry All Year Long.

Elevate comfort, cut costs and reduce environmental impact with our top-tier weatherization and insulation product offerings. Enjoy consistent indoor temperatures, lower energy bills and a quieter, healthier living or working space. Explore now and experience the transformative benefits firsthand.

Maximize your brand's impact with Custom Building Wrap.

Dealers and builders can now promote their brand and attract local interest with state-of-the-art high resolution print technology.

No Set-Up Fee

Choose from a wide spectrum of colors and gradients at no extra cost.

Alternating Messages & Images

Impactful logos, custom messaging and contact information all on one roll of any grade building wrap.

Flexible Order Size

Mix two custom logos on same pallet.

PROLinx[®]
BUILDING WRAP *Select*

Weatherization & Insulation

Styrofoam, Thermasheathing, Sill Seal & Thermo-Ply



BXC #	SIZE	R-RATING	DESCRIPTION	PCS/UNIT
STYROFOAM				
201549	0.55" x 48" x 96"	R-3 (15-PSI)	DUP XPS RES SHEATH SE	160
202060	0.55" x 48" x 108"	R-3 (15-PSI)	DUP XPS RES SHEATH SE	160
109715	.055" x 48" x 116"	R-3 (15-PSI)	DUP XPS RES SHEATH SE	160
202059	3/4" x 48" x 96"	R-4 (25-PSI)	DUP XPS T&G	120
770901	1" x 48" x 96"	R-5 (25-PSI)	DUP XPS SMW SE	96
183943	1" x 48" x 108"	R-5 (25-PSI)	DUP XPS T&G WIDE	96
RMAX				
135087	0.50" x 48" x 96"	R3.2	1/2" 48"X96" RMAX THERMASHEAH	48
135237	0.75" x 48" x 96"	R5	3/4" 48"X96" RMAX THERMASHEATH	60
143096	1" x 48" x 96"	R6	1" 48"X96" RMAX THERMASHEATH FM SHTG	48
SILL SEAL				
116606	.20 x 3.5' x 50'	–	PROLinX SILL SEAL	36 Rolls
116662	.20 x 5.5' x 50'	–	PROLinX SILL SEAL	24 Rolls
THERMO-PLY				
161329	.100X48X96	–	Barricade Thermo-Brace Red Poly	63
169133	.100X48-3/4X120	–	Barricade Thermo-Brace Red Poly	60
161329	.100X48-3/4X96	–	Barricade Thermo-Brace Green Poly	60
161920	.070X48-3/4X108	–	Barricade Thermo-Brace Green Poly	60

Vinyl Siding


Traditional, Dutch Lap, Soffit & Accessories



VINYL SIDING | GP® VISIONPRO® IN CLAY

Georgia-Pacific® Vinyl Siding and Accessories

Georgia-Pacific Vinyl Siding provides unsurpassed durability and beauty. Quick to install, naturally resistant to moisture, and virtually maintenance free.



Solid Soffit

Center Vented Soffit

Full Vented Soffit

MFG #	DESCRIPTION	LENGTH	THICKNESS	PCS/BOX
133	Triple 3-1/3" Solid			20
134	Triple 3-1/3" Hidden			20
140	D-5 Premium Solid Soffit	12' 0"	.044"	20
141	D-5 Premium Perforated	12' 0"	.044"	20
144	D5 Solid Soffit			20
145	D5 Solid Perforated			20
150	T-4 Solid Soffit	12' 0"	.035"	16
151	T-4 Full-Vent Basketweave	12' 0"	.035"	16
152	T-4 Center-Vent Basketweave	12' 0"	.035"	16
157	Beaded Solid Soffit	12' 0"	.040"	28
158	Beaded Hidden Vent Soffit	12' 0"	.040"	28
230	T-4 Premium Solid Soffit	12' 0"	.038"	16
231	T4 Soffit Center Vent (Punched Holes)			16
232	T-4 Prem Full-Vent (Punched Holes)	12' 0"	.038"	16
2309216	T-4 Pro Grayback Solid Soffit	12' 0"	.038"	16
2329216	T-4 Pro Grayback Full Vent	12' 0"	.038"	16
1449216	D-5 Pro Grayback Solid Soffit	12' 0"	.038"	20
1459216	D-5 Pro Grayback Full Vent	12' 0"	.038"	20



x In-Stock Special Order


	WHITE	ALMOND	BEIGE	BLUE	CREAM	GRAY	MIST	OLIVE	PEARL	TAN	CLAY	CYPRESS	FLINT	HAZELNUT	THISTLE	MUSKET BROWN	BLACK	BAYOU	BRIARWOOD	BRUNSWICK	DUBLIN	HAMPTON RED	IRON	PALM	PEWTER	SAGEBROOK	SHADOW	TEAK	WEDGEWOOD	COASTAL BLUE	HEARTHSTONE BRN	NORTHERN OAK	REDWOOD			
	STANDARD										DARK						PREMIUM										CEDAR									
SOFFIT & ACCESSORIES																																				
					</																															

Vinyl Siding


Traditional, Dutch Lap, Soffit & Accessories




Compass® Double Dutch Lap




Forest Ridge® Double Traditional Lap



Shadow Ridge® Double Dutch Lap



Board & Batten Vertical




Cedar Spectrum™ Double 7" Shingle


MFG #	DESCRIPTION	LENGTH	THICKNESS	PCS/ BOX
110	Parkside® D4.5 - Dutch Lap	12' 1"	.038"	22
125	Vision Pro® D4 - Traditional	12' 6"	.040"	24
129	Vision Pro® D4 - Dutch Lap	12' 6"	.040"	24
135	Vision Pro® D5 - Traditional	12' 0"	.040"	20
139	Vision Pro® D5 - Dutch Lap	12' 0"	.040"	20
105	Forest Ridge® D4 - Traditional	12'6"	.042"	24
116	Forest Ridge® D5 - Traditional	12' 0"	.042"	20
109	Shadow Ridge® D4 - Dutch Lap	12' 6"	.042"	24
119	Shadow Ridge® D5 - Dutch Lap	12' 0"	.042"	20
284	Compass® D4 - Traditional	12' 6"	.044"	24
285	Compass® D4.5 - Dutch Lap	12' 1"	.044"	22
130	Castle Ridge® S8 - Traditional		.044"	
200	Somerset Coastal® S6.5 - Beaded		.044"	
199	Board & Batten 7"	10'0"	.048"	17
556	Cedar Spectrum™ D7 - Shingle Siding			
559	Cedar Spectrum™ D6.25 - Round Cut Siding			
560	Cedar Spectrum™ D9 - Hand-Split Siding			
570	Cedar Spectrum™ T5 - Perfection Triple 5"			

Vinyl Siding


Traditional, Dutch Lap, Soffit & Accessories



Traditional or Dutch Lap Siding



Starter Strip



Outside Corner



Undersill



Inside Corner



J-Channel

MFG #	DESCRIPTION	LENGTH	THICKNESS	PCS/ BOX
CPSSHD	2-1/2" Galvanized Steel Starter Strip	10' 0"		50
303	2-1/2" Sturdy Vinyl Starter Strip	10' 0"		50
304	3/8" J-Channel	12' 6"		40
330	5/8" H-Mold	12' 6"		24
336	1/2" J-Channel	12' 6"		40
339	1/2" F-Trim	12' 6"		40
364	3/4" Inside Corner	10' 0"		10
383	8" Fascia	12' 6"		24
390	3-3/4" Window/Door Surround	20' 0"		10
407	5-1/2" Outside Corner	20' 0"		4
432	Skirting - Center Vent 16" Exposure	8' 0"		18
461	Top Back Rail	8' 0"		40
462	Top Front Rail	8' 0"		40
463	Bottom Rail	8' 0"		40
36585	5/8" J-Channel	12' 6"		40
40020	4" X 3/4" Outside Corner	10' 0"		10
40022	3" X 3/4" Outside Corner	10' 0"		10
40024	7/8" J-Channel	12' 6"		40
40026	5/8" J-Channel Extended Face	12' 6"		40
40028	Finish Trim/ Undersill	12' 6"		40
40029	3/4" J-Channel Wide Flange	12' 6"		20
40041	4" Outside Corner	10' 0"		5
40042	3/4" Inside Corner	10' 0"		5
40043	5/8" J-Channel Extended Face	12' 6"		20
40044	Finish Trim/ Undersill	12' 6"		20
SPG24T04	24" Y 50' Trim Coil PVC Textured	-	.019"	1
SPG2404	24" Y 50' Trim Coil Smooth	-	.019"	1
36715	1-1/4" Smooth Trim Nails (25) 1lb ctns	1-1/4"	.019"	1lb

x In-Stock Special Order

	WHITE	ALMOND	BEIGE	BLUE	CREAM	GRAY	MIST	OLIVE	PEARL	TAN	CLAY	CYPRESS	FLINT	HAZELNUT	THISTLE	MUSKET BROWN	BLACK	BAYOU	BRIARWOOD	BRUNSWICK	DUBLIN	HAMPTON RED	IRON	PALM	PEWTER	SAGEBROOK	SHADOW	TEAK	WEDGEWOOD	COASTAL BLUE	HEARTHSTONE BRN	NORTHERN OAK	REDWOOD		
	STANDARD										DARK						PREMIUM										CEDAR								
ACCESSORIES																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			
X																																			

Fiber Cement

Lap, Panel, Shakes, Soffit & eTrim



FIBER CEMENT SIDING PROGRAM



Lap Siding | *Smooth*




Lap Siding | *Cedar*



Panel Siding | *Smooth*




Panel Siding | *Cedar*



Shake | *Straight Edge*



Shake | *Staggered Edge*



Soffit | *Vented*



Soffit | *Solid*



Allura Trim | *Reversible Smooth/Cedar*

MFG #	DESCRIPTION	QTY/ UNIT	STOCK
ALLURA SELECT SHAKE			
583488	12" Traditional 5/16" Thick - Random Sq. Straight Edge	120	N
199293	16" Traditional 5/16" Thick - Random Sq. Staggered Edge	129	N
199215	16" Traditional 5/16" Thick - Random Sq. Straight Edge	129	Y
411945	16" Traditional 5/16" Thick - Half-Round Shape	129	N
199549	16" Traditional 5/16" Thick - Octagon Shape	129	N
ALLURA SHAKE			
	16" x 48" Traditional 1/4" Thick - Random Sq. Straight Edge (43 Pcs./Sq.)	300	N
	16" x 48" Traditional 1/4" Thick - Heavy Staggered Edge (50 Pcs./Sq.)	300	N
	16" x 48" Traditional 1/4" Thick - Half-Round Shape (43 Pcs./Sq.)	300	N
420533	1/4"x16"x48" Multi-shake Combed CD Straight	300	N
287580	1/4"x16"x48" Multi-shake Combed CD Staggered	300	N
678160	1/4"x16"x48" Multi-shake Combed CD Fish Scale	300	N
TRADITIONAL CEDAR LAP SIDING			
156839	5-1/4 Traditional Cd Lap	360	N
156871	6-1/4 Traditional Cd Lap	308	N
197309	7-1/4 Traditional Cd Lap	252	Y
197925	8 -1/4 Traditional Cd Lap	230	Y
198017	9-1/4 Traditional Cd Lap	200	Y
198178	12 Traditional Cd Lap	160	N

**** NON STOCK ITEMS AVAILABLE SPECIAL ORDER**

Allura® Fiber Cement

When it comes to the natural look you want with none of the hassles, Allura fiber cement products are all you need.

- Durable, engineered to endure harsh weather and high-wind climates
- Noncombustible, Class A fire rating
- Superior aesthetics
- Factory pre-primed
- Distinctive, more realistic textures
- 30-year limited warranty

Allura Spectrum™ Pre-finished Siding Available Special Order in 25 Standard Colors.

CUSTOM COLORS AVAILABLE!

MFG #	DESCRIPTION	QTY/ UNIT	STOCK
TRADITIONAL CEDAR LAP SIDING			
198246	5 1/4 Smooth Lap	360	N
198618	6 1/4 Smooth Lap	308	N
198886	7 1/4 Smooth Lap	252	Y
198912	8 1/4 Smooth Lap	230	Y
199003	9 1/4 Smooth Lap	200	Y
199066	12 Smooth Lap	160	Y
TRADITIONAL VERTICAL SIDING			
156449	4x8 Traditional Cd	50	N
156519	4x9 Traditional Cd	50	N
156548	4x10 Traditional Cd	50	N
776312	4x12 Traditional Siding	50	N
SMOOTH VERTICAL SIDING			
151222	4x8 Smooth	50	Y
153082	4x9 Smooth	50	N
153352	4x10 Smooth	50	Y
459007	4x12 Smooth	50	N

MFG #	DESCRIPTION	QTY/ UNIT	STOCK
BEADBOARD PORCH CEILING PANEL/SOFFIT			
262493	4x8x5/16 Beadboard Sf 55 Pc	55	Y
TRADITIONAL PORCH CEILING PANEL/SOFFIT			
200205	4x8x1/4 Traditional Sf FT 60 Pc	60	N
199880	4x8x1/4 Sm Sf FT 60 Pc	60	N
TRADITIONAL CEDAR SOFFIT			
199902	Soffit Trad Cedar 1/4" 12"x 12' Primed	240	N
199758	Soffit Trad Cedar 1/4" 16"x 12' Primed	180	N
200028	Soffit Trad Cedar 1/4" 24"x 12' Primed	94	Y
TRADITIONAL CEDAR VENTILATED SOFFIT			
200239	Soffit Vented Cedar 1/4" 12"x12' Primed	240	N
200268	Soffit Vented Cedar 1/4" 16"x12' Primed	180	N
262129	Soffit Vented Cedar 1/4" 24"x12' Primed	94	N
SMOOTH SOFFIT			
199771	Soffit Smooth 1/4" 12"x 12' Primed	240	N
199807	Soffit Smooth 1/4" 16"x 12' Primed	180	Y
199832	Soffit Smooth 1/4" 24"x 12' Primed	94	N
SMOOTH VENTILATED SOFFIT			
200345	Soffit Vented Smooth 1/4" 12"x 12' Primed	240	Y
200373	Soffit Vented Smooth 1/4" 16"x 12' Primed	180	N
200502	Soffit Vented Smooth 1/4" 24"x 12' Primed	94	Y
ALLURA FIBER-CEMENT TRIM			
741922	4/4x2 Reversible Trim	506	N
146182	Allura Trim Batten (4/4x3"x12')	352	Y
717060	4/4x4 Reversible Trim	250	Y
717061	4/4x6 Reversible Trim	161	Y
717062	4/4x8 Reversible Trim	115	Y
718379	4/4x10 Reversible Trim	96	Y
723191	4/4x12 Reversible Trim	78	Y
634075	5/4x2 Reversible Trim	374	N
287343	5/4x3 Reversible Trim	256	N
717063	5/4x4 Reversible Trim	190	Y
262482	5/4x5 Reversible Trim	144	Y
717064	5/4x6 Reversible Trim	119	Y
723189	5/4x8 Reversible Trim	90	Y
723187	5/4x10 Reversible Trim	68	Y
723188	5/4x12 Reversible Trim	57	Y
924144	8/4x4 Reversible Trim	120	N
708794	8/4x6 Reversible Trim	76	N

Fiber Cement

Lap, Panel, Shakes, Soffit & Trim



Pre-Finished Allura Spectrum™ Fiber Cement

Build in more durability with pre-painted fiber cement, offering unparalleled protection against the elements. Enjoy a gorgeous palette of eye-catching designer colors, all pre-primed and sealed for premium weather protection. When it comes to the natural look you want with none of the hassles, Allura Fiber Cement products are all you need.

Features & Benefits

- Durable, engineered to endure harsh weather and high winds
- Non-combustible, Class A fire rating
- Superior aesthetics
- Distinctive realistic textures
- Available in Primed or Prefinished
- 30-year limited warranty



PRE-FINISHED – SPECIAL ORDER



Pure White
(SW 7005)

Accessible Beige
(SW 7036)

Gray Clouds
(SW 7658)

Morris Room Grey
(SW 0037)




Downing Slate
(SW 2819)

Urbane Bronze
(SW 7048)


Peppercorn
(SW 7674)

Tricorn Black
(SW 6258)

Naval
(SW 6244)



COLORS AVAILABLE FOR SPECIAL ORDER



Alabaster
(SW 7008)

Creamy
(SW 7012)

Agreeable Gray
(SW 7029)

Analytical Gray
(SW 7051)

Macadamia
(SW 6142)



Pewter Tankard
(SW 0023)

Niebla Azul
(SW 9137)

Evergreen Fog
(SW 9130)

Connected Gray
(SW 6165)



Virtual Taupe
(SW 7039)

Olive Grove
(SW 7734)

Anonymous
(SW 7046)

Toile Red
(SW 0006)

Black Fox
(SW 7020)



Iron Ore
(SW 7069)

Gale Force
(SW 7605)

Moulding & Millwork

Baseboard, Crown, Stops, Casing, Legs, Jambs & More



Effortlessly Add Character and Sophistication to Your Surroundings.

Transform your spaces with style using our meticulously crafted selection of moulding and millwork products, adding depth, character and sophistication to every corner. Discover the magic of expertly crafted details that elevate your designs while benefiting from the cost-effective elegance that moulding and millwork deliver to your projects.



BXC #	SIZE	DESCRIPTION	PCS/ UNIT
F/J PRIMED MILLWORK			
125221	1/2 x 3/4 x 16	WPI 126 Base Shoe F/J Primed	286
166007	3/4 x 3/4 x 16	WPI 105 Quarter Round F/J Primed	208
174769	9/16 x 3-1/4 x 16'	WPI 623 Base Colonial F/J Primed	338
321234	9/16 x 5-1/4 x 16'	WPI 618 Base Colonial F/J Primed	208
264264	9/16 x 4-5/8 x 16'	WPI 47 Crown Colonial F/J Primed	260
MDF S4S PRIMED BOARDS			
298121	1 x 4 x 17	MDF S4S S/E PRIMED BOARDS	325
694682	1 x 6 x 16	MDF S4S S/E PRIMED BOARDS	200
694683	1 x 8 x 16	MDF S4S S/E Primed Boards	144
694685	1 x 12 x 16	MDF S4S S/E Primed Boards	100




Real wood, only BETTER.

- Real Wood
- Primed and Ready to Paint
- Industry Leading Finish
- Ideal for Multiple Applications

BXC #	SIZE	DESCRIPTION	PCS/BDL
SHADOW GAP			
163851	1" x 6" x 16'	PrimeLinx Radiata Pine FJ Primed Shiplap	176
163866	1" x 8" x 16'	PrimeLinx Radiata Pine FJ Primed Shiplap	132
RAD PINE FJ PRIMED			
240161	1" x 2" x 16'	PrimeLinx Radiata Pine FJ Primed	560
240263	1" x 4" x 16'	PrimeLinx Radiata Pine FJ Primed	240
240329	1" x 6" x 16'	PrimeLinx Radiata Pine FJ Primed	147
240379	1" x 8" x 16'	PrimeLinx Radiata Pine FJ Primed	114
240518	1" x 12" x 16'	PrimeLinx Radiata Pine FJ Primed	76



Shadow Gap®



Trim Boards

MoistureShield® Decking

Composite Decking



Live outside the ordinary.

MoistureShield® offers the only wood composite deck board that can be installed in the ground, on the ground and underwater. Every MoistureShield® deck board is equipped with an impermeable barrier that fights against damage from moisture, rot, insects and other harmful elements. Our exclusive CoolDeck® Technology also reduces heat up to 35%* so you can stay much cooler and enjoy your deck more, even under the hot summer sun.

Why MoistureShield®?



Solid Core Innovation – Moisture-resistant to the core for installs on the ground, in the ground, or even underwater.



CoolDeck® Technology – Reduces heat absorption to keep boards cooler underfoot.



Low Maintenance – No rotting, warping, or splintering—ideal for long-term customer satisfaction.



On-Trend Colors & Profiles – Options that meet today's design preferences and price points.

SIZE	GROOVED	SOLID	UNIT SIZE
VISION COOL DECK			
<i>Colors Available: Mochaccino, Cathedral Stone & Cold Brew</i>			
5/4 x 6 x 12	X		56
5/4 x 6 x 16	X	X	56
5/4 x 6 x 20	X	X	56
1 x 12 x 12 Fascia		X	56
2 x 6 x 12*		X	
2 x 6 x 16*		X	
2 x 6 x 20*		X	
<i>*Cathedral Stone In Stock, Mocha & Cold Brew by Special order</i>			
ELEVATE			
<i>Colors Available: Riverbank, Alpine Gray, Canoe & Lake Fog</i>			
5/4 x 6 x 12	X		56
5/4 x 6 x 16	X		56
5/4 x 6 x 20	X	X	56
1 x 12 x 12 Fascia		X	56
MERIDIAN COOL DECK			
<i>Colors Available: Catalina, Citadel & Shoreside</i>			
5/4 x 6 x 12	X		56
5/4 x 6 x 16	X	X	56
5/4 x 6 x 20	X	X	56
1 x 12 x 12 Fascia		X	56
VANTAGE			
<i>Colors Available: Cape Cod Gray & Earthtone</i>			
5/4 x 6 x 12	X		56
5/4 x 6 x 16	X	X	56
5/4 x 6 x 20	X	X	56
1 x 12 x 12 Fascia		X	56
2 x 6 x 12*		X	
2 x 6 x 16*		X	
2 x 6 x 20*		X	
<i>*Cape Cod In Stock, Earthtone & Bridle by Special Order</i>			

Accessories

Screws, Clips, Joist Tape & More



Reduce lateral movement and add stability to your decking projects.

Get the most seamless installation possible with MoistureShield's exclusive hidden deck fastening system — Beautiful, durable and backed by a limited lifetime warranty against loose deck boards.


BXC#	STARBORN DESCRIPTION	PCS/UNIT
ACCESSORIES		
351298	Aegis Clip - Wood Frame	250 Sq Ft
783634	Aegis Clip - Wood Frame	50 SQ Ft
271476	Starter Clip - Stainless Steel	25 pcs
286643	Finish Clip - Stainless Steel	25 pcs
388662	Moistureshield Joist Tape	2" x 65'
SCREWS		
	Cap-Tor Epoxy 2.75 Color-Match	100 pc
	Cap-Tor Epoxy 2.75 Color-Match	350 pc
	Cap-Tor Epoxy 2.75 Color-Match	1750 pc
	Fascia Epoxy Color Match 1-7/8"	100 pc
	Epoxy Screw/Color Match Plug Kit 2.75 in	100 LF
	Epoxy Screw/Color Match Plug Kit 2.75 in	100 SF
	Epoxy Screw/Color Match Plug Kit 2.75 in	300 SF




Aegis Clip



Starter Clip



Screws



Cap-Tor XD



Joist Tape

MoistureShield®

InstaDeck®




Introducing **MoistureShield InstaDeck® Outdoor Flooring System**

MoistureShield's InstaDeck® is a user-friendly outdoor flooring system for creating ground-level, freestanding decks. Compatible with all MoistureShield decking lines, it allows for screw-free installation with an integrated fastening system. Ideal for homeowners seeking a quick and cost-effective way to upgrade their outdoor space.

- Create any size deck using locking tile foundation
- Picture frame ability using line and corner tiles
- Minimal tools required for easy installation
- Compatible with 60mm (2^{3⁄8}") pavers to combine decking and hardscape
- Assemble on any flat surface: grass, concrete, existing patio surfaces and gravel
- Tiles can be offset around obstacles and existing hardscape or concrete
- Made in the USA with Limited Lifetime Warranty



Step 1. Ensure a flat, level surface and set tiles




Step 2. Press clips together to interlock tiles and then secure tiles to surface



Step 3. Step down to snap boards in

2' x 2' InstaDeck (set of 4)

Actual dimensions 22.55" x 22.55"



Corner InstaDeck (set of 4)

Actual dimensions 5.83" x 5.83"



BLUELINX
DELIVERING WHAT MATTERS™

**Dallas-Ft. Worth
Distribution Center**

**bluelinxco.com
(866) 323-5117**

Compass™ Aluminum Railing


Top Rail Cover, Square Baluster Kits & Adapters/Brackets

Compass Railing Options



3/4" Square

Available in all 3 colors



Cable

Available in all 3 colors




Horizontal Rod Rail

Available in Matte Black only

Compass Top Rail Styles



Classic*




Cambridge



*The Deck Board Adapter used on our Classic Top Rail allows you to install a coordinating MoistureShield deck board to create a "cocktail rail."

Available Colors



Matte Black



Matte Bronze



White



BLUELINX
DELIVERING WHAT MATTERS™

Your *Premier* Building
Products Distributor.



Extensive Product Offering | Responsive Service | Nationwide Distribution

**Dallas-Ft. Worth
Distribution Center**

**bluelinxco.com
(800) 839-2588**