



# Moulding Profile Directory

All profiles are not scaled to actual size.

## WHITE PINE MOULDINGS

Base, Casing & Crown	4-6
Bed Mould	7
Outside Corner	7
Lattice	7
Wall & Closet Rail	7
Chamfer	7
Cap	8
Applied Moulding	8
Cove	8
Inside Corner	8
Door Stop	9
Base Shoe	9
Quarter Round	9
Screen Mould	9
Square Stock	9
Brick Mould	10
Interior Door Jambs	10
Exterior Door Frames	10
T-Astragals	10
Window Sill	10
Window Stool	10
PrimeLinx® Trim Boards	11
PrimeLinx® Shadow Gap®	11

## HARDWOOD MOULDINGS

Base	14
Casing	15
Crown	15
Bed Mould	16
Cap	16
Applied Moulding	16
Cove Mould	16
Outside Corner	16
Stile & Rail	17
Nominal S4S Stock	17
Door Stop	18
Base Shoe	18
Quarter Round	18
Screen Mould	18
Interior Door Jambs	19

## MDF MOULDINGS

Base & Casing	22
Crown	23
Chamfered Base	23
Eased Edge Base	23
Eased Edge Casing	23

## WHITE PINE MOULDING

BlueLinx is ready to meet your White Pine Moulding needs. We carry a wide selection of Stain Grade White Pine Moulding Profiles, Raw Finger jointed, and Primed Finger jointed Profiles, and Primelinx® Primed S4S & Shadow Gap® Trim Boards. The majority of the stock items shown are architectural trim profiles and a few of the stock items are used primarily for cabinetry and furniture manufacture. We would be happy to talk to you about the profiles that we have available!

## HELPFUL INSTALLATION TIPS

---

- Allow all moulding materials to acclimate to an indoor environment 48 hours prior to installation.
- Make sure all surfaces are smooth and clean and all corners are 90 degrees.
- Cut all materials before any nailing or gluing to ensure accuracy. Nailing supports are required for the back of the crown mouldings.
- Leave a small gap at corner seams to allow for material expansion.
- Apply caulk to seams and light spackling compound or wood filler to nail holes for best results.
- Finish with quality construction-industry products. Be sure to read the manufacturer's specific recommendations.



# WHITE PINE MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Base & Casing



**CAS322**  
5/8X2-1/2  
DETAIL  
FJ



**BAS322**  
5/8X3-1/4  
DETAIL  
FJ



**BAS163**  
9/16X5-1/4  
DETAIL  
FJP



**BAS525**  
11/16X3-1/4  
KINGSTON  
FJ-SGRL-CTL



**BAS545**  
11/16X4-1/4  
KINGSTON  
FJ-SGRL



**BAS555**  
11/16X5-1/4  
KINGSTON  
FJ-SGRL



**CAS393**  
5/8X2-1/4  
COVE CASE  
FJ-FJP-SGRL-CTL



**BAS493**  
9/16X3-1/4  
COVE BASE  
FJ-FJP  
SGRL-CTL



**BAS494**  
9/16X4-1/4  
COVE BASE  
FJ-SGRL



**BAS495**  
9/16X5-1/4  
COVE BASE  
FJ-SGRL





# WHITE PINE MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')



**BAS713**  
9/16X3-1/4  
SANITARY  
FJ-SGRL-CTL



**BAS724**  
7/16X3  
RANCH  
SGRL



**CAS327**  
11/16X2-1/4  
SANITARY  
FJ-FJP-SGRL-CTL



**CAS324**  
11/16X2-1/4  
WEDGE  
FJ-SGRL-CTL



**BAS443**  
9/16X3-1/4  
K-BASE  
FJ-FJP-SGRL-CTL



**CAS356**  
11/16X2-1/4  
K-CASE  
FJ-FJP-SGRL-CTL



**CAS344**  
11/16X3-1/4X8  
SG-CTL  
FLUTED/BEADED  
REVERSIBLE



**BAS700**  
9/16X3-1/4  
A-COLONIAL  
FJ-SGCTL



**CAS337**  
5/8X2-1/4  
A-COLONIAL  
FJ-SGRL-CTL




# WHITE PINE MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Base & Casing



**CAS411**  
11/16X3-1/2  
LC-11  
FJ



**BAS511**  
9/16X4-1/2  
LB-11  
FJ



**BAS634**  
7/16X3  
COLONIAL  
SGRL



**BAS623**  
9/16X3-1/4  
OGEE  
FJ-FJP  
SGRL-CTL




**BAS620**  
9/16X4-1/4  
OGEE  
FJ-SGRL



**BAS618**  
9/16X5-1/4  
OGEE  
FJ-FJP-SGRL

## Crown



**CRN54**  
9/16X2-1/4  
CROWN  
SGRL


**CRN51**  
9/16X3-1/4  
CROWN  
FJ-FJP-SGRL-CTL

**CRN48**  
9/16X4-1/4  
CROWN  
FJ-FJP-SGRL

**CRN52**  
9/16X2-3/4  
CROWN  
FJ-SGRL-CTL

**CRN49**  
9/16X3-5/8  
CROWN  
FJ-SGRL

**CRN45**  
9/16X5-1/4  
CROWN  
FJ-SGRL



**CRN16**  
9/16X6X16  
SPEC CRN  
FJ



FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Bed Mould



**BED70**  
9/16X2-3/4  
BED MOULD  
SGRL

**BED72**  
9/16X2-1/4  
BED MOULD  
SGRL

**BED74**  
9/16X1-3/4  
BED MOULD  
SGRL-CTL

## Outside Corner



**OSC204**  
1-1/4X1-1/4  
LG OUTSIDE CORNER  
CTL



**OSC205**  
1X1  
MED OUTSIDE CORNER  
CTL



**OSC206**  
3/4X3/4  
SM OUTSIDE CORNER  
CTL

## Lattice Strips



**LAT268**  
1/4X1-1/8  
SM LATTICE  
SGRL-CTL




**LAT267**  
1/4X1-3/8  
MED LATTICE  
SGRL-CTL




**LAT265**  
1/4X1-3/4  
LG LATTICE  
SGRL-CTL

## Wall Rail & Full Round



**WRL231**  
1-1/2X1-11/16  
WALL RAIL  
SGRL-CTL



**RND233**  
1-1/4  
FULL ROUND  
SGRL-CTL

## Chamfer Strip



**CHM995**  
3/4X3/4  
CHAMFER STRIP  
CTL 8' & HDWD 10'



FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')


## Cap & Applied Moulding




**CAP163**  
11/16X1-3/8  
BASE CAP  
SG-CTL



**CAP292**  
11/16X1-3/8  
PANEL CAP  
SGRL-CTL




**PAN286**  
11/16X1-7/8  
PM-6 LIBRARY MOULD  
SGRL




**PAN285**  
11/16X1-1/8  
PM5 PANEL MOULD  
CTL



**PANA6**  
11/16X1-3/4  
APPLIED MOULD  
SGRL



**PANA9**  
9/16X1-3/16  
APPLIED MOULD  
CTL



**PANP31**  
11/16X3/4  
APPLIED MOULD  
SGRL

## Cove



**COVE85**  
9/16X1-3/4  
LARGE COVE  
SGRL-CTL




**COVE92**  
3/4X7/8  
OFFSET COVE  
SGRL-CTL



**COVE100**  
11/16X11/16  
SMALL COVE  
SGRL-CTL

## Inside Corner




**ISC999**  
5/16X1  
INSIDE CORNER  
CTL



FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Door Stop



**STO826**  
3/8X1-3/8X7  
SANITARY STOP  
SG-CTL



**STO876**  
7/16X1-3/8X7  
R/E STOP  
SG-CTL



**STO916**  
3/8X1-3/8X7  
OGEE STOP  
FJCTL-SG-CTL



**STO887**  
3/8X1-1/4  
E2E STOP  
7' & 8'  
FJP-CTL



**STO933**  
7/16X2-1/4X8  
GARAGE DOOR STOP  
FJ-CTL



**STO936**  
7/16X1-3/8  
COLONIAL STOP  
7' & 8'  
FJP-CTL

## Base Shoe & Quarter Round



**SHO126**  
1/2X3/4  
BASE SHOE  
SGRL-FJP-CTL

**QTR106**  
1 1/16X1 1/16  
QTR ROUND  
SGRL-FJP-CTL



**QTR108**  
1/2X1/2  
QTR ROUND  
SGRL-CTL

**QTR110**  
1/4X1/4  
QTR ROUND  
CTL

## Screen Moulding

**SCR142**  
1/4X3/4  
FLAT SCREEN  
SGRL-CTL



**SCR144**  
1/4X3/4  
BEADED SCREEN  
CTL



**SCR137**  
3/8X3/4  
CLOVER LEAF  
SGRL-CTL



## Square Stock



**SQS239**  
3/4X3/4X8  
SQUARE STOCK  
SGCTL



**SQS246**  
1 1/16X2-3/4X8  
SCREEN STOCK  
SGCTL



**SQS248**  
1 1/16X1-3/4  
SCREEN STOCK  
SGRL-CTL



**SQS251**  
1 1/16X1-3/8  
BLIND STOP  
SGRL-CTL



**SQS254**  
1/2X3/4  
PARTING STOP  
SGRL-CTL



**STR960**  
3/8X2-1/4X8  
PANEL STRIP  
SGCTL



# WHITE PINE MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Brick Mould



**BRM175**  
1-1/16X2  
BRICK MOULD  
FJ-CTL



**BRM180**  
1-1/4X2  
BRICK MOULD  
FJ-FJP-SGRL  
CTL

## Interior Door Jambs



**INTERIOR DOOR JAMBS**  
1 1/16X4-5/8X81-11/16

- Bare Finger-jointed Pine
- Primed Finger-jointed Pine
- Stain Grade Veneer Pine

## T-Astragals

**AST1310**  
1-1/4X2-1/4X8  
T-ASTRAGAL  
FOR 1-3/4 DOORS



**AST1315**  
1-1/4X2X8  
T-ASTRAGAL  
FOR 1-3/8 DOORS

## Exterior Door Frames



**EXTERIOR DOOR FRAMES**  
1-1/4X4-9/16X82-1/32  
FJP-KERFED  
FOR WEATHERSTRIP

## Window Sill & Window Stool



**STL10**  
1-1/4X6-1/4  
WINDOW SILL  
FJ



**STL1021**  
1 1/16X5-1/4  
WINDOW STOOL  
FJ



# WHITE PINE MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

**PrimeLinx**<sup>®</sup>  
PRIMED TRIM BOARDS

**PrimeLinx**<sup>®</sup>  
S H A D O W G A P<sup>®</sup>



## REAL WOOD, READY TO INSTALL

- Real Wood
- Ready to Paint
- Wide variety of Widths, Lengths & Thicknesses
- Ideal for Multiple Applications
- Industry Leading Finish Technology

### PRIMED S4S TRIM BOARDS

1X2X16 (21/32X1-1/2)

1X4X16 (21/32X3-1/2)

1X4X17 (21/32X3-1/2)

1X6X16 (21/32X5-1/2)

1X8X16 (21/32X7-1/4)


1X12X16 (21/32X11-1/4)

### PRIMED SHIP LAP EDGE

1X6X16 (19/32X5-3/8)

1X8X16 (19/32X7-3/8)





## HARDWOOD MOULDING

BlueLinX is ready to meet your Hardwood Moulding needs! Over the past several years our mill has grown to provide many value added services and quality millwork products. While we will continue to make log cabin siding, pattern stock, custom profiles and the other products you are used to seeing, this catalog is dedicated to keeping you up to date on our Hardwood Moulding line. The majority of the stock items shown here are architectural trim profiles and a few of the stock items are used primarily for cabinetry and furniture manufacture. We would be happy to talk to you about the different hardwood species and profiles that we have available!

## HELPFUL INSTALLATION TIPS

---

- Allow all moulding materials to acclimate to an indoor environment 48 hours prior to installation.
- Make sure all surfaces are smooth and clean and all corners are 90 degrees.
- Cut all materials before any nailing or gluing to ensure accuracy. Nailing supports are required for the back of the crown mouldings.
- Leave a small gap at corner seams to allow for material expansion.
- Apply caulk to seams and light spackling compound to nail holes for best results.
- Finish with any quality construction-industry products. Be sure to read the paint manufacturer's specific recommendations.



# HARDWOOD MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Base



**BAS443**  
1 1/16X3-1/4  
PATTERN K  
HDWD



**BAS493**  
1 1/16X3-1/4  
COVE  
HDWD



**BAS593**  
1 1/16X4-1/4  
COVE  
HDWD



**BAS693**  
1 1/16X5-1/4  
COVE  
HDWD



**BAS555**  
3/4X5-1/4  
KINGSTON  
HDWD



**BAS545**  
3/4X4-1/4  
KINGSTON  
HDWD



**BAS525**  
3/4X3-1/4  
KINGSTON  
HDWD



**BAS219**  
3/8X2-3/4  
COLONIAL  
HDWD



FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Case



**CAS113**  
1/2X2-1/4  
MODERN  
HDWD




**CAS115**  
1/2X2-1/4  
COLONIAL  
HDWD



**CAS393**  
11/16X2-1/4  
COVE  
HDWD



**CAS356**  
11/16X2-1/4  
PATTERN K  
HDWD



**CASFL3**  
11/16X3-1/4  
FLUTED REVERSIBLE  
HDWD

## Crown




**CRN54**  
11/16X2-1/4  
CROWN  
HDWD



**CRN51**  
3/4X3-1/4  
CROWN  
HDWD



**CRN48**  
3/4X4-1/4  
CROWN  
HDWD




**CRN16**  
11/16X6  
CROWN  
HDWD



# HARDWOOD MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Cove




**COV601**  
3/4X3/4  
COVE  
HDWD

## Bed




**BED70**  
1 1/16X2-3/4  
BED MOULD  
HDWD

## Corner




**OSC655**  
1-1/16X1-1/16  
OUTSIDE CORNER  
HDWD

## Base Cap




**A31**  
1 1/16X1-3/8  
BASE CAP  
HDWD


## Applied Moulding



**PANA6**  
1 1/16X1-3/4  
APPLIED MOULD  
HDWD




**PANA9**  
9/16X1-3/16  
APPLIED MOULD  
HDWD



**PANP31**  
1 1/16X3/4  
APPLIED MOULD  
HDWD

## Panel Cap




**PANPM6**  
3/4X1-15/16  
LIBRARY MOULD  
HDWD




**CAP4054**  
3/4X1-5/8  
PANEL CAP  
HDWD

## Wall Rail & Hand Rail



**WRL6040**  
1-1/2X1-11/16  
WALL RAIL  
HDWD



**HRL6010**  
2-3/8X2-1/4X1-1/2  
HAND RAIL  
HDWD

## Chair Rail



**CHA720**  
1 1/16X2-5/8  
CHAIR RAIL  
HDWD



FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Stile/Rail



3/4X1-1/2  
OAK  
MAPLE  
ALDER  
POPLAR

3/4X2  
OAK  
MAPLE  
ALDER  
POPLAR

3/4X2-1/2  
OAK  
MAPLE  
ALDER  
POPLAR

3/4X3  
OAK  
MAPLE  
ALDER  
POPLAR

3/4X4  
OAK  
MAPLE  
POPLAR

3/4X4-1/2  
OAK  
MAPLE  
POPLAR

## Nominal S4S Stock



1X4  
OAK  
MAPLE  
ALDER  
POPLAR

1X6  
OAK  
MAPLE  
ALDER  
POPLAR

1X8  
OAK  
MAPLE  
ALDER  
POPLAR

1X12\*\*  
OAK  
POPLAR  
MAPLE

Wider sizes may be edge glued  
\*\*1X12 not available in all species



# HARDWOOD MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Stop



**STO303**  
7/16X1-3/8X7  
COLONIAL DOOR  
STOP  
HDWD




**STO302**  
7/16X1-3/8  
R.E. DOOR STOP  
HDWD

## Shoe



**SHO126**  
1/2X3/4  
BASE SHOE  
HDWD

## QTR Round



**QTR661**  
3/4X3/4  
QUARTER ROUND  
HDWD

## Screen



**SCR142**  
1/4X3/4  
SCREEN MOULD  
HDWD



**SCR137**  
3/8X3/4  
CLOVER LEAF  
SCREEN MOULD  
HDWD





FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Interior Hardwood Door Jambs



### **JMB-F-346**

HDWD F-346 JAMB WD/CORE VNR/ WRAP  
1 1/16X4-9/16X81





## MDF MOULDING

BlueLinX is ready to meet your MDF Moulding needs! MDF Moulding thickness is typically measured in millimeters.

Use our Metric Conversion Guide and additional Installation Tips for your convenience.

### METRIC CONVERSION GUIDE

English Measurement	Metric Conversion	Recommended Metric Size
7/16"	11.11 mm	11 mm
15/32"	11.91 mm	12 mm
1/2"	12.7 mm	13 mm
9/16"	14.29 mm	14 mm
19/32"	15.08 mm	15 mm
5/8"	15.88 mm	16 mm
21/32"	16.67 mm	17 mm
11/16"	17.46 mm	17 mm
23/32"	18.26 mm	18 mm
3/4"	19.05 mm	19 mm
25/32"	19.84 mm	20 mm
13/16"	20.64 mm	21 mm
7/8"	22.23 mm	22 mm
1"	25.40 mm	25 mm

## HELPFUL INSTALLATION TIPS

- Allow all moulding materials to acclimate to an indoor environment 48 hours prior to installation.
- Make sure all surfaces are smooth and clean and all corners are 90 degrees.
- Cut all materials before any nailing or gluing to ensure accuracy. Nailing supports are required for the back of the crown mouldings.
- Leave a small gap at corner seams to allow for material expansion.
- Apply caulk to seams and light spackling compound to nail holes for best results.
- Finish with quality construction-industry products. Be sure to read the paint manufacturer's specific recommendations.



# MDF MOULDINGS

FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Base & Casing



**MDFBAS163**  
9/16X5-1/4X16  
DETAIL  
14MM



**MDFBAS312**  
9/16X5-1/4X16  
DETAIL  
14MM



**MDFBAS322**  
19/32X3-1/4X16  
DETAIL  
15MM



**MDFBAS623**  
15/32X3-1/4X16  
OGEE  
12MM



**MDFBAS433**  
9/16X3-1/4X16  
PATTERN-K  
14MM



**MDFCAS356**  
19/32X2-1/4X16  
COLONIAL DOOR STOP  
15MM





FJ- FINGER JOINT | FJP- FINGER JOINT PRIMED | SGRL-STAIN GRADE RANDOM LENGTH | CTL- CUT TO LENGTH (7' & 8')

## Crown



**MDFCRN48**  
9/16X4-1/4X16  
CROWN  
15MM



**MDFCRN49**  
19/32X3-5/8X16  
CROWN  
15MM



**MDFCRN45**  
19/32X5-1/4X16  
CROWN  
15MM

## Chamfered Base & Casing

## Eased Edge Base & Casing



**MDFS1451416E1EP**  
5-1/4X16  
E1E  
14MM



**MDFS1231216E1EP**  
3-1/2X16  
E1E  
12MM



**MLDMDFCASCHF325**  
15MMX3-1/4X17  
15MM



**MLDMDFBASCHF525**  
14MMX5-1/4X16  
14MM



**MLDMDFBASCHF725**  
14MMX7-1/4X16  
14MM



**MDFS1731217E2EP**  
3-1/2X17  
E2E  
17MM



**MDFS1521216E2EP**  
2-1/2X16  
E2E  
15MM

# BLUELINX

DELIVERING WHAT MATTERS™

OKLAHOMA CITY | 800.375.6025

